SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 1.1 (27/05/2015) - Page 1/7

PEBEO S A

Acrylic: mortier sable / raw sand mortar - 522500

## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: Acrylic: mortier sable / raw sand mortar

Product code: 522500.

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Paints & Varnishes for artists

## 1.3. Details of the supplier of the safety data sheet

Registered company name: PEBEO S A.

Address: 305 AVENUE DU PIC DE BERTAGNE - BP106 -.13881.GEMENOS CEDEX.FRANCE.

Telephone: 33 (0) 4.42.32.08.08. Fax: 33 (0) 4.42.32.01.70.

cdedeyne@pebeo.com www.pebeo.com

## 1.4. Emergency telephone number: 33 (0) 1.45.42.59.59.

 $Association/Organisation: INRS \ / \ ORFILA \ \ http://www.centres-antipoison.net \ .$ 

## SECTION 2: HAZARDS IDENTIFICATION

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

## 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) PEBEO S A

Version 1.1 (27/05/2015) - Page 2/7

Acrylic: mortier sable / raw sand mortar - 522500

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Composition:

Composition:				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	Xn,N	[1]	$0 \le x \% < 2.5$
CAS: 2634-33-5	Dgr	Xn;R22		
EC: 220-120-9	Acute Tox. 4, H302	Xi;R38-R41-R43		
	Skin Irrit. 2, H315	N;R50		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318			
	Skin Sens. 1, H317			
	Aquatic Acute 1, H400			
	M Acute = 1			
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	T,N	[1]	0 <= x % < 2.5
CAS: 55965-84-9	Dgr	T;R23/24/25		
	Acute Tox. 3, H331	C;R34		
MIXTURE OF:	Acute Tox. 3, H311	Xi;R43		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301	N;R50/53		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314			
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317			
220-239-6] (3:1)	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

#### Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

## SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

## In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

## In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

## In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

## 5.1. Extinguishing media

## Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist

SAFETY DATA SHEET (REGULATION (EC)  $\mathfrak{n}^\circ$  1907/2006 - REACH) PEBEO S A

Version 1.1 (27/05/2015) - Page 3/7

Acrylic: mortier sable / raw sand mortar - 522500

- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

## Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

## For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

# SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Ensure that there is adequate ventilation, especially in confined areas.

## Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

## Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

## Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

# 7.2. Conditions for safe storage, including any incompatibilities

No data available.

## Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 1.1 (27/05/2015) - Page 4/7

PEBEO S A

Acrylic: mortier sable / raw sand mortar - 522500

## **Packaging**

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

#### Occupational exposure limits:

- Netherlands / MAC-waarde (SER, 4 May 2010) :

TWA: CAS STEL: Ceiling: Definition: Criteria: 55965-84-9 0.05 mg/m3

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eves.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

## - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1. Information on basic physical and chemical properties

## General information:

Physical state: Paste.

# Important health, safety and environmental information

Decomposition point/decomposition range:

8.50 . pH: Slightly basic. Boiling point/boiling range: Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: > 1 Water solubility: Dilutable. Melting point/melting range: Not relevant. Self-ignition temperature: Not relevant.

Not relevant.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) PEBEO S A

Version 1.1 (27/05/2015) - Page 5/7

Acrylic: mortier sable / raw sand mortar - 522500

## 9.2. Other information

VOC (g/l): 18.37

## SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

## 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

#### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

## 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

Splashes in the eyes may cause irritation and reversible damage

#### 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

## Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

# SECTION 12: ECOLOGICAL INFORMATION

## 12.1. Toxicity

## 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

# 12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Other adverse effects

No data available.

## SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

SAFETY DATA SHEET (REGULATION (EC)  $\mathfrak{n}^\circ$  1907/2006 - REACH) PEBEO S A

Version 1.1 (27/05/2015) - Page 6/7

Acrylic: mortier sable / raw sand mortar - 522500

## Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### Codes of wastes (Decision 2001/573/EC, Directive 2006/12/EEC, Directive 94/31/EEC on hazardous waste):

20 01 27 \* paint, inks, adhesives and resins containing dangerous substances

15 01 02 plastic packaging

## SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

## SECTION 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

No data available.

# - Particular provisions :

No data available.

# - Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704):

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



## - Swiss ordinance on the incentive tax on volatile organic compounds :

67-56-1 méthanol (alcool méthylique)

# 15.2. Chemical safety assessment

No data available.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) PEBEO S A

Version 1.1 (27/05/2015) - Page 7/7

Acrylic: mortier sable / raw sand mortar - 522500

## SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

## Title for H, EUH and R indications mentioned in section 3:

H301	Toxic if swallowed.		
H302	Harmful if swallowed.		
H311	Toxic in contact with skin.		
H314	Causes severe skin burns and eye damage.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H331	Toxic if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
R 22	Harmful if swallowed.		
R 23/24/25	Toxic by inhalation, in contact with skin and if swallowed.		
R 34	Causes burns.		
R 38	Irritating to skin.		
R 41	Risk of serious damage to eyes.		
R 43	May cause sensitisation by skin contact.		
R 50	Very toxic to aquatic organisms.		
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic		

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

## Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

environment.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).