	fety Data Sl ording to Regu			CAUX it of colours
		Lascaux Studi	Bronze Original English green gold (993)	
	sion date : t date :	22.05.2017 22.05.2017	Version (Revision) :	10.0.0 (9.0.0)
	tuate .	22.05.2017		
CE/	TION 1. Idonti	fication of the cul	hetance (mixture and of the company) up	dortoking
			bstance/mixture and of the company/ une	
1.1	Product identi	-		
		onze Original English gre		
1.2			substance or mixture and uses advised ag	jainst
	Relevant ide			
1 2	Artists' Acrylic Co		fatu data abaat	
1.3		supplier of the sa	-	
	Manufacture	r / Supplier :	Lascaux Colours & Restauro, Barbara Diethelm AG	
	Street :		Zürichstrasse 42	
	Postal code/	city :	CH-8306 Brüttisellen	
	Telephone :		+41 44 807 41 41	
	Telefax :	_	+41 44 807 41 40	
	Information		info@lascaux.ch	
	European ad	dress :	Lascaux Colours & Restauro Europe GmbH	
	Street :		Turmstrasse 11	
	Postal code/	city :	D-78467 Konstanz	
	Telephone :		+49 7531 911 3996	
	Telefax :		+49 7531 911 3997	
	Information	contact :	info@lascaux.de	
1.4	Emergency te	lephone number		
	Tox Info Suisse, 2	4-h-emergency number	145, Tel. +41 44 251 51 51	
SEC	CTION 2: Hazar	ds identification		
	Classification Aquatic Acute 1 ; Aquatic Chronic 2 effects.	; H400 - Hazardous to th 2 ; H411 - Hazardous to t	or mixture gulation (EC) No 1272/2008 [CLP] e aquatic environment : Acute 1 ; Very toxic to aquatic life. the aquatic environment : Chronic 2 ; Toxic to aquatic life v	
2.2	Label element			
	Labelling acc Hazard pictogra		tion (EC) No. 1272/2008 [CLP]	
	<₩,>			
	Environment (G <b>Signal word</b>	iH509)		
	Warning			
	Hazard statem	ents		
	H400	Very toxic to aqu		
	H411	•	life with long lasting effects.	
	Precautionary s P273	statements Avoid release to t	the environment.	
	-			
			Page : 1 / 7	( EN / CH )

Item Numbers: 00665-7910

Page 1 of 7

Page 2 of MSDS for #00665 - LASCAUX STUDO ACRYLC **Safety Data Sheet** according to Regulation (EC) No. 1907/2006 (REACH) the spirit of colours Trade name : Lascaux Studio Bronze Original English green gold (993) **Revision date :** 22.05.2017 Version (Revision) : 10.0.0 (9.0.0) 22.05.2017 Print date : P391 Collect spillage. Special rules for supplemental label elements for certain mixtures Contains FATTY ACIDS, TALL-OIL, MALEATED, WITH TRIETHANOLAMINE ; 2-METHYL-2H-EUH208 ISOTHIAZOL-3-ONE ; 1,2-BENZISOTHIAZOL-3(2H)-ONE ; REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1).May produce an allergic reaction. 2.3 Other hazards None SECTION 3: Composition/information on ingredients 3.2 Mixtures **Hazardous ingredients** COPPER ; EC No. : 231-159-6; CAS No. : 7440-50-8 Weight fraction : ≥ 15 - < 20 % Classification 1272/2008 [CLP] : Acute Tox. 4 ; H302 Aquatic Acute 1 ; H400 Aquatic Chronic 2 ; H411 ZINC ; EC No. : 231-175-3; CAS No. : 7440-66-6 Weight fraction :  $\geq 5 - < 10 \%$ Classification 1272/2008 [CLP] : Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 FATTY ACIDS, TALL-OIL, MALEATED, WITH TRIETHANOLAMINE ; REACH registration No. : 01-2119972936-19-0000 ; EC No. : 309-692-1 Weight fraction : ≥ 0,5 - < 1 % Classification 1272/2008 [CLP] : Skin Sens. 1B ; H317 1,2-BENZISOTHIAZOL-3(2H)-ONE ; EC No. : 220-120-9; CAS No. : 2634-33-5 ≥ 0,005 - < 0,05 % Weight fraction : Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Acute Tox. 4 ; H302 Skin Irrit. 2 ; H315 Skin Sens. 1 ; H317 Aquatic Acute 1; H400 REACTION MASS OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE AND 2-METHYL-2H -ISOTHIAZOL-3-ONE (3:1) ; CAS No. : 55965-84-9 Weight fraction : ≥ 0,00015 - < 0,0015 % Acute Tox. 3 ; H301 Acute Tox. 3 ; H311 Acute Tox. 3 ; H331 Skin Corr. 1B ; H314 Classification 1272/2008 [CLP] : Eye Dam. 1 ; H318 Skin Sens. 1 ; H317 Aquatic Acute 1 ; H400 Aquatic Chronic 1 ; H410 Additional information Full text of H- and EUH-phrases: see section 16. **SECTION 4: First aid measures** 4.1 Description of first aid measures **General information** In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. Following inhalation Take the casualty into the fresh air and keep warm. Keep at rest. Irregular breathing/no breathing: artificial respiration. Unconsciousness: lateral position - call a physician. In case of skin contact Wash away with soap and water and rinse. Do NOT use solvents or thinners. After eve contact Remove contact lenses, keep eyelids open. Flush with plenty of water (10 - 15 min.). Call a physician.

After ingestion

Page : 2 / 7

( EN / CH )

tem Numbers: 00665-7910

Page 2 of 7

MSDS for #00665 - LASCAUX STUDO ACRYL
---------------------------------------

## **Safety Data Sheet**

## according to Regulation (EC) No. 1907/2006 (REACH)



Trad	e name :	Lascaux Studio Bronze	e Original English green gold (993)		
Revision date :		22.05.2017	Version (Revision) :	10.0.0 (9.0.0)	
Print	Print date : 22.05.2017				
	Contact a doct	or immediately. Keep at rest. Do not	induce vomiting.		
4.2	Most import No information	ant symptoms and effects, available.	, both acute and delayed		
4.3	Indication o	f any immediate medical a	ttention and special treatment ne	eded	
SEC	CTION 5: Firef	ighting measures			
5.1	Extinguishir	ig media			
		tinguishing media nt foam, CO2, powders, water spray.			
	Waterjet.	extinguishing media			
			_		

## 5.2 Special hazards arising from the substance or mixture

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters Special protective equipment for firefighters Appropriate breathing apparatus may be required.

#### 5.4 Additional information

Do not allow the quenching water into the sewage system.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Keep away from ignition sources and provide for good ventilation. Refer to protective measures listed in sections 7 and 8.

## 6.2 Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform appropriate authorities in accordance with local regulations.

## 6.3 Methods and material for containment and cleaning up

For cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferabily with a detergent; avoid use of solvents.

## 6.4 Reference to other sections

None

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Do not eat or drink during work - no smoking. Comply with the health and safety at work laws. For personal protection see Section 8.

## 7.2 Conditions for safe storage, including any incompatibilities Requirements for storage rooms and vessels No particular measures required. Hints on joint storage

Keep away from oxidizing agents, from strongly alkaline and strongly acid materials.

Page : 3 / 7

( EN / CH )

Item Numbers: 00665-7910

Page 3 of 7

**Safety Data Sheet** according to Regulation (EC) No. 1907/2006 (REACH) the spirit of colours Trade name : Lascaux Studio Bronze Original English green gold (993) **Revision date :** 22.05.2017 Version (Revision) : 10.0.0 (9.0.0) Print date : 22.05.2017 Storage class ( D ): 12 Storage class (TRGS 510) ( D ): 12 Further information on storage conditions Always keep in containers of same material as the original one. See also instructions on the label. Avoid heating and direct sunlight. Keep containers dry and cool. Comply with the health and saftey at work laws. 7.3 Specific end use(s) None SECTION 8: Exposure controls/personal protection 8.1 Control parameters None 8.2 Exposure controls **Personal protection equipment** Eye/face protection Wear protective glasses in case of splashes. Skin protection **Body protection** After skin contact wash thorougly with soap and water or use recognised skin cleanser. Do Not use solvents or thinners. **Respiratory protection** If workplace limits are exceeded, a gas mask approved for this purpose must be worn. **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties Appearance Physical state : Liquid. Colour: Coloured. Odour Poor, characteristic. Safety relevant basis data Initial boiling point and boiling (1013 hPa) approx. 100 °C range : Flash point : not applicable Vapour pressure : (50 °C) hPa approx. 120 Density : g/cm<sup>3</sup> (20 °C) 1,4 approx. pH: approx. 7,5 Viscosity : (20 °C) mPa.s approx. 6000 9.2 Other information None **SECTION 10: Stability and reactivity** 10.1 Reactivity No information available. 10.2 Chemical stability No information available. Page: 4 / 7 (EN/CH)

MSDS for #00665 - LASCAUX STUDO ACRYLC

Item Numbers: 00665-7910

Page 4 of 7

Page 4 of

MSDS for #00665 - LASCAUX STUDO ACRYLC
----------------------------------------

# Safety Data Sheet

Item Numbers: 00665-7910


according to Regulation (EC) No. 1907/2006 (REACH)



Page 5 of 7

Trade name :		onze Original English green gold (993)	
Revision date : Print date :	22.05.2017 22.05.2017	Version (Revision) :	10.0.0 (9.0.0)
rint date :	22.05.2017		
LO.3 Possibility of No information av	hazardous reactions		
LO.4 Conditions to			
	mmended storage and handling	g conditions(See section 7).	
10.5 Incompatible	materials		
No information av			
	composition products		
dioxide, smoke, o		e hazardous decomposition products such as carbon	monoxide and
SECTION 11: Toxi	cological information		
11.1 Information c	on toxicological effects	S	
No information av	ailable.		
SECTION 12: Ecol	ogical information		
12.1 Toxicity			
No information av 12.2 Persistence a			
No information av			
12.3 Bioaccumulat			
No information av	-		
12.4 Mobility in so			
No information av		-+	
No information av	T and vPvB assessmen	10	
12.6 Other adverse			
No information av			
12.7 Additional eco	otoxicological informat	tion	
There are no data	a available on the product itself.	. Do not allow to enter into surface water or drains.	
SECTION 13: Disp	osal considerations		
		esidues and, following appropriate cleaning, may be : n the same manner as the medium.	sent to a recycling
13.1 Waste treatm			
	kaging disposal		
-	waste designations accordin	ng to EWC/AVV	
08 01 11: wast	e paint and varnish containing c	organic solvents or other dangerous substances.	
SECTION 14: Tran	sport information		
14.1 UN number			
UN 3082			
14.2 UN proper shi Land transport			
		/ _	
		Page : 5 / 7	( EN / CH

Page 5 of 7



	oraing to Regi		t of colours	
rade	name :	Lascaux Studio Bronze Original English green gold (993)		
Revision date : Print date :		22.05.2017 Version (Revision) : 22.05.2017		
		22.03.2017		
	None			
6.2		s and acronyms		
	None			
6.3	Key literature	e references and sources for data		
.6.4		1 for mixtures and used evaluation method according to regu 08 [CLP]	lation (EC)	
	No information a			
6.5	Relevant H- a	and EUH-phrases (Number and full text)		
	H301	Toxic if swallowed.		
	H302	Harmful if swallowed.		
	H311	Toxic in contact with skin.		
	H314	Causes severe skin burns and eye damage.		
	H315 H317	Causes skin irritation. May cause an allergic skin reaction.		
	H318	Causes serious eye damage.		
	H331	Toxic if inhaled.		
	H400	Very toxic to aquatic life.		
	H410	Very toxic to aquatic life with long lasting effects.		
	H411	Toxic to aquatic life with long lasting effects.		
6.6	Training advi	ice		
	None	6		
.6.7	Additional in			
	the user 's workin chapter 1 unless	s material safety data sheet satisfy national and EC legislation. We have no knowledging conditions however. The product may not be used for any purpose other than that written consent has been obtained. The user is responsible for the observance of all i	specified in	
	provisions.			
nowle heet, nixing	edge. The informat for storage, proce	escribes exclusively the safety requirements of the product and is based on our prese tion is intended to give you advice about the safe handling of the product named in the ssing, transport and disposal. The information cannot be transferred to other product other products or in the case of processing, the information on this safety data sheet up material.	nis safety data s. In the case of	

Page : 7 / 7

( EN / CH )

Item Numbers: 00665-7910

Page 7 of 7