afety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA 00774-XXXX

> Version: 2/GB Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1 / GB Substance number: 01239008005

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PORC&GLASPAINTER005 0.8MM MNA

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Paint

Identified Uses

SU21 Consumer uses: Private households (= general public = consumers)

PC9a Coatings and paints, thinners, paint removers

1.3. Details of the supplier of the safety data sheet

Address

Marabu GmbH & Co. KG Asperger Strasse 4 71732 Tamm

Germany Telephone no.

+49-7141/691-0 +49-7141/691-147 Fax no. Information provided Department product safety

by / telephone

PRSI@marabu.de E-mail address of

person responsible

for this SDS

1.4. Emergency telephone number

(+49) (0)621-60-43333

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

EUH208 Contains A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and

2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1), May

produce an allergic reaction.

Supplemental information

EUH205 Contains epoxy constituents. May produce an allergic reaction.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients ***

3.2. Mixtures

Chemical characterization

Paint based on acrylic resins and on water

fety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1/GB Substance number: 01239008005

Hazardous ingredients ***

1-Methoxy-2-propanol

CAS No. 107-98-2 EINECS no. 203-539-1

Registration no. 01-2119457435-35

Concentration 10 %

Classification (Regulation (EC) No. 1272/2008)

H336 STOT SE 3 Flam. Liq. 3 H226

Bronopol (INN)

CAS No. 52-51-7 EINECS no. 200-143-0

Concentration 0,01 0,1 %

Classification (Regulation (EC) No. 1272/2008)

Eye Dam. 1 H318 Skin Irrit. 2 H315 STOT SE 3 H335 Acute Tox. 4 H302 Acute Tox. 4 H312 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 H400 Aquatic Chronic H410 M = 1

A mixture of: 5-Chloro-2-methyl-2h-isothiazol-3-one [EC-no. 247-500-7] and 2-Methyl-2H-isothiazol-3-one [EC-no. 220-239-6] (3:1) / C(M)IT/MIT (3:1)

CAS No. 55965-84-9

Concentration 0,0015 %

Classification (Regulation (EC) No. 1272/2008)

Acute Tox. 3 H331 Aquatic Chronic 1 H410 Aquatic Acute 1 H400 H317 Skin Sens. 1 Skin Corr. 1B H314 Acute Tox. 3 H311 Acute Tox. 3 H301

Concentration limits (Regulation (EC) No. 1272/2008)

Skin Corr. 1B H314 >= 0.6Eye Irrit. 2 H319 <=0.06<0.6Skin Irrit. 2 H315 <=0.06<0.6Skin Sens. 1 H317 >= 0,0015

SECTION 4: First aid measures

4.1. Description of first aid measures

After skin contact

Wash with plenty of water and soap. Do NOT use solvents or thinners.

After eye contact

fety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB

Date revised: 20.01.2016 Print date: 31.01.17

Replaces Version: 1 / GB Substance number: 01239008005

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse mouth thoroughly with water. If larger amounts are swallowed or in the event of symptoms take medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide, Foam, Sand, Water

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon dioxide (CO2); Carbon monoxide (CO); dense black smoke

5.3. Advice for firefighters

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No particular measures required.

6.2. Environmental precautions

No particular measures required.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent - avoid use of solvents.

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid skin and eye contact. Smoking, eating and drinking shall be prohibited in application area.

Advice on protection against fire and explosion

No special measures required.

Classification of fires / temperature class / Ignition group / Dust explosion class

Temperature class

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in frostfree conditions.

Storage class according to TRGS 510

fety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB

Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1/GB Substance number: 01239008005

12 Storage class according to

TRGS 510

Non-combustible liquids

7.3. Specific end use(s)

Paint

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

1-Methoxy-2-propanol

List EH40 Type WEL

Value 375 mg/m³ 100 ppm(V) Short term exposure limit 560 mg/m³ 150 ppm(V)

Skin resorption / sensibilisation: Sk; Status: 2011

Other information

There are not known any further control parameters.

Derived No/Minimal Effect Levels (DNEL/DMEL)

1-Methoxy-2-propanol

Type of value Derived No Effect Level (DNEL)

Reference group Worker Acute Duration of exposure inhalative Route of exposure Mode of action Local effects

Concentration 553.5 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Worker Long term Duration of exposure Route of exposure dermal

Systemic effects Mode of action

Concentration 50,6 mg/person/

Type of value Derived No Effect Level (DNEL)

Worker Reference group Duration of exposure Long term Route of exposure inhalative

Systemic effects Mode of action

Concentration mg/m³

Type of value Derived No Effect Level (DNEL)

General Population Reference group

Duration of exposure Long term dermal Route of exposure

Mode of action Systemic effects

Concentration 18,1 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group General Population

Duration of exposure Long term Route of exposure inhalative Mode of action Systemic effects

Concentration 43,9 mg/m³

data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1/GB Substance number: 01239008005

Derived No Effect Level (DNEL) Type of value

Reference group General Population

Duration of exposure Long term Route of exposure oral

Mode of action Systemic effects

Concentration 3,3 mg/kg/d

dipropylene glycol dimethyl ether

Type of value Derived No Effect Level (DNEL)

Reference group Worker Duration of exposure Long term Route of exposure dermal

Systemic effects Mode of action

Concentration 22,1 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Worker Long term Duration of exposure Route of exposure inhalative Systemic effects Mode of action

Concentration mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Duration of exposure Long term Route of exposure dermal

Mode of action Systemic effects

Concentration 5,26 mg/kg

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Duration of exposure Long term Route of exposure inhalative Mode of action Systemic effects

Concentration 15,79 mg/m³

Type of value Derived No Effect Level (DNEL)

Reference group Consumer Duration of exposure Long term Route of exposure oral

Mode of action Systemic effects

1.67 Concentration mg/kg

Predicted No Effect Concentration (PNEC)

1-Methoxy-2-propanol

Type of value **PNEC** Freshwater Type

Concentration 10 mg/l

Type of value **PNEC** Type Water

Concentration 41,6 mg/kg

Type of value **PNEC** Sediment Type

Concentration 41,6 mg/kg

afety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1 / GB Substance number: 01239008005

PNEC Type of value

Type

Marine sediment

Concentration 4,17

mg/kg

Type of value

Type

PNEC Soil

PNEC

Concentration

2,47 mg/kg

Type of value

Type

Sewage treatment plant (STP)

Concentration mg/l

dipropylene glycol dimethyl ether

Type of value

PNEC Freshwater

Type Concentration

mg/l

Type of value Type

PNEC Saltwater

PNEC

PNEC

Concentration 0,1

mg/l

Type of value

Water (intermittent release) Type

Concentration

mg/l

Type of value Concentration

Type

Sewage treatment plant (STP)

mg/l

mg/kg

Type of value Type

PNEC

Sediment Concentration

1,16 mg/kg

Type of value

PNFC Soil

Concentration

0,1

8.2. Exposure controls

Exposure controls

Provide adequate ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

liquid Form Colour coloured odourless Odour

Odour threshold

No data available Remarks

pH value

Value 8 9 to °C

Temperature 20 WTW PH 340 Method

Melting point

afety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1 / GB Substance number: 01239008005

Remarks not determined

Freezing point

not determined Remarks

Initial boiling point and boiling range

°C Value 100 appr.

Pressure 1.013 hPa Source Literature value

Flash point

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

Not applicable

Upper/lower flammability or explosive limits

Lower explosion limit appr. 1.5 %(V) Upper explosion limit appr. 13,7

Source Literature value

Vapour pressure

Value 23 hPa appr.

Temperature 20 °C

Value taken from the literature Method

Vapour density

Remarks not determined

Density

Value 1,04 g/cm³

Temperature 20

DIN EN ISO 2811 Method

Solubility in water

Remarks miscible

Ignition temperature

Value °C appr. 287

Literature value Source

Viscosity

Remarks

Remarks not determined

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

None

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB Date revised: 20.01.201

Print date: 31.01.17 Replaces Version: 1 / GB Substance number: 01239008005

No hazardous reactions known.

10.5. Incompatible materials

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met. Remarks

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Based on available data, the classification criteria are not met. Remarks

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Based on available data, the classification criteria are not met. Remarks

Repeated exposure

Based on available data, the classification criteria are not met. Remarks

Aspiration hazard

Based on available data, the classification criteria are not met.

Experience in practice

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Other information

There are no data available on the mixture itself.

The mixture has been assessed following the conventional method of the Dangerous Preparations

afety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB

Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1 / GB Substance number: 01239008005

Directive 1999/45/EC and not classified.

SECTION 12: Ecological information

12.1. Toxicity

General information

There are no data available on the mixture itself. Do not allow to enter drains or water courses. The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as dangerous for the environment.

12.2. Persistence and degradability

General information

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

General information

There are no data available on the mixture itself.

12.4. Mobility in soil

General information

There are no data available on the mixture itself.

12.5. Results of PBT and vPvB assessment

General information

There are no data available on the mixture itself.

12.6. Other adverse effects

General information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

The product can be placed with other household refuse. Small residues in containers can be washed-out with water and put into the drainage system.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Completely emptied packagings can be given for recycling.

SECTION 14: Transport information

Land transport ADR/RID

Non-dangerous goods

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class Label

14.4. Packing group

Packing group 0 Transport category

Date revised: 20.01.2016

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB

Print date: 31.01.17 Replaces Version: 1/GB Substance number: 01239008005

14.5. Environmental hazards

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class

Subsidiary risk

14.4. Packing group

Packing group

14.5. Environmental hazards

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

14.1. UN number

UN -

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Class

Subsidiary risk

14.4. Packing group

Packing group

14.5. Environmental hazards

Information for all modes of transport

14.6. Special precautions for user

Transport within the user's premises:

Always transport in closed containers that are upright and secure.

Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU)

6.94

72.2

g/l

Other information

The product does not contain substances of very high concern (SVHC).

Other information

All components are contained in the TSCA inventory or exempted.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

fety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: PORC&GLASPAINTER005 0.8MM MNA

Version: 2/GB Date revised: 20.01.2016

Print date: 31.01.17 Replaces Version: 1 / GB Substance number: 01239008005

Hazard statements listed in Chapter 3

| Flammable liquid and vapour. |
|--|
| Toxic if swallowed. |
| Harmful if swallowed. |
| Toxic in contact with skin. |
| Harmful in contact with skin. |
| Causes severe skin burns and eye damage. |
| Causes skin irritation. |
| May cause an allergic skin reaction. |
| Causes serious eye damage. |
| Toxic if inhaled. |
| May cause respiratory irritation. |
| |

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

CLP categories listed in Chapter 3

Acute Tox. 3 Acute toxicity, Category 3 Acute Tox. 4 Acute toxicity, Category 4

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment, chronic, Category 1

May cause drowsiness or dizziness.

Eye Dam. 1 Serious eye damage, Category 1 Fĺam. Liq. 3 Flammable liquid, Category 3 Skin Corr. 1B Skin corrosion, Category 1B Skin Irrit. 2 Skin irritation, Category 2 Skin Sens. 1 Skin sensitization, Category 1

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Supplemental information

H336

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship. The information in this Safety Data Sheet is based on the present state of knowledge and current legislation.

It provides guidance on health, safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for particular applications. The product should not be used for purposes other than those shown in Section 1 without first referring to the supplier and obtaining written handling instructions.

As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation.