SAFETY DATA SHEET WINSOR & NEWTON DESIGNER GOUACHE JET BLACK

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

1. Identification	
Product identifier	
Product name	WINSOR & NEWTON DESIGNER GOUACHE JET BLACK
Recommended use of the che	mical and restrictions on use
Application	Graphic Design / Illustration Art Work
Uses advised against	No specific uses advised against are identified.
Details of the supplier of the safety data sheet	
Supplier	ColArt Americas Inc. 11 Constitution Avenue Piscataway New Jersey 08855 - 1396 USA 1-732-562-0770 R.Enquiries@colart.co.uk
Contact Person	Regulatory Manager
Manufacturer	ColArt International SA 5 Rue Rene Panhard Z.I .Nord 72021 Le Mans Cedex 2 +33 2 43 83 83 00
Emergency telephone number	
Emergency telephone	For health information only call 1-800-628-3385 Piscataway NJ 08855.
2. Hazard(s) identification	
Classification of the substance	e or mixture
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
Label elements	
Hazard statements	NC Not Classified
Other hazards	
This product does not contain	any substances classified as PBT or vPvB.
3. Composition/information on ingredients	
Mixtures	
Composition comments	Any hazardous ingredients are below classification limit.
4. First-aid measures	
Description of first aid measures	
General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.

Item Numbers: 00801-2032, 00801-2033

Inhalation	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if any discomfort continues.
Ingestion	No specific recommendations. If throat irritation or coughing persists, proceed as follows. Rinse mouth. Get medical attention if any discomfort continues.
Skin Contact	No specific recommendations. Rinse with water. Get medical attention if any discomfort continues.
Eye contact	Rinse with water. Get medical attention if any discomfort continues.
Protection of first aiders	Use protective equipment appropriate for surrounding materials.
Most important symptoms and	effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Ingestion	No specific symptoms known. May cause discomfort if swallowed.
Skin contact	No specific symptoms known. May cause discomfort.
Eye contact	No specific symptoms known. May be slightly irritating to eyes.
Indication of immediate medica	al attention and special treatment needed
Notes for the doctor	Treat symptomatically.
Specific treatments	No special treatment required.
5.Fire-fighting measures	
Extinguishing media	
Extinguishing media Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Suitable extinguishing media	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from th	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Suitable extinguishing media Unsuitable extinguishing media <u>Special hazards arising from the</u> Specific hazards Hazardous combustion	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. he substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:
Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from the Specific hazards Hazardous combustion products	powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. he substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:
Suitable extinguishing media Unsuitable extinguishing media <u>Special hazards arising from the</u> Specific hazards Hazardous combustion products <u>Advice for firefighters</u> Protective actions during	 powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. he substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use
Suitable extinguishing media Unsuitable extinguishing media <u>Special hazards arising from the</u> Specific hazards Hazardous combustion products <u>Advice for firefighters</u> Protective actions during firefighting Special protective equipment	 powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. he substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.
Suitable extinguishing media Unsuitable extinguishing media Special hazards arising from the Specific hazards Hazardous combustion products Advice for firefighters Protective actions during firefighting Special protective equipment for firefighters 6. Accidental release measure	 powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. he substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors. Avoid breathing fire gases or vapors. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapors and protect men stopping the leak. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Standard Firefighter's clothing including helmets, protective boots and gloves will provide a basic level of protection for chemical incidents.

Item Numbers: 00801-2032, 00801-2033

Page 2 of 9

Environmental precautions	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.
Methods and material for cont	ainment and cleaning up
Methods for cleaning up	Reuse or recycle products wherever possible. Absorb spillage to prevent material damage. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
Reference to other sections	For personal protection, see Section 8.
7. Handling and storage	
Precautions for safe handling	
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse.
Conditions for safe storage, ir	cluding any incompatibilities
Storage precautions	No specific recommendations.
Storage class	Unspecified storage.
Specific end uses(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
8. Exposure Controls/persona	I protection
Control parameters	
Occupational exposure limits	
ZINC OXIDE Long-term exposure limit (8-h	
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h	our TWA): ACGIH 2 mg/m ³ respirable fraction
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h Short-term exposure limit (15-	our TWA): ACGIH 2 mg/m ³ respirable fraction minute): ACGIH 10 mg/m ³ respirable fraction
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h	our TWA): ACGIH 2 mg/m³ respirable fraction minute): ACGIH 10 mg/m³ respirable fraction our TWA): OSHA 5 mg/m³ fume
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h Short-term exposure limit (15- Long-term exposure limit (8-h Long-term exposure limit (8-h OSHA = Occupational Safety	our TWA): ACGIH 2 mg/m ³ respirable fraction minute): ACGIH 10 mg/m ³ respirable fraction our TWA): OSHA 5 mg/m ³ fume our TWA): OSHA 5 mg/m ³ respirable fraction
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h Short-term exposure limit (15- Long-term exposure limit (8-h Long-term exposure limit (8-h OSHA = Occupational Safety	our TWA): ACGIH 2 mg/m ³ respirable fraction minute): ACGIH 10 mg/m ³ respirable fraction our TWA): OSHA 5 mg/m ³ fume our TWA): OSHA 5 mg/m ³ respirable fraction and Health Administration.
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h Short-term exposure limit (15- Long-term exposure limit (8-h Long-term exposure limit (8-h OSHA = Occupational Safety ACGIH = American Conference	our TWA): ACGIH 2 mg/m³respirable fractioneminute): ACGIH 10 mg/m³respirable fractionour TWA): OSHA 5 mg/m³fumeour TWA): OSHA 5 mg/m³respirable fractionand Health Administration.respirable fractionce of Governmental Industrial Hygienists.
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h Short-term exposure limit (15- Long-term exposure limit (8-h Long-term exposure limit (8-h OSHA = Occupational Safety ACGIH = American Conference Ingredient comments	our TWA): ACGIH 2 mg/m³respirable fractioneminute): ACGIH 10 mg/m³respirable fractionour TWA): OSHA 5 mg/m³fumeour TWA): OSHA 5 mg/m³respirable fractionand Health Administration.respirable fractionce of Governmental Industrial Hygienists.
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h Short-term exposure limit (15- Long-term exposure limit (8-h Long-term exposure limit (8-h OSHA = Occupational Safety ACGIH = American Conference Ingredient comments Exposure controls Appropriate engineering	our TWA): ACGIH 2 mg/m ³ respirable fraction eminute): ACGIH 10 mg/m ³ respirable fraction our TWA): OSHA 5 mg/m ³ fume our TWA): OSHA 5 mg/m ³ respirable fraction and Health Administration. ce of Governmental Industrial Hygienists. OES = Occupational Exposure Standard. MEL = Maximum Exposure Limit.
ZINC OXIDE Long-term exposure limit (8-h Long-term exposure limit (8-h Short-term exposure limit (15- Long-term exposure limit (8-h Long-term exposure limit (8-h OSHA = Occupational Safety ACGIH = American Conference Ingredient comments Exposure controls Appropriate engineering controls	our TWA): ACGIH 2 mg/m³ respirable fraction eminute): ACGIH 10 mg/m³ respirable fraction our TWA): OSHA 5 mg/m³ fume our TWA): OSHA 5 mg/m³ respirable fraction and Health Administration. ce of Governmental Industrial Hygienists. OES = Occupational Exposure Standard. MEL = Maximum Exposure Limit. No specific ventilation requirements. No specific eye protection required during normal use. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is

Item Numbers: 00801-2032, 00801-2033

Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Not regarded as dangerous for the environment.
9. Physical and Chemical Properties	

9. Physical and Chemical Properties	
Information on basic physical	and chemical properties
Appearance	Liquid
Color	Various colors.
Odor	Characteristic.
рН	pH (concentrated solution): 6-8
Initial boiling point and range	>100°C @ 760 mm Hg
Vapour density	>1.
Relative density	1.5 - 2.5 @ 20.°C
Solubility(ies)	Miscible with water
10. Stability and reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	No potentially hazardous reactions known.
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapors.
11. Toxicological information	
Information on toxicological ef	fects
Toxicological effects	Not regarded as a health hazard under current legislation.

momutation on toxacological		
Toxicological effects	Not regarded as a health hazard under current legislation.	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal		
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
	4/9	

Item Numbers: 00801-2032, 00801-2033

Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitization Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitization Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	None of the ingredients are listed or exempt.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	No specific health hazards known. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
General information	
	dependent on the concentration and the length of exposure.
Inhalation	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation.
Inhalation Ingestion	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed.
Inhalation Ingestion Skin Contact	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed. No specific symptoms known. May cause discomfort.
Inhalation Ingestion Skin Contact Eye contact Acute and chronic health	 dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed. No specific symptoms known. May cause discomfort. No specific symptoms known. May be slightly irritating to eyes.
Inhalation Ingestion Skin Contact Eye contact Acute and chronic health hazards	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed. No specific symptoms known. May cause discomfort. No specific symptoms known. May be slightly irritating to eyes. No specific health hazards known.
Inhalation Ingestion Skin Contact Eye contact Acute and chronic health hazards Route of entry	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed. No specific symptoms known. May cause discomfort. No specific symptoms known. May be slightly irritating to eyes. No specific health hazards known. Ingestion Inhalation Skin and/or eye contact
Inhalation Ingestion Skin Contact Eye contact Acute and chronic health hazards Route of entry Target Organs	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed. No specific symptoms known. May cause discomfort. No specific symptoms known. May be slightly irritating to eyes. No specific health hazards known. Ingestion Inhalation Skin and/or eye contact
Inhalation Ingestion Skin Contact Eye contact Acute and chronic health hazards Route of entry Target Organs 12. Ecological Information	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed. No specific symptoms known. May cause discomfort. No specific symptoms known. May be slightly irritating to eyes. No specific health hazards known. Ingestion Inhalation Skin and/or eye contact No specific target organs known.
Inhalation Ingestion Skin Contact Eye contact Acute and chronic health hazards Route of entry Target Organs 12. Ecological Information Ecotoxicity	dependent on the concentration and the length of exposure. No specific symptoms known. Spray/mists may cause respiratory tract irritation. No specific symptoms known. May cause discomfort if swallowed. No specific symptoms known. May cause discomfort. No specific symptoms known. May be slightly irritating to eyes. No specific health hazards known. Ingestion Inhalation Skin and/or eye contact No specific target organs known.

Item Numbers: 00801-2032, 00801-2033

Page 5 of 9

Acute toxicity - fish	Not determined.
Acute toxicity - aquatic invertebrates	Not determined.
Acute toxicity - aquatic plants	Not determined.
Acute toxicity - microorganisms	Not determined.
Persistence and degradability	
Persistence and degradability	The degradability of the product is not known.
Bioaccumulative potential	
Bio-Accumulative Potential	No data available on bioaccumulation.
Mobility in soil	
Mobility	No data available.
Results of PBT and vPvB asse	essment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
Other adverse effects	
Other adverse effects	None known.
13. Disposal considerations	
Waste treatment methods	
General information	The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
Waste class	08 01 12 waste paint and varnish other than those mentioned in 08 01 11
14. Transport information	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).
UN Number	
<u>UN Number</u> Not applicable.	
Not applicable.	
Not applicable.	
Not applicable. UN proper shipping name Not applicable.	
Not applicable. <u>UN proper shipping name</u> Not applicable. <u>Transport hazard class(es)</u>	
Not applicable. <u>UN proper shipping name</u> Not applicable. <u>Transport hazard class(es)</u> No transport warning sign requ	

Environmentally Hazardous Substance No. Special precautions for user Not applicable. Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code 15. Regulatory information **Regulatory Status** This product has been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act. This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects. This product has been certified by ACMI (Artists Craft Material Institute, Inc.) to carry the CL (Cautionary Labelling) Seal, meaning the following warnings and safe use instructions should be observed. WARNING: MAY BE HARMFUL IF SWALLOWED Contains: COPPER PRECAUTIONS: Avoid ingestion. Wash hands immediately after use. When using do not eat, smoke or drink. For Health information only call 1-800-628-3385 Piscataway NJ 08855.

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None of the ingredients are listed or exempt.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None of the ingredients are listed or exempt.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None of the ingredients are listed or exempt.

SARA 313 Emission Reporting

The following ingredients are listed or exempt:

ZINC OXIDE

1.0 %

CAA Accidental Release Prevention

None of the ingredients are listed or exempt.

FDA - Essential Chemical

None of the ingredients are listed or exempt.

FDA - Precursor Chemical

None of the ingredients are listed or exempt.

SARA (311/312) Hazard Categories

None of the ingredients are listed or exempt.

OSHA Highly Hazardous Chemicals None of the ingredients are listed or exempt.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins None of the ingredients are listed or exempt.

California Air Toxics "Hot Spots" (A-I) The following ingredients are listed or exempt: ZINC OXIDE

Present.

California Air Toxics "Hot Spots" (A-II) None of the ingredients are listed or exempt.

California Directors List of Hazardous Substances The following ingredients are listed or exempt:

ZINC OXIDE Present.

Massachusetts "Right To Know" List The following ingredients are listed or exempt:

ZINC OXIDE Present.

Rhode Island "Right To Know" List The following ingredients are listed or exempt: ZINC OXIDE Present.

Minnesota "Right To Know" List The following ingredients are listed or exempt:

ZINC OXIDE Present.

New Jersey "Right To Know" List The following ingredients are listed or exempt:

ZINC OXIDE Present.

Pennsylvania "Right To Know" List The following ingredients are listed or exempt:

ZINC OXIDE Present.

Inventories US - TSCA The following ingredients are listed or exempt: ZINC OXIDE

Present.

US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

16. Other information	
Training advice	Read and follow manufacturer's recommendations.
Revision date	9/21/2015
Revision	4
Supersedes date	8/13/2015
SDS No.	23225

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.