

Section 1 - Identification of The Material and Supplier

AVT Paints Pty Ltd
Level 1, 59 The Esplanade
Maroochydore, Qld 4558

Phone: 07 3391 8122 (office hours)
Fax: 07 3391 8133

Chemical nature: Water solution and suspension of ingredients.
Trade Name: **Ironlak Marker - Standard Colours**
Product Use: Water based marker paint range - as used for example in marker pens.
Creation Date: **February, 2012**
This version issued: **September, 2017** and is valid for 5 years from this date.
Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification**Statement of Hazardous Nature**

This product is classified as: Xi, Irritating. Hazardous according to the criteria of SWA.
 Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.
 However, this is a C1 Combustible Liquid so must be stored and handled as specified in AS 1940 "The storage and handling of flammable and combustible liquids."

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

**GHS Signal word: WARNING.**

Flammable liquids Category 4
 Eye irritation Category 2B

HAZARD STATEMENT:

H227: Combustible liquid.
 H320: Causes eye irritation.

PREVENTION

P210: Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
 P262: Do not get in eyes, on skin, or on clothing.
 P264: Wash contacted areas thoroughly after handling.
 P280: Wear protective gloves, protective clothing and eye or face protection.

RESPONSE

P337: If eye irritation persists: seek medical attention.
 P353: Rinse skin or shower with water.
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313: If eye irritation persists: Get medical advice.
 P370+P378: In case of fire, use carbon dioxide, dry chemical, foam, water fog.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.
 P403+P235: Store in a well-ventilated place. Keep cool.

DISPOSAL

P501: If product can not be recycled, consider controlled incineration, or contact a specialist waste disposal company (see Section 13 of this SDS).

Emergency Overview

Physical Description & Colour: White or coloured mobile liquid.

Odour: Alcohol odour.

Major Health Hazards: Eye irritant.

SAFETY DATA SHEET

Issued by: AVT Paints Pty Ltd
 Item Numbers: 00868-1001, 00868-1003, 00868-1007, 00868-1011, 00868-1013, 00868-1015, 00868-1017, 00868-1021, 00868-1023, 00868-1027, 00868-1031, 00868-1033, 00868-1037, 00868-1041, 00868-1043, 00868-1047, 00868-1051, 00868-1055, 00868-1057, 00868-1061, 00868-1065, 00868-1067, 00868-1071, 00868-1073, 00868-1077, 00868-1081, 00868-1083, 00868-1087, 00868-1091, 00868-1093, 00868-1097, 00868-1101, 00868-1103, 00868-1107, 00868-1111, 00868-1113, 00868-1115, 00868-1117, 00868-1121, 00868-1123, 00868-1127, 00868-1131, 00868-1133, 00868-1137, 00868-1141, 00868-1143, 00868-1147, 00868-1151, 00868-1153, 00868-1157, 00868-1161, 00868-1163, 00868-1167, 00868-1171, 00868-1173, 00868-1177, 00868-1181, 00868-1183, 00868-1187, 00868-1191, 00868-1193, 00868-1197, 00868-1201, 00868-1203, 00868-1207, 00868-1211, 00868-1213, 00868-1215, 00868-1217, 00868-1221, 00868-1223, 00868-1227, 00868-1231, 00868-1233, 00868-1237, 00868-1241, 00868-1243, 00868-1247, 00868-1251, 00868-1253, 00868-1315, 00868-1415, 00868-1515, 00868-1615, 00868-1715, 00868-1815, 00868-1915, 00868-2015, 00868-2115, 00868-2215, 00868-2315, 00868-2415, 00868-2515, 00868-2615, 00868-2715, 00868-2815, 00868-2915, 00868-3015, 00868-3115, 00868-3215, 00868-3315, 00868-3415, 00868-3515

This revision issued: September, 2017

Section 3 - Composition/Information on Ingredients

Ingredients	CAS No	Conc, %	TWA (mg/m ³)	STEL (mg/m ³)
Isopropanol	67-63-0	20-30	983	1230
Titanium dioxide	13463-67-7	max 40	10	not set
Pigments (carbon black and others)	various	10-20	not set	not set
Water	7732-18-5	to 100	not set	not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak" is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures**General Information:**

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: No first aid measures normally required. However, if inhalation has occurred, and irritation has developed, remove to fresh air and observe until recovered. If irritation becomes painful or persists more than about 30 minutes, seek medical advice.

Skin Contact: Gently blot away excess liquid. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently wipe or blot material from eyes. Immediately flush the contaminated eye(s) with lukewarm, gently flowing water for 20 minutes or until the product is removed, while holding the eyelid(s) open. Take care not to rinse contaminated water into the unaffected eye or onto the face. Obtain medical attention immediately. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. This product is classified as a C1 combustible product. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire. Vapours from this product are heavier than air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures. They may also flash back considerable distances.

Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness.

Fire decomposition products from this product are not expected to be hazardous or harmful.

Extinguishing Media: Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. Cool closed, undamaged containers exposed to fire with water spray.

Flash point: No data.

Upper Flammability Limit: Does not burn.

Lower Flammability Limit: Does not burn.

Autoignition temperature: Does not burn.

Flammability Class: Flammable Category 4 (GHS), C1 combustible (AS 1940)

Section 6 - Accidental Release Measures

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. Wear full protective clothing including eye/face protection. All skin areas should be covered. See below under Personal Protection regarding Australian Standards relating to personal protective equipment. Suitable materials for protective clothing include no specific manufacturer recommendations. Use impermeable gloves with care. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned below (section 8). Otherwise, not normally necessary.

SAFETY DATA SHEET

Issued by: AVI Paints Pty Ltd
 Item Numbers: 00868-1001, 00868-1003, 00868-1007, 00868-1011, 00868-1013, 00868-1015, 00868-1017, 00868-1021, 00868-1023, 00868-1027, 00868-1031, 00868-1033, 00868-1037, 00868-1041, 00868-1043, 00868-1047, 00868-1051, 00868-1055, 00868-1057, 00868-1061, 00868-1063, 00868-1067, 00868-1071, 00868-1073, 00868-1077, 00868-1081, 00868-1085, 00868-1089, 00868-1093, 00868-1097, 00868-1101, 00868-1103, 00868-1107, 00868-1111, 00868-1113, 00868-1115, 00868-1117, 00868-1121, 00868-1123, 00868-1127, 00868-1131, 00868-1133, 00868-1137, 00868-1141, 00868-1143, 00868-1147, 00868-1151, 00868-1153, 00868-1157, 00868-1161, 00868-1163, 00868-1167, 00868-1171, 00868-1173, 00868-1177, 00868-1181, 00868-1183, 00868-1187, 00868-1191, 00868-1193, 00868-1197, 00868-1201, 00868-1203, 00868-1207, 00868-1211, 00868-1213, 00868-1215, 00868-1217, 00868-1221, 00868-1223, 00868-1227, 00868-1231, 00868-1233, 00868-1237, 00868-1241, 00868-1243, 00868-1247, 00868-1251, 00868-1253, 00868-1315, 00868-1415, 00868-1515, 00868-1615, 00868-1715, 00868-1815, 00868-1915, 00868-2015, 00868-2115, 00868-2215, 00868-2315, 00868-2415, 00868-2515, 00868-2615, 00868-2715, 00868-2815, 00868-2915, 00868-3015, 00868-3115, 00868-3215, 00868-3315, 00868-3415, 00868-3515

Phone: 07 3391 8122 (office hours)

Poisons Information Centre 13 1126 from anywhere in Australia (0800 764 766 in New Zealand)

Page 2 of 5

This revision issued: September, 2017

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill. Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Note that this product is combustible and therefore, for Storage, meets the definition of Dangerous Goods in some states. If you store large quantities (tonnes) of such products, we suggest that you consult your state's Dangerous Goods authority in order to clarify your obligations regarding their storage. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Some liquid preparations settle or separate on standing and may require stirring before use. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment:

Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits	TWA (mg/m ³)	STEL (mg/m ³)
Isopropanol	983	1230
Titanium dioxide	10	not set

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that vapours and mists are minimised.

Eye Protection: Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

Protective Material Types: There is no data that enables us to recommend any type except that it should be impermeable.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above. Otherwise, not normally necessary.

Eyebaths or eyewash stations and safety deluge showers should be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:

Physical Description & colour:	White or coloured mobile liquid.
Odour:	Alcohol odour.
Boiling Point:	Not available.
Freezing/Melting Point:	Below 0°C.
Volatiles:	Water and isopropanol components.
Vapour Pressure:	No data.
Vapour Density:	As for water.
Specific Gravity:	No data.
Water Solubility:	Dispersible. Some ingredients (such as titanium dioxide) insoluble.
pH:	No data.
Volatility:	No data.
Odour Threshold:	No data.

SAFETY DATA SHEET

Issued by: AVI Paints Pty Ltd
 Item Numbers: 00868-1001, 00868-1003, 00868-1007, 00868-1011, 00868-1013, 00868-1015, 00868-1017, 00868-1021, 00868-1023, 00868-1027, 00868-1031, 00868-1033, 00868-1037, 00868-1041, 00868-1043, 00868-1047, 00868-1051, 00868-1055, 00868-1057, 00868-1061, 00868-1065, 00868-1067, 00868-1071, 00868-1073, 00868-1077, 00868-1081, 00868-1085, 00868-1089, 00868-1093, 00868-1097, 00868-1101, 00868-1103, 00868-1107, 00868-1111, 00868-1113, 00868-1115, 00868-1117, 00868-1121, 00868-1123, 00868-1127, 00868-1131, 00868-1133, 00868-1137, 00868-1141, 00868-1143, 00868-1147, 00868-1151, 00868-1153, 00868-1157, 00868-1161, 00868-1163, 00868-1167, 00868-1171, 00868-1173, 00868-1177, 00868-1181, 00868-1183, 00868-1187, 00868-1191, 00868-1193, 00868-1197, 00868-1201, 00868-1203, 00868-1207, 00868-1211, 00868-1213, 00868-1215, 00868-1217, 00868-1221, 00868-1223, 00868-1227, 00868-1231, 00868-1233, 00868-1237, 00868-1241, 00868-1243, 00868-1247, 00868-1251, 00868-1253, 00868-1315, 00868-1415, 00868-1515, 00868-1615, 00868-1715, 00868-1815, 00868-1915, 00868-2015, 00868-2115, 00868-2215, 00868-2315, 00868-2415, 00868-2515, 00868-2615, 00868-2715, 00868-2815, 00868-2915, 00868-3015, 00868-3115, 00868-3215, 00868-3315, 00868-3415, 00868-3515

Phone: 07 3391 8122 (office hours)

Poisons Information Centre 13 1126 from anywhere in Australia (0800 764 766 in New Zealand)

Page 3 of 5

Evaporation Rate:	As for water.
Coeff Oil/water Distribution:	No data
Autoignition temp:	Does not burn.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.

Conditions to Avoid: None known.

Incompatibilities: strong acids, strong bases, strong oxidising agents.

Fire Decomposition: Only small quantities of decomposition products are expected from this product at temperatures normally achieved in a fire. This will only occur after heating to dryness. Combustion forms carbon dioxide, and if incomplete, carbon monoxide and smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: This product will not undergo polymerisation reactions.

Section 11 - Toxicological Information

Toxicity: IMMEDIATE (ACUTE) EFFECTS - Isopropanol:

- Oral LD₅₀ (rat): 5045 mg/kg
- Inhalation LC₅₀ (rat): 16,000 ppm/8 hours
- Skin LD₅₀ (rabbit): 12,800 mg/kg
- Skin Irritation (rabbit): 500 mg - mild
- Eye Irritation (rabbit): 10 mg - moderate: 100 mg - severe

DELAYED (SUBCHRONIC AND CHRONIC) EFFECTS:

Subchronic Inhalation (rat): TCLo 5000 ppm/6 hr/day for 90 days (intermittent) caused a change in motor activity.

Chronic Inhalation (rat): TCLo 2500 ppm/6 hr/day for 2 years (intermittent) caused changes in liver and bladder weight and changes in urine composition.

OTHER DATA: Some very rare cases of skin hypersensitivity to Isopropanol have been reported. However, these cases do not at this time warrant Isopropanol to be classed as a sensitiser.

There is no data to hand indicating any particular target organs.

Classification of Hazardous Ingredients

Ingredient	Risk Phrases
Isopropanol	Conc>=20%: Xi; R36

Potential Health Effects

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. However product may be mildly irritating, although unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be mildly irritating, but is unlikely to cause anything more than mild discomfort which should disappear once contact ceases.

Long Term Exposure: No data for health effects associated with long term skin exposure.

Eye Contact:

Short Term Exposure: This product is an eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment may cause permanent damage.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. This product, while believed to be not harmful, is likely to cause headache and gastric disturbance such as nausea and vomiting if ingested in significant quantities. However, this product may be mildly irritating to mucous membranes but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

SAFETY DATA SHEET

Issued by: AVI Paints Pty Ltd

Phone: 07 3391 8122 (office hours)

Item Numbers: 00868-1001, 00868-1003, 00868-1007, 00868-1011, 00868-1013, 00868-1015, 00868-1017, 00868-1021, 00868-1023, 00868-1027, 00868-1031, 00868-1033, 00868-1037, 00868-1041, 00868-1043, 00868-1047, 00868-1051, 00868-1055, 00868-1057, 00868-1061, 00868-1063, 00868-1067, 00868-1071, 00868-1073, 00868-1077, 00868-1081, 00868-1083, 00868-1087, 00868-1091, 00868-1093, 00868-1097, 00868-1101, 00868-1103, 00868-1107, 00868-1111, 00868-1113, 00868-1115, 00868-1117, 00868-1121, 00868-1123, 00868-1127, 00868-1131, 00868-1133, 00868-1137, 00868-1141, 00868-1143, 00868-1147, 00868-1151, 00868-1153, 00868-1157, 00868-1161, 00868-1163, 00868-1167, 00868-1171, 00868-1173, 00868-1177, 00868-1181, 00868-1183, 00868-1187, 00868-1191, 00868-1193, 00868-1197, 00868-1201, 00868-1203, 00868-1207, 00868-1211, 00868-1213, 00868-1215, 00868-1217, 00868-1221, 00868-1223, 00868-1227, 00868-1231, 00868-1233, 00868-1237, 00868-1241, 00868-1243, 00868-1247, 00868-1251, 00868-1253, 00868-1315, 00868-1415, 00868-1515, 00868-1615, 00868-1715, 00868-1815, 00868-1915, 00868-2015, 00868-2115, 00868-2215, 00868-2315, 00868-2415, 00868-2515, 00868-2615, 00868-2715, 00868-2815, 00868-2915, 00868-3015, 00868-3115, 00868-3215, 00868-3315, 00868-3415, 00868-3515

Poisons Information Centre 13 1126 from anywhere in Australia (0800 764 766 in New Zealand)

Carcinogen Status:**SWA:** No significant ingredient is classified as carcinogenic by SWA.**NTP:** No significant ingredient is classified as carcinogenic by NTP.**IARC:** Isopropanol is Class 3 - unclassifiable as to carcinogenicity to humans.

Titanium Dioxide is classed 2b IARC - possibly carcinogenic to humans.

See the IARC website for further details. A web address has not been provided as addresses frequently change.

Section 12 - Ecological Information

This product is biodegradable. It will not accumulate in the soil or water or cause long term problems.

Biodegradation: 58% theoretical BOD, 5 days at 20°C - Relatively biodegradable.**Bioconcentration:** Not expected to bioaccumulate in aquatic organisms based on low octanol/water partition coefficient.Acute Toxicity (fathead minnow): LC₅₀ 10.4 g/L /96 hr.**Section 13 - Disposal Considerations****Disposal:** This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to separate the contamination in some way. Only if neither of these options is suitable, consider landfill.**Section 14 - Transport Information****UN Number:** This product is not classified as a Dangerous Good by ADG, IATA or IMDG/IMSBC criteria. No special transport conditions are necessary unless required by other regulations.**Section 15 - Regulatory Information****AICS:** All of the significant ingredients in this formulation are compliant with NICNAS regulations.**Section 16 - Other Information****This SDS contains only safety-related information. For other data see product literature.****Acronyms:**

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)
AICS	Australian Inventory of Chemical Substances
SWA	Safe Work Australia, formerly ASCC and NOHSC
CAS number	Chemical Abstracts Service Registry Number
Hazchem Code	Emergency action code of numbers and letters that provide information to emergency services especially firefighters
IARC	International Agency for Research on Cancer
NOS	Not otherwise specified
NTP	National Toxicology Program (USA)
R-Phrase	Risk Phrase
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons
UN Number	United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS. OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (February 2016)
Copyright © Kilford & Kilford Pty Ltd, September, 2017.

<http://www.kilford.com.au/> Phone (02)8321 8866

SAFETY DATA SHEET

Issued by: AVT Paints Pty Ltd
Item Numbers: 00868-1001, 00868-1003, 00868-1007, 00868-1011, 00868-1013, 00868-1015, 00868-1017, 00868-1021, 00868-1023, 00868-1027, 00868-1031, 00868-1033, 00868-1037, 00868-1041, 00868-1043, 00868-1047, 00868-1051, 00868-1055, 00868-1057, 00868-1061, 00868-1065, 00868-1067, 00868-1071, 00868-1073, 00868-1077, 00868-1081, 00868-1083, 00868-1087, 00868-1091, 00868-1093, 00868-1097, 00868-1101, 00868-1103, 00868-1107, 00868-1111, 00868-1113, 00868-1115, 00868-1117, 00868-1121, 00868-1123, 00868-1127, 00868-1131, 00868-1133, 00868-1137, 00868-1141, 00868-1143, 00868-1147, 00868-1151, 00868-1153, 00868-1157, 00868-1161, 00868-1163, 00868-1167, 00868-1171, 00868-1173, 00868-1177, 00868-1181, 00868-1183, 00868-1187, 00868-1191, 00868-1193, 00868-1197, 00868-1201, 00868-1203, 00868-1207, 00868-1211, 00868-1213, 00868-1215, 00868-1217, 00868-1221, 00868-1223, 00868-1227, 00868-1231, 00868-1233, 00868-1237, 00868-1241, 00868-1243, 00868-1247, 00868-1251, 00868-1253, 00868-1315, 00868-1415, 00868-1515, 00868-1615, 00868-1715, 00868-1815, 00868-1915, 00868-2015, 00868-2115, 00868-2215, 00868-2315, 00868-2415, 00868-2515, 00868-2615, 00868-2715, 00868-2815, 00868-2915, 00868-3015, 00868-3115, 00868-3215, 00868-3315, 00868-3415, 00868-3515

Phone: 07 3391 8122 (office hours)
Poisons Information Centre 13 1126 from anywhere in Australia (0800 764 766 in New Zealand)