

Product: 888 cartridge ink		Page: 1/12
Validation date: 28.05.2015	Version: 1.00	Replaces version: 1.00

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1 Product identifier			
• Trade name: 888 cartridge ink			
Article number: 100014.877			
· Registration number			
	registered according to 1907/2006/EC (REACH)		
	tance or mixture and uses advised against		
Currently no such applications are identif			
Application of the substance / the mixtu			
• 1.3 Details of the supplier of the safety			
MANUFACTURERS NAME:	CARAN d'ACHE SA		
Address (complete mailing address):	19, chemin du Foron ; CH-1226 THÔNEX-GENEVE		
Phone number:	+41 22 869 02 32/+41 22 869 02 90		
FAX number:	+41 22 869 01 35		
	aurelie.perret@carandache.com		
EEC Address :	CARAN d'ACHE SA		
	5, place porte de France; F-74240 GAILLARD		
Phone number:	+33 450 95 25 75		
FAX number:	+41 450 37 57 41		
US Importer:	Creative Art Materials Ltd.		
	236 Raceway Dr. Unit 5		
	Mooresville, NC 28117		
	Telephone - 704-664-1427		
	Fax: 888-423-0036		
	JCDivis@creativeartmaterials.com		
1.1. Emergency telephone number	er		
Phone number: +41 22 869 02 32			

SECTION 2: Hazards identification

 \cdot 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

26/06/2017



Genève

Product: 888 cartridge ink

Validation date: 28.05.2015

Version: 1.00

Page: 2/12

Replaces version: 1.00

GHS05 corrosion Eye Dam. 1 H318 Causes serious eye damage.



GHS09 environment Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS05 GHS07 GHS09 · Signal word Danger · Hazard-determining components of labelling: C. I. Solvent Black 46 Phosphoric acid mono-bis-(2-ethylhexyl)-ester · Hazard statements H315 Causes skin irritation. H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H411 Toxic to aquatic life with long lasting effects. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



Genève

Product: 888 cartridge ink

Validation date: 28.05.2015

Version: 1.00

Page: 3/12

Replaces version: 1.00

P310 Immediately call a POISON CENTER/doctor. P321 Specific treatment (see on this label). P501 Dispose of contents/container in accordance with local/regional/national/

international regulations. · 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures Mixture of the following substances, containing non-hazardous substances and colouring agents. · Description: Mixture of substances listed below with nonhazardous additions. · Dangerous components: • CAS: 122-99-6 EINECS: 204-589-7 2-Phenoxyethanol Acute Tox. 4, H302; Eye Irrit. 2, H319 25-50% • CAS: 65113-55-5 EINECS: 265-449-9 C. I. Solvent Black 46 Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Sens. 1, H317; STOT SE 3, H335 10-25% • CAS: 100-51-6 EINECS: 202-859-9 Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H332; Eye Irrit. 2, H319 10-25% • CAS: 12645-31-7 EINECS: 235-741-0 Phosphoric acid mono-bis-(2-ethylhexyl)-ester Skin Corr. 1B, H314 $\leq 2,5\%$ • Additional information: For the wording of the listed risk phrases refer to section 16.

26/06/2017



Replaces version: 1.00

Genève

Product: 888 cartridge ink Page: 4/12

Version: 1.00

SECTION 4: First aid measures

Validation date: 28.05.2015

• 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

 \cdot **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

 \cdot **6.1** Personal precautions, protective equipment and emergency procedures Wear protective clothing.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

\cdot 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

26/06/2017



Replaces version: 1.00

Product: 888 cartridge ink

Validation date: 28.05.2015

Version: 1.00

Page: 5/12

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 3)

41.0

· Information about fire - and explosion protection: No special measures required.

- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

- Protection of hands:
- Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

26/06/2017



Product: 888 cartridge ink		Page: 6/12	
Validation date: 28.05.2015	Version: 1.00	Replaces version: 1.00	
Due to missing tests no recommende	ation to the glove material can	be given for the product/ the	
preparation/ the chemical mixture.			
Selection of the glove material on co	onsideration of the penetration	times, rates of diffusion and	
the degradation			
· Material of gloves			
The selection of the suitable gloves of of quality and varies from manufactu substances, the resistance of the glov to be checked prior to the application	urer to manufacturer. As the pr ve material can not be calculate n.	roduct is a preparation of several	
· Penetration time of glove material			
The exact break trough time has to	be found out by the manufac	cturer of the protective gloves and	
has			
to be observed.			
· Eye protection:			
Tightly sealed goggles			
 General Information 	and chemical properties		
 General Information Appearance: Form: Fluid Colour: According to product specific Odour: Product specific Odour threshold: Not determined. Important information on protection environment, and on safety pH-value at 20 °C: 5 Change in condition Melting point/Melting range: Under Boiling point/Boiling range: 205 °C Flash point: 101 °C Flammability (solid, gaseous): Not 	cation on of health and termined.		
 Appearance: Form: Fluid Colour: According to product specific Odour: Product specific Odour threshold: Not determined. Important information on protection environment, and on safety pH-value at 20 °C: 5 Change in condition Melting point/Melting range: Under Boiling point/Boiling range: 205 °C Flash point: 101 °C Flammability (solid, gaseous): Not Ignition temperature: 435 °C Decomposition temperature: Not appendix to produce the product of the	cation on of health and termined. applicable. determined.		
 Appearance: Form: Fluid Colour: According to product specific Odour: Product specific Odour threshold: Not determined. Important information on protection environment, and on safety pH-value at 20 °C: 5 Change in condition Melting point/Melting range: Under Boiling point/Boiling range: 205 °C Flash point: 101 °C Flammability (solid, gaseous): Not 	cation on of health and termined. applicable. determined. iting.		



Product: 888 cartridge ink Page: 7/12 Validation date: 28.05.2015 Version: 1.00 Replaces version: 1.00 Explosion limits: Lower: 1,3 Vol % **Upper:** 13,0 Vol % · Vapour pressure at 20 °C: 0,1 hPa · Density at 20 °C: 1,12 g/cm³ · Relative density Not determined. Vapour density Not determined. · Evaporation rate Not determined. Solubility in / Miscibility with water: Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic at 20 °C: 2100 mPas Kinematic: Not determined. Solvent content: Organic solvents: 56,7 % Solids content: 39,5 % • 9.2 Other information The physical and chemical properties given in Section 9.1 are rough data only, which are partially derived from the component's data of the mixture. These data are no binding product specifications. SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.
- * SECTION 11: Toxicological information
- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:

26/06/2017



Genève

Product: 888 cartridge ink Page: 8/12 Validation date: 28.05.2015 Version: 1.00 Replaces version: 1.00 122-99-6 2-Phenoxyethanol Oral LD50 2740 mg/kg (rat) · Primary irritant effect: · Skin corrosion/irritation Irritant to skin and mucous membranes. · Serious eye damage/irritation Strong irritant with the danger of severe eye injury. · Respiratory or skin sensitisation Sensitisation possible through skin contact. Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant **SECTION 12: Ecological information** · 12.1 Toxicity · Aquatic toxicity: No further relevant information available. • 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. • 12.4 Mobility in soil No further relevant information available. · Ecotoxical effects: · Remark: Toxic for fish · Additional ecological information: · General notes: Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms 12.5 Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. · 12.6 Other adverse effects No further relevant information available. SECTION 13: Disposal considerations 13.1 Waste treatment methods Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system. 26/06/2017 Page 8 of 12 Item Numbers: 00895-2500, 00895-3060, 00895-5010, 00895-5110, 00895-7020, 00895-8140



Genève

Product: 888 cartridge ink

Validation date: 28.05.2015

Version: 1.00

-

Replaces version: 1.00

Page: 9/12

· Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number

• ADR, IMDG, IATA UN3082

· 14.2 UN proper shipping name

· ADR 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (triarylmethane dye, black)

· IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(triarylmethane dye, black), MARINE POLLUTANT

· IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(triarylmethane dye, black)

• 14.3 Transport hazard class(es)

· ADR

 \cdot **Class** 9 (M6) Miscellaneous dangerous substances and articles.



- · Label 9
- · IMDG, IATA
- · Class 9 Miscellaneous dangerous substances and articles.
- **Label** 9



- · 14.4 Packing group
- · ADR, IMDG, IATA III

· 14.5 Environmental hazards: Product contains environmentally hazardous

substances: triarylmethane dye, black

• Marine pollutant: Yes

Symbol (fish and tree)

• Special marking (ADR): Symbol (fish and tree)

26/06/2017



Product: 888 cartridge ink		Page: 10/12
Validation date: 28.05.2015	Version: 1.00	Replaces version: 1.00
Special marking (IATA): Symbol (fisl	h and tree)	
14.6 Special precautions for user W	arning: Miscellaneous danger	rous substances and
articles.		
Danger code (Kemler) : 90		
EMS Number: F-A,S-F		
14.7 Transport in bulk according to	Annex II of	
MARPOL73/78 and the IBC Code N	lot applicable.	
Transport/Additional information:		
ADR		
• Limited quantities (LQ) 5L		
Excepted quantities (EQ) Code: E1		
Maximum net quantity per inner pack	aging: 30 ml	
Maximum net quantity per outer pack		
Transport category 3		
Tunnel restriction code E		
IMDG		
• Limited quantities (LQ) 5L		
Excepted quantities (EQ) Code: E1		
Maximum net quantity per inner pack	aging: 30 ml	
Maximum net quantity per outer pack	aging: 1000 ml	
ΙΑΤΑ		
• Remarks: The dangerous good classij	fication is according to	
IATA Dangerous Goods Regulation (E	OGR) 56th Edition	
2015		
UN "Model Regulation": UN3082,	ENVIRONMENTALLY HAZ	ARDOUS SUBSTANCE,
LIQUID, N.O.S. (triarylmethane dye,	black), 9, III	
SECTION 15: Regulatory inform		
15.1 Safety, health and environmen	tal regulations/legislation spe	ecific for the substance or mixture
 Directive 2012/18/EU Named dangerous substances - ANN 		

• National regulations:

• Technical instructions (air):

Class Share in %

NK 50-100

• Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

26/06/2017



Product: 888 cartridge ink		Page: 11/12
Validation date: 28.05.2015	Version: 1.00	Replaces version: 1.00

• **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant phrases H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organisation ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

26/06/2017



Genève

Product: 888 cartridge ink		Page: 12/12
Validation date: 28.05.2015	Version: 1.00	Replaces version: 1.00
Eye Dam. 1: Serious eye damage/eye Eye Irrit. 2: Serious eye damage/eye Skin Sens. 1: Sensitisation - Skin, Ha STOT SE 3: Specific target organ too Aquatic Acute 1: Hazardous to the a Aquatic Chronic 1: Hazardous to the Aquatic Chronic 2: Hazardous to the * Data compared to the previous ver	irritation, Hazard Category 2 zard Category 1 kicity - Single exposure, Hazar quatic environment - AcuteHa aquatic environment - Chron aquatic environment - Chron	d Category 3 izard, Category 1 ic Hazard, Category 1
The information provided in this safe	ety data sheet is correct to the	best of our knowledge information

The information provided in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The publication given is designed only as guidance and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials designated or in any process, unless specified in the text.

26/06/2017