

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

DYLON Fabric Dye Ocean Blue 26

01313-5326

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Intended use:

Fabric Dyes

**1.3. Details of the supplier of the safety data sheet**

Henkel Ltd.

Betchworth House; 57-65 Station Road

RH1 1DL Redhill

Phone: Tel: 01737 781 300

consumer.response@henkel.com

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008 (CLP):**

Eye Irrit. 2

H319 Causes serious eye irritation.

**2.2. Label elements****Label elements (CLP):****Hazard pictogram:****Signal word:**

Warning

**Hazard statement:**

H319 Causes serious eye irritation.

EUH208 Contains C.I. Reactive Red 159. May produce an allergic reaction.

**Precautionary statement:**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P280 Wear eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

MSDS-No.: 554943  
V001.0**DYLON Fabric Dye Ocean Blue 26**

Page 2 of 7

**2.3. Other hazards**

None if used properly.

**SECTION 3: Composition/information on ingredients****3.1. Substances****3.2. Mixtures****Hazardous substances according to CLP (EC) No 1272/2008:**

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Sodium carbonate 497-19-8	207-838-8	01-2119485498-19	>= 90- <= 100 %	Serious eye irritation 2 H319
C.I. Reactive Red 159 83400-12-8	280-427-9		>= 0,1- < 1 %	Skin sensitizer 1B H317

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

**SECTION 4: First aid measures****4.1. Description of first aid measures**

## General information:

In case of adverse health effects seek medical advice.

## Inhalation:

Move to fresh air. In case of breathing difficulties seek immediate medical advice.

## Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

## Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

## Ingestion:

Do not induce vomiting, seek medical advice immediately.

Rinse mouth with water, (only if the person is conscious).

**4.2. Most important symptoms and effects, both acute and delayed**

After inhalation: Irritation of the respiratory tract, coughing. Inhalation of larger amounts may cause laryngospasm with

MSDS-No.: 554943  
V001.0**DYLON Fabric Dye Ocean Blue 26**

Page 3 of 7

shortness of breath.

After skin contact: Temporary irritation of the skin (redness, swelling, burning).

After eye contact: Moderate to strong irritation of the eyes (redness, swelling, burning, watering eyes).

After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting. Vomit may get into the lungs causing damage (aspiration).

**4.3. Indication of any immediate medical attention and special treatment needed**

After inhalation: No special action.

After skin contact: No special action.

After eye contact: No special action.

After ingestion: Do not induce vomiting. Single administration of a non-carbonated beverage (water or tea).

After ingestion: In case of ingestion of larger or unknown quantities administer a defoamer (Dimeticon or Simeticon).

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

Suitable extinguishing media:

Water spray jet (if possible, avoid full jet). Adapt the fire-fighting measures to the environmental conditions. Commercially available extinguishers are suitable for fighting incipient fires. The product itself does not burn.

**Extinguishing media which must not be used for safety reasons:**

None

**5.2. Special hazards arising from the substance or mixture**

Hazardous combustion products can be formed by pyrolysis and/or carbon monoxide.

**5.3. Advice for firefighters**

Use personal protective equipment and self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

Ensure adequate ventilation.

**6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**

Remove mechanically. Rinse away residue with plenty of water.

MSDS-No.: 554943  
V001.0

**DYLON Fabric Dye Ocean Blue 26**

Page 4 of 7

#### 6.4. Reference to other sections

See advice in section 8

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

No special measures required if used properly.

#### Hygiene measures:

Protective equipment only required in case of industrial use or for large packs (not for household packs)  
Avoid contact with skin and eyes. Remove soiled or soaked clothing immediately. Wash off any contamination that gets onto the skin with plenty of water, skin care.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store dry at between +5 and +40°C.  
Consider national regulations.

#### 7.3. Specific end use(s)

Fabric Dyes

### SECTION 8: Exposure controls/personal protection

#### Only relevant for professional/industrial use

#### 8.1. Control parameters

Valid for

Great Britain

Contains no components with occupational exposure limit values.  
Attention: general dust limit value 6 mg/m<sup>3</sup> (fine dust concentration)

#### 8.2. Exposure controls

Respiratory protection:  
If dust is produced wear P2 mask.

#### Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in

MSDS-No.: 554943  
V001.0**DYLON Fabric Dye Ocean Blue 26**

Page 5 of 7

accordance with the local operating conditions.

Eye protection:  
Wear tight fitting goggles.

Skin protection:  
Protective clothing against chemicals. Observe manufacturer's instructions.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture.

a) Appearance	powder free-flowing blue
b) Odor	characteristic
c) Odour threshold	No data available / Not applicable
d) pH (; Conc.: 10 % product  ; Solvent: Water )	9 - 11
e) Melting point	No data available / Not applicable
f) Initial boiling point and boiling range	No data available / Not applicable
g) Flash point	Not applicable
h) Evaporation rate	No data available / Not applicable
i) Flammability (solid , gas)	No data available / Not applicable
j) Upper / lower flammability or explosive limits	No data available / Not applicable
k) Vapour pressure	No data available / Not applicable
l) Vapor density	No data available / Not applicable
m) Relative density  Bulk density	900 - 1.200 g/l
n) Solubility (ies)	soluble in water
o) Partition coefficient: n-octanol/water	No data available / Not applicable
p) Auto-ignition temperature	No data available / Not applicable
q) Decomposition temperature	No data available / Not applicable
r) Viscosity	No data available / Not applicable
s) Explosive properties	No data available / Not applicable

MSDS-No.: 554943  
V001.0

**DYLON Fabric Dye Ocean Blue 26**

Page 6 of 7

t) Oxidising properties

No data available / Not applicable

**9.2. Other information**

Not applicable

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

None if used for intended purpose.

**10.2. Chemical stability**

Stable under normal conditions of temperature and pressure.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

No decomposition if used according to specifications.

**10.5. Incompatible materials**

None if used properly.

**10.6. Hazardous decomposition products**

No decomposition if used according to specifications.

MSDS-No.: 554943  
V001.0

DYLON Fabric Dye Ocean Blue 26

Page 7 of 7

**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute oral toxicity:**

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium carbonate 497-19-8	LD50	2.800 mg/kg	rat	not specified

**Acute dermal toxicity:**

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium carbonate 497-19-8	LD50	> 2.000 mg/kg	rabbit	EPA 16 CFR 1500.40 (Method of testing toxic substances)

**Skin corrosion/irritation:**

Hazardous substances CAS-No.	Conclusion	Exposure time	Species	Method
Sodium carbonate 497-19-8	not irritating	4 h	rabbit	OECD 404

**Serious eye damage/irritation:**

Hazardous substances CAS-No.	Conclusion	Exposure time	Species	Method
Sodium carbonate 497-19-8	irritating		rabbit	not specified

**Germ cell mutagenicity:**

Hazardous substances CAS-No.	Result	Type of study	Metabolic activation / Exposure time	Species	Method
Sodium carbonate 497-19-8	negative	bacterial reverse mutation assay (e.g Ames test)	with		Ames Test

MSDS-No.: 554943  
V001.0

DYLON Fabric Dye Ocean Blue 26

Page 8 of 7

**SECTION 12: Ecological information****12.1. Toxicity****Toxicity (Fish):**

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	LC50	300 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)
C.I. Reactive Red 159 83400-12-8	LC50	> 100 mg/l	48 h	Leuciscus idus	OECD Guideline 203 (Fish, Acute Toxicity Test)

**Toxicity (Daphnia):**

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC50	200 - 227 mg/l	48 h	Ceriodaphnia sp.	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

**Toxicity (Algae):**

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium carbonate 497-19-8	EC50	137 mg/l	5 d	Nitzschia sp.	OECD Guideline 201 (Alga, Growth Inhibition Test)

**12.2. Persistence and degradability**

Hazardous substances CAS-No.	Result	Test type	Biodegradation	Method
C.I. Reactive Red 159 83400-12-8	not inherently biodegradable	aerobic	< 10,000000 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)

**12.3. Bioaccumulative potential**

Does not bioaccumulate.

**12.4. Mobility in soil**

No data available.



MSDS-No.: 554943  
V001.0**DYLON Fabric Dye Ocean Blue 26**

Page 9 of 7

**12.5. Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

**12.6. Other adverse effects**

Other adverse effects of this product for the environment are not known to us.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Product disposal:

Dispose of in accordance with local and national regulations.

Disposal of uncleaned packages:

Only completely empty containers are to be disposed of as recoverable materials.

**SECTION 14: Transport information**

- 14.1. UN number**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packing group**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**  
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**  
not applicable

MSDS-No.: 554943  
V001.0**DYLON Fabric Dye Ocean Blue 26**

Page 10 of 7

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out.

**SECTION 16: Other information**

H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

**Further information:**

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

This Safety Data Sheet contains changes from the previous version in Section(s):

1 - 16

6/26/18