00000558 **MATERIAL SAFETY DATA SHEET**

01604-1081

Page 1

Tri Art Manufacturing Inc. 4 Harvey Street Kingston; Ontario; K7K 5B9 Canada

PRODUCT: Finest Quality Gesso

Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identity...... Finest Quality Gesso Manufacturer name and address..... Tri-art Manufacturing Inc.

4 Harvey Street Kingston Ontario Canada K7K 5B9

1-888-541-0299

24 hour emergency phone number..... (613) 541-0299 (9 am to 5 pm EST). Paint for consumer use.

Recommended use..... Chemical family..... Water based paint mixture.

Section 02: HAZARDS IDENTIFICATION

Non-toxic - does not meet OSHA Hazard Communication classification criteria. Hazard Classification / Category..... Signal Word.. Non-toxic

Precautionary Statements..... Avoid prolonged contact with skin. Avoid contact with eyes. Wash skin thoroughly after handling. Do not ingest this product and wash hands before consuming food. . Direct skin contact may result in little or no irritation. Prolonged contact, may be more Description of Hazards.....

irritating. Eye contact may cause mild transient irritation. If ingested, may cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting. Ingestion of larger amounts may cause defects to the central nervous system (e.g.

dizziness, headache)

Mixtures Statement..... The product label has been evaluated in accordance with ASTM-4236.

Section 03: COMPOSITION/INFORMATION ON INGREDIENTS			
Hazardous Ingredients	CAS#	Wt. %	
PROPYLENE GLYCOL	57-55-6	1-5	
CALCIUM CARBONATE	1317-65-3	3-7	
TITANIUM DIOXIDE	13463-67-7	1-5	

Section 04: FIRST AID MEASURES

Immediately flush eyes with running water for at least 5 to 10 minutes. If irritation persists, Eye Contact..... seek prompt medical attention.

Do not induce vomiting. Never give anything by mouth if victim is unconscious. Consult a

Inhalation.....

physician.
Unintentional inhalation of this product should not pose any health risks. .
Wash off with soap and plenty of water. In the unlikely event that irritation occurs, consult Skin Contact..... with your doctor.

Additional Information..... Treat symptomatically.

Section 05: FIRE FIGHTING MEASURES

This product does not burn in its liquid form. Use extinguishing media suitable to the Extinguishing Media..... surrounding fire.

Hazardous Combustion Products Carbon oxides in the event the dried paint is involved in a fire.

Special Fire Fighting Procedures..... None required for this product.

Unusual Fire/Explosion Hazards..... Not flammable under normal conditions of use. This product is not sensitive to mechanical

impact or static discharge

Section 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions..... Spills on floors can create a slip hazard. Adequate precautions should be taken when walking on spilled product.
Keep children and all others away from spilled material.

Emergency Procedures.....

Methods / Materials For Containment..... Clean Up.....

Use suitable absorbent materials such as cloth, rags, sponges, or paper towels. Contain and wipe up the spill with absorbent material or cloth. Rinse the cloth with water and repeat the process until surface is clean and dry of spilled material.

00000558 MATERIAL SAFETY DATA SHEET Page 2

PRODUCT: Finest Quality Gesso

Section 07: HANDLING AND STORAGE

Section 08: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits					
Ingredients	TWA	SIH TLV STEL	PEL OSHA	A PEL STEL	NIOSH REL
PROPYLENE GLYCOL	10 vmg/m3	Not established	Not established	Not established	Not established
CALCIUM CARBONATE	Not established	Not established	15 mg/m3 Total dust; 5 mg/m3 Respirable fraction	Not established	10 mg/m3 Total dust; 5 mg/m3 Respirable fraction
TITANIUM DIOXIDE	10 mg/m3	Not established	15 mg/m3 Total dust	Not established	Lowest feasible concentration
Protective Equipment Clothing/Type Eye/Type Gloves/Type Engineering Controls		 No special protective clothing is required to use this product. Take the necessary precautions to avoid liquid contact with eyes. 		ng this product.	

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance	Liquid. White. Mild odour. No data. No data. Similar to water. 8.5 - 9.5. 1.02-1.67 (calculated). 0° C / 32° F.
SolubilityInitial Boiling Point / Boiling Range	Dilutable in water. 100°C / 212°F.
Evaporation Rate	Similar to water.
Flash Point (deg C), Method	Non-flammable.
Auto Ignition Temperature (deg C)	Not applicable.
Upper Flammable Limit (% Vol)	Not applicable.
Lower Flammable Limit (% Vol)	Not applicable.
Coefficient of Water/Oil Distribution	No data.
% Volatile By Weight	71-75%.
Viscosity	2000 - 5200 poise, #92 spindle.

Section 10: STABILITY AND REACTIVITY

Reactivity Conditions	recommended storage and handling conditions prescribed. If to hazardous combustion products in Section 5.
-----------------------	--

Section 11: TOXICOLOGICAL INFORMATION

Route Of Exposure	Skin and eye contact are possible routes of exposure. Mists and vapours are unlikely to be generated during intended use of this product. Do not take internally or ingest this product.
Effects Of Acute Exposure	Ingestion of large amounts may be harmful. If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Direct skin contact may result in little or no irritation. Prolonged contact may be more irritating. Eye contact may cause mild transient irritation. May cause irritation of mouth, throat, and stomach. Swallowing may cause irritation, nausea and vomiting.
Effects Of Chronic Exposure	None known.
Carcinogenicity Of Material	This product contains titanium dioxide, an IARC Group 2B carcinogen. However, the titanium dioxide used in this product is in a non respirable form and under normal conditions of use, Titanium dioxide cannot become airbourne. The carcinogenic effects of titanium dioxide are therefore not applicable to this product.
Aggravated Medical Conditions	None are anticipated under normal use.

Page 2 of 3

00000558 **MATERIAL SAFETY DATA SHEET** Page 3

PRODUCT: Finest Quality Gesso

Section 11: TOXICOLOGICAL INFORMATION

Use of this product following our recommended instructions should not cause any health hazards, other than those indicated above

Toxicological Data

LD50-Oral,rat Ingredients LC50-inh, rat

PROPYLENE GLYCOL 22,000 mg/kg Rat oral; 20,800 Rabbit dermal Not available

CALCIUM CARBONATE >2,000 mg/kg Rat oral Not available TITANIUM DIOXIDE >6820 mg/m3 4 hr. rat >24,000 mg/kg Rat oral

Section 12: ECOLOGICAL INFORMATION

Data From Toxicity Tests..... Data from toxicity tests are not available at this time .

No data at this time

No data available at this time. Other Adverse Effects..... No data available at this time Absorption Potential..... No data available at this time

Section 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods..... Empty containers should be recycled in accordance with local municipal recycling practices. Containers that are not empty should be brought to your local waste paint

Wherever possible unused paint should be brought to your local waste paint facility.

Appropriate Disposal Considerations...... Properties Affect Disposal..... None anticipated. Sewage Disposal Comments.....

Wherever possible, paint should not be washed down the sewer.

Section 14: TRANSPORT INFORMATION

UN Number. Not regulated. UN Proper Name.
Transport Hazard Classification.....Packaging Group (If Applicable)..... Not regulated Not regulated. Not regulated. Environmental Hazards..... None known. Guidance On Transport In Bulk..... Not regulated.

Guidance on transport by air..... This product is not classified as a dangerous good per IATA Dangerous Goods

Regulations. Any Special Precautions..... None known

Section 15: REGULATORY INFORMATION

Globally Harmonized System Classification.. WHMIS Classification..... Not classified. Not controlled.

The ingredients in this product appear on the DSL. All ingredients are listed on the TSCA inventory.

OSHA. This product is not considered hazardous.

SARA TITLE III Section 302 - Extremely Hazardous None.

Substances

Section 311/312 - Hazard Categories..... Not applicable. SARA Section 313.....

This material is not subject to SARA notification requirements, since it does not contain any

Toxic Chemical constituents above de minimus concentrations. None

EPA Hazardous Air Pollutants (HAPS)

HS Code.

3213.10.00.00. California Proposition 65.....

Titanium dioxide is known by the state of California to cause cancer. However, Titanium

dioxide is listed when found in unbound, airborne particles of respirable size.

Section 16: OTHER INFORMATION

HDTS Chemicals Inc. - www.hdtschemicals.com - email: service@hdtschemicals.com Prepared By..... This Safety Data Sheet was prepared by Tri-Art Manufacturing and obtained from supplier information. The information in the Safety Data Sheet is off ered for your consideration and guidance when exposed to this product. Tri-Art Manufacturing Inc. disclaims all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other Disclaimer..... product or in any other process. This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of Tri-Art

Manufacturing Inc.

Preparation Date..... Oct22/13