

Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name

#### Plaka All-purpose paint Standard shades

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

Painting and varnishing

Uses advised against

No data available.

#### 1.3 Details of the supplier of the safety data sheet

Address

Pelikan Vertriebsgesellschaft mbH & Co. KG Postfach 11 07 55 30102 Hannover

GERMANY

Telephone no. +49 (0) 511 69 69 - 0

Information provided by / telephone

Chemical Laboratory Tel.: +49 (0) 5171 - 299 - 0 Fax.: +49 (0) 5171 - 299 - 249

Advice on Safety Data Sheet

sdb\_info@umco.de

#### 1.4 Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008: Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

. . .

Signal word

Hazard statements

Hazard statements (EU) EUH208

Contains 4-chloro-3-methylphenol, 4-chloro-m-cresol, chlorocresol. May produce an allergic reaction.

Precautionary statements

Labelling information

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

## 2.3 Other hazards

Item Numbers: 01734-2020

No data available.



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

## SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Not applicable. The product is not a substance.

#### 3.2 Mixtures

#### **Chemical characterization**

Aqueous mixture of pigments and resins with small addition of vegetable oils and ammonia solution.



Trade name: Plaka All-purpose paint Standard shades

Current version : 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

Nic	Hazardous ingredient Substance name	<u> </u>	Additional information	
NO		Classification (EC) 1272/2009 (CLB)	Concentration	%
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	76
1		LETHOXY)PROPANOL		
•	34590-94-8	-	< 5.00	%-b.w.
	252-104-2		0.00	70 5.**
	-			
2	1-ethoxypropan-2-ol			
	1569-02-4	Flam. Liq. 3; H226	< 2.50	%-b.w.
	216-374-5	STOT SE 3; H336		
	603-177-00-8			
^	-			
3		enol, 4-chloro-m-cresol, chlorocresol	0.50	0/ 1
	59-50-7	Acute Tox. 4*; H302	< 2.50	%-b.w.
	200-431-6 604-014-00-3	Acute Tox. 4*; H312 Aquatic Acute 1; H400		
	-	Eye Dam. 1; H318		
	_	Skin Sens. 1; H317		
4	phenol	ORIT GETS. 1, 11917		
	108-95-2	Acute Tox. 3*; H301	< 0.50	%-b.w.
	203-632-7	Acute Tox. 3*; H311		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	604-001-00-2	Acute Tox. 3*; H331		
	-	Muta. 2; H341		
		Skin Corr. 1B; H314		
		STOT RE 2*; H373**		
5	ammonia			
	1336-21-6	Aquatic Acute 1; H400	< 0.50	%-b.w.
	215-647-6	Skin Corr. 1B; H314		
	007-001-01-2			
^	-			
6	clorofene	LA mustic A cuts de 11400	0.40	0/ 5
	120-32-1 204-385-8	Aquatic Acute 1; H400	< 0.10	%-b.w.
	204-365-6	Aquatic Chronic 1; H410 Eye Dam. 1; H318		
	1	Skin Irrit. 2; H315		
	_	Acute Tox. 4; H332		
		STOT RE 2; H373		
		Skin Sens. 1B; H317		
7	Kaolin			
	1332-58-7	-	>= 5.00 - <	10.00 %-b.w.
	310-194-1			
	-			
	-			
8	Limestone			
	1317-65-3	-	< 5.00	%-b.w.
	215-279-6			
	-			
9	titanium-dioxide			
	13463-67-7	1-	< 5.00	%-b.w.
	236-675-5		3.00	/0-D.W.
	-			
	01-2119489379-17			
10	barium sulfate, natur	ral		
	7727-43-7	-	< 5.00	%-b.w.
	231-784-4			
	-			
	01-2119491274-35			
1	Talc			
	14807-96-6	-	< 5.00	%-b.w.
	238-877-9			
	-			
_	-			
2	barium sulfate, natur	rai		



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

	7727-43-7	-	<	2.50	%-b.w.
	231-784-4				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	_				
13	silicon dioxide,	chemically prepared			
	7631-86-9	-	<	2.50	%-b.w.
	231-545-4				
	-				
	-				
14	diiron trioxide				
	1309-37-1	-	<	2.50	%-b.w.
	215-168-2				
	-				
	-				
15	CARBON BLAC	Κ			
	1333-86-4	-	<	2.50	%-b.w.
	215-609-9				
	-				
	-				
16	propane-1,2-dio				
	57-55-6	-	<	2.50	%-b.w.
	200-338-0				
	-				
	I -				

Full Text for all H-phrases and EUH-phrases: pls. see section 16 (\*,\*\*,\*\*\*\*) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
4	-	Eye Irrit. 2; H319: C >= 1% Skin Irrit. 2; H315: C >= 1% Skin Corr. 1B; H314: C >= 3%	-	-
5	В	STOT SE 3; H335: C >= 5%	-	-
6	-		-	M = 10

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)"

#### Other information

Concentration data refers to the individual colors.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General information**

In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes and launder thoroughly before reusing.

#### After inhalation

Ensure supply of fresh air.

## After skin contact

When in contact with the skin, clean with soap and water.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes). Seek medical assistance.

### After ingestion

Rinse mouth thoroughly with water. Seek medical advice.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### Indication of any immediate medical attention and special treatment needed 4.3

No data available.



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

#### Unsuitable extinguishing media

No data available

#### 5.2 Special hazards arising from the substance or mixture

When exposed to high temperatures may produce hazardous decomposition products such as carbon monoxide, carbon dioxide and smoke.

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

## SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Refer to protective measures listed in sections 7 and 8. Ensure adequate ventilation. Avoid contact with skin, eyes and clothing.

#### For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

#### 6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). Send in suitable containers for recovery or disposal.

#### 6.4 Reference to other sections

No data available.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

## Advice on safe handling

No special measures necessary.

#### General protective and hygiene measures

Keep away from foodstuffs and beverages.

## Advice on protection against fire and explosion

No special measures necessary.

#### 7.2 Conditions for safe storage, including any incompatibilities

## Technical measures and storage conditions

Keep dry in a cool, well-ventilated place. Keep from freezing.

#### Requirements for storage rooms and vessels

No special measures required.

## Advice on storage assembly

Do not store together with: Oxidizing agents

#### 7.3 Specific end use(s)

No data available.



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

## SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.		EC no.	
1	Kaolin	1332-58-7		310-194-1	
	List of approved workplace exposure limits (WELs) / EH40				
	Kaolin				
	respirable dust				
	TWA	2	mg/m³		
2	Limestone	1317-65-3	1119/111	215-279-6	
	List of approved workplace exposure limits (WELs) / EH40	1317-03-3		213-213-0	
	Calcium carbonate				
	total inhalable dust	140			
	TWA	10	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40				
	Calcium carbonate				
	respirable dust				
	TWA	4	mg/m³		
3	titanium-dioxide	13463-67-7		236-675-5	
	List of approved workplace exposure limits (WELs) / EH40				
	Titanium dioxide				
	total inhalable dust				
l	TWA	10	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40		<u> </u>		
	Titanium dioxide				
	respirable dust				
l	TWA	4	mg/m³		
4	barium sulfate, natural	7727-43-7	1119/111*	224 704 4	
4		1121-43-1		231-784-4	
	List of approved workplace exposure limits (WELs) / EH40				
	Barium sulphate				
	respirable dust	1			
	TWA	4	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40				
	Barium sulphate				
	total inhalable dust				
	TWA	10	mg/m³		
5	(2-METHOXYMETHYLETHOXY)PROPANOL	34590-94-8		252-104-2	
	List of approved workplace exposure limits (WELs) / EH40				
	(2-Methoxymethylethoxy) propanol				
	TWA	308	mg/m³	50	ml/m³
	Skin resorption / sensibilisation	Sk	<u> </u>		
	2000/39/EC				
	(2-Methoxymethylethoxy)-propanol				
	TWA	308	mg/m³	50	ppm
1	Skin resorption / sensibilisation	Skin	mg/m²	50	PPIII
6				220 077 0	
6	Talc	14807-96-6		238-877-9	
	List of approved workplace exposure limits (WELs) / EH40				
	Talc				
1	respirable dust	1.			
	TWA	1	mg/m³		
7	barium sulfate, natural	7727-43-7		231-784-4	
	List of approved workplace exposure limits (WELs) / EH40				
	Barium sulphate				
l	respirable dust			<u> </u>	<u> </u>
	TWA	4	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40				
	Barium sulphate				
	total inhalable dust				
	TWA	10	mg/m³		
8	silicon dioxide, chemically prepared	7631-86-9	9,	231-545-4	
	List of approved workplace exposure limits (WELs) / EH40	1001 00-0		201 040 4	
	Silica, amorphous				
	Ollica, amulididus				



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

ı	inhalable dust				
	TWA	6	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40	Ţ Ŭ	9/		
	Silica, amorphous				
	respirable dust				
	TWA	2.4	mg/m³		
9	diiron trioxide	1309-37-1		215-168-2	
_	List of approved workplace exposure limits (WELs) / EH40	1000 01 1		210 100 2	
	Iron oxide				
	fume				
	Fe				
İ	STEL	10	mg/m³		
	TWA	5	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40	J	mg/m		
	Rouge				
	total inhalable dust				
	TWA	10	mg/m³		
	List of approved workplace exposure limits (WELs) / EH40		9,		
	Rouge				
	respirable dust				
	TWA	4	mg/m³		
10	CARBON BLACK	1333-86-4		215-609-9	
	List of approved workplace exposure limits (WELs) / EH40				
	Carbon black				
	STEL	7	mg/m³		
	TWA	3.5			
11			mg/m³	200-338-0	
11	TWA	3.5		200-338-0	
11	TWA propane-1,2-diol	3.5		200-338-0	
11	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40	3.5		200-338-0	
11	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol	3.5		<b>200-338-0</b>	ml/m³
11	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates	3.5 <b>57-55-6</b>	mg/m³		ml/m³
11	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA	3.5 <b>57-55-6</b>	mg/m³		ml/m³
11	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40	3.5 <b>57-55-6</b>	mg/m³		ml/m³
11	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol	3.5 <b>57-55-6</b>	mg/m³		ml/m³
11	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol	3.5 <b>57-55-6</b>	mg/m³	150	
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40	3.5 <b>57-55-6</b>	mg/m³	150	
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol	3.5 57-55-6 474 108-95-2	mg/m³	150 10 203-632-7	ml/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL	3.5 57-55-6 474 108-95-2	mg/m³	150 10 203-632-7	ml/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA	3.5 57-55-6 474 108-95-2	mg/m³	150 10 203-632-7	ml/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation	3.5 57-55-6 474 108-95-2	mg/m³	150 10 203-632-7	ml/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 List of approved workplace exposure limits (WELs) / EH40	3.5 57-55-6 474 108-95-2	mg/m³	150 10 203-632-7	ml/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol	3.5 57-55-6 474 108-95-2 4 2 Sk	mg/m³  mg/m³  ppm ppm	150 10 203-632-7	ml/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL	3.5 57-55-6 474 108-95-2 4 2 Sk	mg/m³  mg/m³  ppm ppm ppm	150 10 203-632-7 16 7.8	ml/m³ mg/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol Stel TWA Stel TWA	3.5 57-55-6 474 108-95-2 4 2 Sk	mg/m³  mg/m³  ppm ppm	150 10 203-632-7	ml/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation	3.5 57-55-6 474 108-95-2 4 2 Sk	mg/m³  mg/m³  ppm ppm ppm	150 10 203-632-7 16 7.8	ml/m³ mg/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation 2000/39/EC	3.5 57-55-6 474 108-95-2 4 2 Sk	mg/m³  mg/m³  ppm ppm ppm	150 10 203-632-7 16 7.8	ml/m³ mg/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation STEL TWA Skin resorption / sensibilisation STEL TWA Skin resorption / sensibilisation Phenol STEL TWA Skin resorption / sensibilisation 2000/39/EC Phenol	3.5 57-55-6 474 108-95-2 4 2 Sk	mg/m³  mg/m³  ppm ppm ppm mg/m³  mg/m³	150 10 203-632-7 16 7.8	ml/m³ mg/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation 2000/39/EC Phenol STEL	3.5 57-55-6 474 108-95-2 4 2 Sk 39 20 Sk	mg/m³  mg/m³  ppm ppm ppm  mg/m³  mg/m³	150 10 203-632-7 16 7.8	ml/m³ mg/m³ mg/m³
	TWA propane-1,2-diol List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol total vapour and particulates TWA List of approved workplace exposure limits (WELs) / EH40 Propane-1,2-diol particulate STEL phenol List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation List of approved workplace exposure limits (WELs) / EH40 Phenol STEL TWA Skin resorption / sensibilisation STEL TWA Skin resorption / sensibilisation STEL TWA Skin resorption / sensibilisation Phenol STEL TWA Skin resorption / sensibilisation 2000/39/EC Phenol	3.5 57-55-6 474 108-95-2 4 2 Sk	mg/m³  mg/m³  ppm ppm ppm mg/m³  mg/m³	150 10 203-632-7 16 7.8	ml/m³ mg/m³ mg/m³ mg/m³

#### 8.2 **Exposure controls**

# Appropriate engineering controls No data available.

## Personal protective equipment

## Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of aerosol and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

## Eye / face protection

No special measures required.

### Hand protection

No special measures required.



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

## **Environmental exposure controls**

No data available.

## SECTION 9: Physical and chemical properties

9.1	Information	on basic	physical and	d chamical	nronartias

Form/Colour						
liquid						
product specific						
Odour						
characteristic						
Odour threshold						
No data available						_
pH value Value	1	8.0	_	10.0		
		0.0		10.0		
Boiling point / boiling range Value	appr.			100	°C	
Melting point / melting range	1				-	
No data available						
Decomposition point / decomposition range						
No data available						
Flash point						
Not applicable						
Ignition temperature						
Not applicable						
Auto-ignition temperature						
No data available						
Oxidising properties  No data available						
Explosive properties  No data available						
Flammability (solid, gas)						
No data available						
Lower flammability or explosive limits						
Not applicable						
Upper flammability or explosive limits						
Not applicable						
Vapour pressure						
Not applicable						
Vapour density						
No data available						
Evaporation rate  No data available						
Relative density No data available						
Density						
Value				1.4	g/cm³	
Reference temperature				20	°C	
Solubility in water						
Reference temperature Remarks	nartly	soluble		20	°C	
Romans	partiy	SOIUDIE				



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

Solubility(ies)	
No data available	
Partition coefficient: n-octanol/water	
No data available	
Viscosity	
No data available	

#### 9.2 Other information

Other information
No data available.

## SECTION 10: Stability and reactivity

#### 10.1 Reactivity

No data available.

#### 10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

#### 10.3 Possibility of hazardous reactions

None, if handled according to order.

## 10.4 Conditions to avoid

Keep from freezing.

## 10.5 Incompatible materials

strong oxidizing agents

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acut	Acute oral toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	Plaka All-purpose paint Standard shades				
Rem		The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).			

Acut	Acute oral toxicity					
No	Substance name	CAS no.		EC no.		
1	1-ethoxypropan-2-ol	1569-02-4		216-374-5		
LD50			4900	mg/kg bodyweight		
Spec	ies	rat				
Sour	ce	Manufacturer				

Acut	Acute dermal toxicity (result of the ATE calculation for the mixture)				
No	Product Name				
1	Plaka All-purpose paint Standard shades				
Rem	arks	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE dermal > 2000 mg/kg).			

Acute dermal toxicity							
No	Substance name		CAS no.		EC no.		
1	1-ethoxypropan-2-ol		1569-02-4		216-374-5		
LD50				9500	mg/kg bodyweight		
Species		rabbit					
Source		Manufacturer					



Trade name: Plaka All-purpose paint Standard shades

Current version : 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

	Product Name Plaka All-purpose paint Standard shades rks		ied calculation method an	poording to the European					
		Regulation (EC) 127	ied calculation method ac	poording to the Furgreen					
Rema	rks	Regulation (EC) 127	ied calculation method ac	sacrding to the Furences					
		according to table 3.1	2/2008 (CLP), Paragraph at imply a classification / I	3.1.3.6, Part 3 of Annex I is abelling of this mixture categories (ATE for inhalation					
Acute	te inhalational toxicity								
No :	Substance name	CAS		EC no.					
1	1-ethoxypropan-2-ol	1569-	-02-4	216-374-5					
	on of exposure of aggregation	> Vanaur	14200 4	mg/l h					
Specie	es	Vapour rat Manufacturer							
No dat	us eye damage/irritation ta available ratory or skin sensitisation								
	ta available								
	cell mutagenicity ta available								
	duction toxicity ta available								
	nogenicity ta available								
	-single exposure ta available								
	repeated exposure ta available								
	ation hazard								
No dat	ta available								



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Toxicity to fish (acute)

No data available

#### Toxicity to fish (chronic)

No data available

#### Toxicity to Daphnia (acute)

No data available

#### Toxicity to Daphnia (chronic)

No data available

## Toxicity to algae (acute)

No data available

#### Toxicity to algae (chronic)

No data available

#### Bacteria toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### **Bioaccumulative potential** 12.3

No data available.

#### 12.4 Mobility in soil

No data available.

#### Results of PBT and vPvB assessment

#### 12.6 Other adverse effects

No data available.

#### Other information 127

## Other information

Do not discharge product unmonitored into the environment.

# SECTION 13: Disposal considerations 13.1 Waste treatment methods

#### Product

Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Smaller quantities can be disposed with household garbage.

## Packaging

Residuals must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

## **SECTION 14: Transport information**

#### 14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

#### 14.2 Transport IMDG

The product is not subject to IMDG regulations.

#### 14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

#### 14.4 Other information

No data available.

#### 14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

#### 14.6 Special precautions for user

No data available

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not relevant

#### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

#### Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

#### REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

# Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, PREPARATIONS AND ARTICLES

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

## Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

# Directive 1999/13/EC on the limitation of emissions of volatile organic compounds due to the use of organic solvents (VOC Directive)

VOC content 0 %

#### Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

## 15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

#### **SECTION 16: Other information**

### Further information

Not suitable for children under 3 years.

#### Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

EC Directives 2000/39/EC, 2006/15/EC, 2009/161/EU

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding chapter.



Trade name: Plaka All-purpose paint Standard shades

Current version: 2.2.3, issued: 24.04.2017 Replaced version: 2.2.2, issued: 19.12.2016 Region: GB

#### Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

Flammable liquid and vapour. H301 Toxic if swallowed. H302 H311 Harmful if swallowed. Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation May cause an allergic skin reaction. Causes serious eye damage. H317 H318 H331 Toxic if inhaled. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. Suspected of causing genetic defects

May cause damage to organs through prolonged or repeated exposure H373

H341

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration

is calculated on a weight/weight basis.

#### Department issuing safety data sheet

UMCO GmbH

Georg-Wilhelm-Str. 187, D-21107 Hamburg
Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Page 13 of 13 Item Numbers: 01734-2020