00000540	SAFETY DATA SHEET	02042-1120	Page 1
TriArt	Tri-Art Manufacturing Inc. 4 Harvey Street Kingston, ON, K7K 5B9 Canada (613) 541-0299		
PRODUCT: UV REACTIVE MEDI			
SE			
Product identifier Initial supplier identifier	UV REACTIVE MEDIUM GLOSS Tri-Art Manufacturing Inc. 4 Harvey Street Kingston, ON. K7K 5B9 Canada 1-888-541-0299 (of 2) Ed. 0009 (0 cm to 5 cm ECT)		
Emergency telephone number and any restrictions Recommended use and restrictions Chemical family			
	ON 02: HAZARD IDENTIFICATION		
02011			
Hazard Classification Signal Word Precautionary Statements	 meet any hazard criteria defined by the Hazardous Products Regulations 2015. Not hazardous. Avoid prolonged contact with skin. Avoid contact with eyes. Wash skin thoroughly after handling. Do not ingest this product and wash hands before consuming food. 		
Hazard Description			
Mixtures Statement	This product is a mixture and has been classified in accordance with the Globally Harmonized System bridging principles. All ingredient classifications have been reviewed and been taken into consideration.		
SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS			
CHEMICAL NAME AND SYNONYMS	CAS #	WT. %	
This product does not contain any ingredients	s that are hazardous None		
SECT	TION 04: FIRST-AID MEASURES		
Ingestion	 Immediately flush eyes with running water for at least 5 to 10 minutes. If irritation persists, seek prompt medical attention. Do not induce vomiting. Never give anything by mouth if victim is unconscious. Consult a physician. Unintentional inhalation of this product should not pose any health risks. 		
Skin Contact			, consult
Additional Information	Treat symptomatically.		
SECTIO	ON 05: FIRE-FIGHTING MEASURE	S	
Suitable and unsuitable extinguishing media Hazardous Combustion Products Special protective equipment and precautions for fire-fighters Specific hazards arising from the hazardous product	This product does not burn in its liquid form surrounding fire. Carbon oxides in the event the dried paint i None required for this product Not flammable under normal conditions of u impact or static discharge.	s involved in a fire.	

SECTION 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions / protectiveequipment	Spills on floors can create a slip hazard. Adequate precautions should be taken when walking on spilled product.
Emergency Procedures	Keep children and all others away from spilled material.
Methods / Materials For Containment	Use suitable absorbent materials such as cloth, rags, sponges, or paper towels .

Item Numbers: 02042-1120, 02042-1250



Setware by TRIVALENT www.trivalent.com

00000540

SAFETY DATA SHEET

PRODUCT: UV REACTIVE MEDIUM GLOSS

SECTION 06: ACCIDENTAL RELEASE MEASURES

Clean Up..... Contain and wipe up the spill with absorbent material or cloth. Rinse the cloth with water and repeat the process until surface is clean and dry of spilled material

SECTION 07: HANDLING AND STORAGE

Precautions for safe handling..... Conditions for safe storage, including any incompatibilities

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from extreme heat and flame. Keep containers tightly closed when not in use. Store in a cool, dry, well ventilated area. Do not freeze. Recommended storage temperature: 0 - 30°C (32 - 86°F).

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

INGREDIENTS	TWA	GIH TLV STEL	OSH PEL	IA PEL STEL	NIOSH REL
This product does not contain any ingredients that are hazardous	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

Exposure Limits
Personal protective equipment:
Clothing/Type
Eye/Type
Gloves/Ivpe
Engineering Controls

No personal protective equipment is necessary when handling or using this product. No special protective clothing is required to use this product. Take the necessary precautions to avoid liquid contact with eyes. No gloves are required to handle this product. No special ventilation requirements are necessary for this product.

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

Physical Appearance Color Odour	Liquid. Various colors. Mild odour.
Odour Threshold (ppm)	Mild Odour.
Vapour Density (Air = 1) Vapour Pressure (mm Hg)	No data.
Vapour Pressure (mm Hg)	Similar to water.
рН	8.4 - 9.4.
Relative Density / Specific Gravity	1.00 - 1.10.
Melting / Freezing Point	0° C / 32° F.
Solubility	Dilutable in water.
Initial Boiling Point / Boiling Range	100°C / 212°F.
Evaporation Rate	Similar to water.
Flash Point (deg C), Method	Non-flammable.
Auto Ignition Temperature (deg C) Upper Flammable Limit (% Vol)	Not applicable.
Upper Flammable Limit (% Vol)	Not applicable.
Lower Flammable Limit (% Vol)	Not applicable.
Coefficient of Water/Oil Distribution	
Viscosity	300 - 550 poise @0.5 rpm.

SECTION 10: STABILITY AND REACTIVITY

Chemical stability Possibility of hazardous reactions Hazardous decomposition products Incompatible materials Note On Decomposition	Will not occur. None known, refer to hazardous combustion products in Section 5. There are no known incompabilities.
Note On Decomposition	

INGREDIENTS LC50 LD50 This product does not contain any ingredients that are hazardous Not applicable Not applicable Routes of Exposure:..... Skin and eye contact are possible routes of exposure. Mists and vapours are unlikely to be generated during intended use of this product. Do not take internally or ingest this product. TECIS www.trivalent.com Item Numbers: 02042-1120, 02042-1250 Powered by

Page 2 of 4

Page 2

00000540

SAFETY DATA SHEET

Page 3

PRODUCT: UV REACTIVE MEDIUM GLOSS

SECTION 11: TOXICOLOGICAL INFORMATION

Effects Of Acute Exposure	Ingestion of large amounts may be harmful. If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Direct skin contact may result in little or no irritation. Prolonged contact may be more irritating. Eye contact may cause mild transient irritation. May cause irritation of mouth, throat, and stomach.
Effects Of Chronic Exposure	Swallowing may cause irritation, nausea and vomiting. None known.
Carcinogenicity Of Material Aggravated Medical Conditions	This product does not contain any carcinogens listed by the IARC. NTP or ACGIH.
Note	Use of this product following our recommended instructions should not cause any health hazards, other than those indicated above

SECTION 12: ECOLOGICAL INFORMATION

Environmental Bioaccumulation Potential Other Adverse Effects	No data available at this time. No data available at this time.
Absorption Potential	No data available at this time.

SECTION 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods	Empty containers should be recycled in accordance with local municipal recycling practices. Containers that are not empty should be brought to your local waste paint recycling facility
 Appropriate Disposal Considerations Properties Affect Disposal Sewage Disposal Comments	Wherever possible unused paint should be brought to your local waste paint facility. None anticipated. Wherever possible, paint should not be washed down the sewer.

SECTION 14: TRANSPORT INFORMATION

UN Number	Not regulated.
UN Proper Name	
Transport Hazard Class	Not regulated.
Packaging Group	Not regulated.
Environmental Hazards	None known.
Guidance On Transport In Bulk	Not regulated.
Guidance on transport by air (IATA)	This product is not classified as a dangerous good per IATA Dangerous Goods
	Regulations.
Any Special Precautions	Noñe known.

SECTION 15: REGULATORY INFORMATION

GHS Classification WHMIS 1988 Classification CEPA Status TSCA Inventory Status OSHA SARA TITLE III	The ingredients in this product appear on the DSI	
Section 302 - Extremely Hazardous	None.	
Section 311/312 - Hazard Categories SARA Section 313		
EPA Hazardous Air Pollutants (HAPS) 40CFR63	None.	
California Proposition 65	This product does not contain any chemical(s) known to the State of California to cause cancer or reproductive toxicity.	
HS Code	3209.10.00.20.	
SECTION 16: OTHER INFORMATION		

SECTION 16: OTHER INFORMATION

Prepared By..... Trivalent Data Systems Ltd. www.trivalent.com.

TECIS www.trivalent.com

00000540

SAFETY DATA SHEET

PRODUCT: UV REACTIVE MEDIUM GLOSS

SECTION 16: OTHER INFORMATION

Disclaimer	This Safety Data Sheet was prepared by Tri-Art Manufacturing and obtained from supplier information. The information in the Safety Data Sheet is off ered for your consideration and guidance when exposed to this product. Tri-Art Manufacturing Inc. disclaims all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process. This Material Safety Data Sheet may not be changed, or
Date of the latest revision of the safety data sheet	altered in any way without the expressed knowledge and permission of Tri-Art Manufacturing Inc.

Page 4