

**SAFETY DATA SHEET**

1/31/2017

01763-2004

**SECTION I - IDENTIFICATION****Material Name**

W-OIL FAST DRY MEDIUM

**Company Information**


Martin/F. Weber Company  
 2727 Southampton Road  
 Philadelphia, PA 19154-1293  
 Phone: 215-677-5600  
 Fax: 1-215-677-3336  
 Email: compliance@weberart.com

In the event of a transportation emergency, call CHEM-TEL (Contract MIS0003081). Within the US, Canada, Puerto Rico and the US Virgin Islands, call 1-800-255-3924. Outside North America, call collect 1-813-248-0585.

For health emergencies call the Poison Control Center: 1-800-222-1222

**SECTION II - HAZARDS IDENTIFICATION****Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Eye Irritation - Category 2  
 Reproductive Toxicity - Category 1B

**GHS Label Elements****Symbol(s)****Signal Word(s)**

Danger

**Hazard Statement(s)**

Causes serious eye irritation May damage the unborn child.

**Precautionary Statement(s)****Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Store locked up.

**Response**

Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes.

**SECTION III - COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS**

<b>Hazardous Ingredients</b>	<b>CAS/EC #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
------------------------------	-----------------	----------------------------	-------------------------	------------	-------------

Page 1

Item Numbers: 01763-2004, 01763-2016

Page 1 of 6

Item Numbers: 02125-1009, 02125-1019

Page 1 of 13

<b>Hazardous Ingredients</b>	<b>CAS/EC #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
2-BUTOXYETHANOL	111-76-2	N/A	5.03000	N	N
N-METHYL-2-PYRROLIDONE	872-50-4	N/A	0.24000	N	N

#### SECTION IV - FIRST AID MEASURES

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

#### SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): >200°F (93°C) AUTOIGNITION TEMPERATURE: N/A  
 EXPLOSION LIMITS IN AIR (% BY VOLUME): n/a  
 EXTINGUISHING MEDIA: Foam, CO<sub>2</sub>, Dry Chemical (Class B) or Halon  
 FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED  
 UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

#### SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

#### SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

#### SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED  
 OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
 WORK/HYGIENE PRACTICES: NONE REQUIRED  
 ENGINEERING CONTROLS: NONE REQUIRED

#### SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: >300F (149°C) MELTING POINT: N/A  
 VAPOR PRESSURE: n/a  
 SPECIFIC VAPOR DENSITY (AIR=1): N/A SPECIFIC GRAVITY: 0.93  
 SOLUBILITY IN WATER: N/A REACTIVITY IN WATER: NON-REACTIVE

#### SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A  
 STABILITY: STABLE CONDITIONS TO AVOID: N/A  
 INCOMPATIBILITY (MATERIALS TO AVOID): N/A  
 HAZARDOUS DECOMPOSITION PRODUCTS: N/A

**SECTION XI - TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED  
The summated LD50 is >50000 mg/kg.

This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

**SECTION XII - ECOLOGICAL INFORMATION**

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

**SECTION XIII - DISPOSAL CONSIDERATIONS**

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

**SECTION XIV - TRANSPORTATION INFORMATION**

U.S. D.O.T. Not classified or regulated as a hazardous material by DOT

**SECTION XV - REGULATORY INFORMATION**

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS:  
SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
ETHYLENE GLYCOL MONOETHYL ETHER

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:

2-BUTOXY ETHANOL  
2-ETHOXYETHANOL  
DIPROPYLENE GLYCOL MONOMETHYL ETHER  
ISOPROPYL ALCOHOL  
STODDARD SOLVENT

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:  
2-BUTOXY ETHANOL  
DIPROPYLENE GLYCOL MONOMETHYL ETHER  
ETHYLENE GLYCOL MONOETHYL ETHER  
ISOPROPYL ALCOHOL

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:  
ETHANOL, 2-ETHOXY-  
N-METHYLPYRROLIDINONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN FLORIDA'S TOXIC SUBSTANCE LIST:  
1-Methyl-2-pyrrolidone  
2-Amino-2-methyl-1-propanol  
2-Butoxy ethanol  
2-Ethoxyethanol

Dipropylene glycol methyl ether  
Isopropyl alcohol

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MAINE'S PRIORITY CHEMICAL LIST:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS CONSIDERED BY VERMONT AS BEING OF VERY HIGH CONCERN TO CHILDREN:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MASSACHUSETTS HAZARDOUS SUBSTANCE LIST:  
1-Methyl-2-pyrrolidone  
2-Amino-2-methyl-1-propanol  
2-Butoxyethanol  
2-Ethoxyethanol  
Dipropylene glycol methyl ether  
Isopropyl alcohol

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MICHIGAN'S CRITICAL MATERIALS REGISTER:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MINNESOTA'S HAZARDOUS SUBSTANCES LIST:  
2-Butoxyethanol  
2-Ethoxyethanol  
Dipropylene glycol methyl ether  
Isopropyl alcohol  
N-methyl-2-Pyrrolidone

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN PENNSYLVANIA'S HAZARDOUS SUBSTANCES LIST:  
1-Propanol, 2-amino-2-methyl-  
2-Propanol  
2-Pyrrolidinone, 1-methyl- 2,beta-butoxy  
Ethanol, 2-butoxy-  
Ethanol, 2-ethoxy-  
Propanol, (2-methoxymethylethoxy)-

Under CPSC's consumer product regulations (16CFR1500.3 and 150014), this product has the following required acute and chronic hazard labeling:

**NONE**

This adult product is certified to comply with the Consumer Product Safety Act (CPSA), the Poison Prevention Packaging Act, the Federal Hazardous Substances Act, (FHSA) and its Labeling for Hazardous Art Materials Act (LHAMA).

**SECTION XVI - OTHER INFORMATION**

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**LAST REVISION DATE: 01/30/2017**

**Prepared by Duke OEM Toxicology**



**BRAND NAMES**

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

**Brand Name**

W-OIL FAST DRY MEDIUM

**SAFETY DATA SHEET**

1/31/2017

02107-XXXX

**SECTION I - IDENTIFICATION**

**Material Name**

WEBER W-OIL Water Mixable Oil Colors

**Company Information**

Martin/F. Weber Company  
2727 Southampton Road  
Philadelphia, PA 19154-1293  
Phone: 215-677-5600  
Fax: 1-215-677-3336  
Email: compliance@weberart.com

In the event of a transportation emergency, call CHEM-TEL (Contract MIS0003081). Within the US, Canada, Puerto Rico and the US Virgin Islands, call 1-800-255-3924. Outside North America, call collect 1-813-248-0585.

For health emergencies call the Poison Control Center: 1-800-222-1222

**SECTION II - HAZARDS IDENTIFICATION**

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

There are no GHS label elements.

PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

**SECTION III - COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS**

<b>Hazardous Ingredients</b>	<b>CAS/EC #</b>	<b>PEL/TLV (MG/M#)</b>	<b>Max % Weight</b>	<b>NTP</b>	<b>IARC</b>
None					

**SECTION IV - FIRST AID MEASURES**

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

**SECTION V - FIRE FIGHTING MEASURES**

FLASH POINT (METHOD): >350°F (177°C)

AUTOIGNITION TEMPERATURE: N/A

EXPLOSION LIMITS IN AIR (% BY VOLUME): n/a

EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical (Class B) or Halon, Water fog

FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED

UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

## SECTION VI - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

## SECTION VII - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED  
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
WORK/HYGIENE PRACTICES: NONE REQUIRED  
ENGINEERING CONTROLS: NONE REQUIRED

## SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: n/a  
VAPOR PRESSURE: n/a  
SPECIFIC VAPOR DENSITY (AIR=1): N/A  
SOLUBILITY IN WATER: N/A

MELTING POINT: N/A  
SPECIFIC GRAVITY: >1  
REACTIVITY IN WATER: NON-REACTIVE

## SECTION X - STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION PRODUCTS: N/A  
STABILITY: STABLE CONDITIONS TO AVOID: N/A  
INCOMPATIBILITY (MATERIALS TO AVOID): N/A  
HAZARDOUS DECOMPOSITION PRODUCTS: N/A

## SECTION XI - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED  
The summated LD50 is >50000 mg/kg.

This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## SECTION XII - ECOLOGICAL INFORMATION

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

## SECTION XIII - DISPOSAL CONSIDERATIONS

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## SECTION XIV - TRANSPORTATION INFORMATION

U.S. D.O.T. Not classified or regulated as a hazardous material by DOT

Page 2

Item Numbers: 02107-1006, 02107-1012, 02107-1173, 02107-1174, 02107-2043, 02107-2253, 02107-2254, 02107-2563, 02107-3043, 02107-3044, 02107-3183, 02107-3233, 02107-3234, 02107-3263, 02107-3533, 02107-3534, 02107-3733, 02107-3734, 02107-4043, 02107-4044, 02107-4133, 02107-4134, 02107-4193, 02107-4194, 02107-4243, 02107-4543, 02107-4544, 02107-4793, 02107-4794, 02107-5163, 02107-5173, 02107-5174, 02107-5193, 02107-5194, 02107-5223, 02107-5273, 02107-5274, 02107-6023, 02107-6024, 02107-6733, 02107-7093, 02107-7094, 02107-7183, 02107-7483, 02107-7653, 02107-7654, 02107-8043, 02107-8044, 02107-8053, 02107-8054, 02107-8063, 02107-8064, 02107-8073, 02107-8313

Page 2 of 7



**SECTION XV - REGULATORY INFORMATION**

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200

EPA SARA TITLE III CHEMICAL LISTINGS:  
SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
NONE

## INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:

COPPER PHTHALOCYANINE  
FERRIC OXIDE  
LINOLEIC ACID  
LINSEED OIL  
PIGMENT BROWN 7  
STODDARD SOLVENT

## SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:  
PIGMENT BROWN 7  
PIGMENT RED 101  
PIGMENT WHITE 6

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN FLORIDA'S TOXIC SUBSTANCE LIST:

2-Amino-2-methyl-1-propanol  
Iron oxide fume  
PIGMENT BROWN 7  
Paraffin wax fume

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MAINE'S PRIORITY CHEMICAL LIST:

NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS CONSIDERED BY VERMONT AS BEING OF VERY HIGH CONCERN TO CHILDREN:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN MASSACHUSETTS HAZARDOUS SUBSTANCE LIST:

2-Amino-2-methyl-1-propanol  
Barium sulfate  
Carbon black  
Iron oxide dust  
PIGMENT BROWN 7  
PIGMENT YELLOW 65  
Paraffin wax fume  
Titanium dioxide

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MICHIGAN'S CRITICAL MATERIALS REGISTER:  
NONE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED ON MINNESOTA'S HAZARDOUS SUBSTANCES LIST:

Barium, sulfate  
Carbon black  
Iron oxide fume (Fe<sub>2</sub>O<sub>3</sub>) as Fe  
Kaolin dust  
PIGMENT BROWN 7  
PIGMENT YELLOW 65  
Paraffin wax fume  
Titanium dioxide

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED IN PENNSYLVANIA'S HAZARDOUS SUBSTANCES LIST:

1-Propanol, 2-amino-2-methyl-  
Barium sulfate  
Carbon black  
Iron oxide  
Kaolin  
Linseed oil  
PIGMENT BROWN 7  
PIGMENT YELLOW 65  
Paraffin waxes and hydrocarbon waxes  
Titanium oxide

Under CPSC's consumer product regulations (16CFR1500.3 and 1500.14), this product has the following required acute and chronic hazard labeling:

**NONE**

This adult product is certified to comply with the Consumer Product Safety Act (CPSA), the Poison Prevention Packaging Act, the Federal Hazardous Substances Act, (FHSA) and its Labeling for Hazardous Art Materials Act (LHAMA).

## SECTION XVI - OTHER INFORMATION

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

**LAST REVISION DATE: 01/30/2017**

**Prepared by Duke OEM Toxicology**

Page 4

Item Numbers: 02107-1006, 02107-1012, 02107-1173, 02107-1174, 02107-2043, 02107-2253, 02107-2254, 02107-2563, 02107-3043, 02107-3044, 02107-3183, 02107-3233, 02107-3234, 02107-3263, 02107-3533, 02107-3534, 02107-3733, 02107-3734, 02107-4043, 02107-4044, 02107-4133, 02107-4134, 02107-4193, 02107-4194, 02107-4243, 02107-4543, 02107-4544, 02107-4793, 02107-4794, 02107-5163, 02107-5173, 02107-5174, 02107-5193, 02107-5194, 02107-5223, 02107-5273, 02107-5274, 02107-6023, 02107-6024, 02107-6733, 02107-7093, 02107-7094, 02107-7183, 02107-7483, 02107-7653, 02107-7654, 02107-8043, 02107-8044, 02107-8053, 02107-8054, 02107-8063, 02107-8064, 02107-8073, 02107-8313

**COLOR INFORMATION**

THIS SDS APPLIES TO THE FOLLOWING COLORS WHICH ARE ASSOCIATED WITH HAZARDOUS AND/OR NON-HAZARDOUS INGREDIENTS

<b>Product Color</b>	<b>SKU</b>	<b>Hazardous Ingredient</b>
98401 BURNT SIENNA		(NONE)
98402 BURNT UMBER		(NONE)
98403 CAD ORANGE HUE		(NONE)
98404 CAD RED LT HUE		(NONE)
98405 CAD RED MED HUE		(NONE)
98406 CAD YELLOW LT HUE		(NONE)
98407 CAD YELLOW MED HUE		(NONE)
98408 CERULEAN BLUE HUE		(NONE)
98409 CHROME OXIDE GREEN		(NONE)
98410 COBALT BLUE HUE		(NONE)
98411 DIOXAZINE PURPLE		(NONE)
98412 ULTRAMARINE VIOLET		(NONE)
98413 IVORY BLACK		(NONE)
98414 MAGENTA		(NONE)
98415 MARS BLACK		(NONE)
98416 NAPLES YELLOW HUE		(NONE)
98417 PAYNES GRAY		(NONE)
98418 ALIZARIN CRIMSON PERMANENT		(NONE)
98419 PERMANENT RED		(NONE)
98420 PERMANENT ROSE		(NONE)
98421 PERMANENT WHITE		(NONE)
98422 PHTHALO BLUE		(NONE)
98423 PHTHALO GREEN		(NONE)
98424 PHTHALO YELLOW GREEN		(NONE)
98425 PRUSSIAN BLUE		(NONE)
98426 RAW SIENNA		(NONE)
98427 RAW UMBER		(NONE)
98428 SAP GREEN		(NONE)
98429 FRENCH ULTRAMARINE BLUE		(NONE)
98430 VAN DYKE BROWN		(NONE)
98431 VIRIDIAN		(NONE)
98432 YELLOW OCHRE		(NONE)
98433 VELUTION VIOLET		(NONE)

Page 5

Item Numbers: 02107-1006, 02107-1012, 02107-1173, 02107-1174, 02107-2043, 02107-2253, 02107-2254, 02107-2563, 02107-3043, 02107-3044, 02107-3183, 02107-3233, 02107-3234, 02107-3263, 02107-3533, 02107-3534, 02107-3733, 02107-3734, 02107-4043, 02107-4044, 02107-4133, 02107-4134, 02107-4193, 02107-4194, 02107-4243, 02107-4543, 02107-4544, 02107-4793, 02107-4794, 02107-5163, 02107-5173, 02107-5174, 02107-5193, 02107-5194, 02107-5223, 02107-5273, 02107-5274, 02107-6023, 02107-6024, 02107-6733, 02107-7093, 02107-7094, 02107-7183, 02107-7483, 02107-7653, 02107-7654, 02107-8043, 02107-8044, 02107-8053, 02107-8054, 02107-8063, 02107-8064, 02107-8073, 02107-8313

Page 5 of 7

**BRAND NAMES**

THIS SDS APPLIES TO THE FOLLOWING BRAND NAMES

<b>Brand Name</b>	<b>SKU</b>	<b>SKU Description</b>
MARTIN/F WEBER W-OIL	7401	BURNT SIENNA 37ML
	7402	BURNT UMBER 37ML
	7403	CADMIUM ORANGE HUE 37ML
	7404	CADMIUM RED LIGHT HUE 37ML
	7405	CADMIUM RED MEDIUM HUE
	7406	CADMIUM YELLOW LIGHT HUE 37ML
	7407	CADMIUM YELLOW MEDIUM HUE 37ML
	7408	CERULEAN BLUE HUE 37ML
	7409	CHROME OXIDE GREEN 37ML
	7410	COBALT BLUE HUE 37ML
	7411	DIOXAZINE PURPLE 37ML
	7412	ULTRAMARINE VIOLET 37ML
	7413	IVORY BLACK WARM SHADE 37ML
	7414	MAGENTA 37ML
	7415	MARS BLACK COOL SHADE 37ML
	7416	NAPLES YELLOW HUE 37ML
	7417	PAYNES GRAY 37ML
	7418	ALIZARIN CRIMSON PERMANENT 37ML
	7419	RED PERMANENT 37ML
	7420	ROSE PERMANENT 37ML
	7421	WHITE PERMANENT 37ML
	7422	PHHALO BLUE (BLUE SHADE) 37ML
	7423	PHHALO GREEN (BLUE SHADE) 37ML
	7424	PHHALO YELLOW GREEN 37ML
	7425	PRUSSIAN BLUE 37ML
	7426	RAW SIENNA 37ML
	7427	RAW UMBER 37ML
	7428	SAP GREEN 37ML
	7429	FRENCH ULTRAMARINE BLUE 37ML
7430	VAN DYKE BROWN 37ML	
7431	VIRIDIAN 37ML	
7432	YELLOW OCHRE 37ML	
7501	BURNT SIENNA 150ML	

Page 6

Item Numbers: 02107-1006, 02107-1012, 02107-1173, 02107-1174, 02107-2043, 02107-2253, 02107-2254, 02107-2563, 02107-3043, 02107-3044, 02107-3183, 02107-3233, 02107-3234, 02107-3263, 02107-3533, 02107-3534, 02107-3733, 02107-3734, 02107-4043, 02107-4044, 02107-4133, 02107-4134, 02107-4193, 02107-4194, 02107-4243, 02107-4543, 02107-4544, 02107-4793, 02107-4794, 02107-5163, 02107-5173, 02107-5174, 02107-5193, 02107-5194, 02107-5223, 02107-5273, 02107-5274, 02107-6023, 02107-6024, 02107-6733, 02107-7093, 02107-7094, 02107-7183, 02107-7483, 02107-7653, 02107-7654, 02107-8043, 02107-8044, 02107-8053, 02107-8054, 02107-8063, 02107-8064, 02107-8073, 02107-8313

Page 6 of 7

<b>Brand Name</b>	<b>SKU</b>	<b>SKU Description</b>
	7502	BURNT UMBER 150ML
	7503	CADMIUM ORANGE HUE 150ML
	7505	CADMIUM RED MEDIUM HUE 150ML
	7506	CADMIUM YELLOW LIGHT HUE 150ML
	7507	CADMIUM YELLOW MEDIUM HUE 150ML
	7508	CERULEAN BLUE HUE 150ML
	7509	CHROME OXIDE GREEN 150ML
	7510	COBALT BLUE HUE 150ML
	7511	DIOXAZINE PURPLE 150ML
	7513	IVORY BLACK WARM SHADE 150ML
	7514	MAGENTA 150ML
	7518	ALIZARIN CRIMSON 150ML
	7519	RED PERMANENT 150ML
	7521	WHITE PERMANENT 150ML
	7524	PHTHALO YELLOW GREEN 150ML
	7526	RAW SIENNA 150ML
	7528	SAP GREEN 150ML
	7529	FRENCH ULTRAMARINE BLUE 150ML
	7532	YELLOW OCHRE 150ML