

**Safety Data Sheet**  
 according to Regulation (EC) No. 1907/2006 (REACH)  
 according to Regulation (EU) No 453/2010

02128-1009

Article No.: 119XXXXXXX GEORGIAN WATER MIXABLE OIL  
 Print date 15.02.2017 Revision date 15.02.2017 EN  
 Version 1.1 Issue date 12.09.2016 Page 1 / 6

**1. Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifiers**

Article No. (manufacturer/supplier): 119XXXXXXX  
 Identification of the substance or mixture: GEORGIAN WATER MIXABLE OIL  
 ALL COLOURS EXCEPT WHITES

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses:**  
 Artists supply and hobby preparations  
 Coatings and paints, thinners, paint removers

**1.3. Details of the supplier of the safety data sheet**

**Supplier (manufacturer/importer/downstream user/distributor):**  
 Daler-Rowney Ltd  
 Peacock Lane Telephone: +44 (0) 1344 461083  
 Bracknell, RG12 8SS Telefax: +44 (0) 1344 486511  
 ENGLAND

**Dept. responsible for information:**

E-mail Philip.Gray@daler-rowney.com

**1.4. Emergency telephone number**

Emergency telephone: +44 (0) 1344 461000

**2. Hazards Identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**  
 This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP].

**2.2. Label elements**

The product is classified and labelled according to EC directives or corresponding national laws.

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**

**Hazard statements**

n.a.

**Precautionary statements**

P270 Do no eat, drink or smoke when using this product.  
 P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

**contains:**

n.a.

**Supplemental Hazard information (EU)**

n.a.

**2.3. Other hazards**

Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later.

**3. Composition/Information on Ingredients**

**3.2. Mixtures**

**Product description / chemical characterization**

Description oil paint

**Hazardous ingredients**

**Classification according to Regulation (EC) No. 1272/2008 [CLP]**

EC No. REACH No.  
 CAS No. Chemical name  
 INDEX No. classification:

Wt %  
 Remark

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) No 453/2010**

Article No.: 119XXXXXX  
 Print date 15.02.2017  
 Version 1.1

GEORGIAN WATER MIXABLE OIL  
 Revision date 15.02.2017  
 Issue date 12.09.2016

EN  
 Page 2 / 6

n.a.

**Additional information**  
 Full text of classification: see section 16

#### 4. First-aid measures

##### 4.1. Description of first aid measures

###### General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice.

###### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. In case of irregular breathing or respiratory arrest provide artificial respiration.

###### Following skin contact

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. Do not use solvents or thinners.

###### After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

###### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Seek medical advice immediately. Keep victim calm. Do NOT induce vomiting.

##### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

##### 4.3. Indication of any immediate medical attention and special treatment needed

#### 5. Firefighting measures

##### 5.1. Extinguishing media

**Suitable extinguishing media**  
 alcohol resistant foam, carbon dioxide, Powder, spray mist. (water)

**Extinguishing media which must not be used for safety reasons:**  
 strong water jet

##### 5.2. Special hazards arising from the substance or mixture

Dense black smoke occurs during fire. Inhaling hazardous decomposing products can cause serious health damage. Vapours form explosive mixtures with air.

##### 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device. Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous. Cool closed containers that are near the source of the fire.

#### 6. Accidental release measures

##### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area. Do not breathe vapours.

##### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Vapours form explosive mixtures with air.

##### 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

##### 6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

#### 7. Handling and storage

##### 7.1. Precautions for safe handling

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) No 453/2010**

Article No.: 119XXXXXXX GEORGIAN WATER MIXABLE OIL  
 Print date 15.02.2017 Revision date 15.02.2017 EN  
 Version 1.1 Issue date 12.09.2016 Page 3 / 6

**Advices on safe handling**

Avoid formation of flammable and explosive vapour concentrations in the air and exceeding the exposure limit values. Only use the material in places where open light, fire and other flammable sources can be kept away. Electrical equipment must be protected meeting the accepted standard. Product may become electrostatically charged. Provide earthing of containers, equipment, pumps and ventilation facilities. Anti-static clothing including shoes are recommended. Floors must be electrically conductive. Keep away from heat sources, sparks and open flames. Use only spark proof tools. Avoid contact with skin, eyes and clothes. Do not inhale dusts, particulates and spray mist when using this preparation. Avoid respiration of swarf. When using do not eat, drink or smoke. Personal protection equipment: refer to chapter 8. Do not empty containers with pressure - no pressure vessel! Always keep in containers that correspond to the material of the original container. Follow the legal protection and safety regulations.

**Precautions against fire and explosion:**

Vapours are heavier than air. Vapours form explosive mixtures with air.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Storage in accordance with the Ordinance on Industrial Safety and Health (BetrSiVO). Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks. Soils have to conform to the "Guidelines for avoidance of ignition hazards due to electrostatic charges (BGR 132)".

**Hints on joint storage**

Keep away from strongly acidic and alkaline materials as well as oxidizers.

**Further information on storage conditions**

Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 15 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.

**7.3. Specific end use(s)**

Observe technical data sheet. Observe instructions for use.

**8. Exposure controls / Personal protection**

**8.1. Control parameters**

**Occupational exposure limit values:**

n.a.

**8.2. Exposure controls**

Provide good ventilation. This can be achieved with local or room suction. If this should not be sufficient to keep aerosol and solvent vapour concentration below the exposure limit values, a suitable respiratory protection must be used.

**Occupational exposure controls**

**Respiratory protection**

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190). Use only respiratory protection equipment with CE-symbol including four digit test number.

**Hand protection**

For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)

Thickness of the glove material > 0,4 mm ; Breakthrough time (maximum wearing time) > 480 min.

Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin. Recommended glove articles DIN EN 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

**Eye protection**

Wear closely fitting protective glasses in case of splashes.

**Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

**Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

**Environmental exposure controls**

Do not allow to enter into surface water or drains. See chapter 7. No additional measures necessary.

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) No 453/2010**

Article No.: 119XXXXXX GEORGIAN WATER MIXABLE OIL EN  
 Print date 15.02.2017 Revision date 15.02.2017 Page 4 / 6  
 Version 1.1 Issue date 12.09.2016

**9. Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**Appearance:** liquid  
**Physical state** liquid  
**Colour** refer to label  
**Odour** characteristic

Safety relevant basic data	Unit	Method	Remark
Flash point:	> 100 °C	DIN 53213	
Ignition temperature in °C:	300 °C		
Lower explosion limit	NB		
Upper explosion limit	NB		
Vapour pressure at 20 °C:	NB		
Density at 20 °C:	1,00 g/cm <sup>3</sup>		
Water solubility (g/L)	completely miscible		
pH at 20 °C:	-		
Viscosity at 20 °C	> 60 mPa·s		
Solvent separation test (%)	< 3 %		
boiling point in °C at 101,3 kPa	185 °C		

**9.2. Other information:**

**10. Stability and reactivity**

**10.1. Reactivity**

**10.2. Chemical stability**

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

**10.3. Possibility of hazardous reactions**

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions. Materials such as cleaning rags, paper wipes and protective clothing, which are contaminated with the product may spontaneously self-ignite some hours later. Vapours form explosive mixtures with air.

**10.4. Conditions to avoid**

Hazardous decomposition byproducts may form with exposure to high temperatures.

**10.5. Incompatible materials**

**10.6. Hazardous decomposition products**

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

**11. Toxicological information**

Classification according to Regulation (EC) No. 1272/2008 [CLP]  
 No data on preparation itself available.

**11.1. Information on toxicological effects**

**Acute toxicity**

Toxicological data are not available.

**skin corrosion/irritation; Serious eye damage/eye irritation**

Toxicological data are not available.

**Respiratory or skin sensitisation**

Toxicological data are not available.

**Specific target organ toxicity**

Toxicological data are not available.

**Aspiration hazard**

Toxicological data are not available.

**Practical experience/human evidence**

**Other observations:**

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are:

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) No 453/2010**

Article No.: 119XXXXXXX GEORGIAN WATER MIXABLE OIL EN  
 Print date 15.02.2017 Revision date 15.02.2017  
 Version 1.1 Issue date 12.09.2016 Page 5 / 6

headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

**Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

**Remark**

There is no information available on the preparation itself .

**12. Ecological information**

**overall evaluation**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

There is no information available on the preparation itself .

Do not allow to enter into surface water or drains.

**12.1. Toxicity**

Toxicological data are not available.

**12.2. Persistence and degradability**

Toxicological data are not available.

**12.3. Bioaccumulative potential**

Toxicological data are not available.

**12.4. Mobility in soil**

Toxicological data are not available.

**12.5. Results of PBT assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.6. Other adverse effects**

**13. Disposal considerations**

**13.1. Waste treatment methods**

**Appropriate disposal / Product Recommendation**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**List of proposed waste codes/waste designations in accordance with EWC**

080112 waste paint and varnish other than those mentioned in 080111

**packaging**

**Recommendation**

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste. Send to a collecting point for used paints.

**14. Transport information**

No dangerous good in sense of this transport regulation.

**14.1. UN number**

n.a.

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

n.a.

**14.4. Packing group**

n.a.

**14.5. Environmental hazards**

Land transport (ADR/RID)

n.a.

Marine pollutant

n.a.

**14.6. Special precautions for user**

**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) No 453/2010**

Article No.:	119XXXXXX	GEORGIAN WATER MIXABLE OIL	EN
Print date	15.02.2017	Revision date 15.02.2017	Page 6 / 6
Version	1.1	Issue date 12.09.2016	

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.  
 Advices on safe handling: see parts 6 - 8

**Additional information**

**Land transport (ADR/RID)**

tunnel restriction code -

**Sea transport (IMDG)**

EmS-No. n.a.

- 14.7. **Transport in bulk according to Annex II of MARPOL and the IBC Code**  
 not applicable

**SECTION 15: Regulatory information**

- 15.1. **Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

**Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline).**

VOC-value (in g/L) ISO 11890-2: 0

VOC-value (in g/L) ASTM D 2369: 0

**National regulations**

**Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.  
 Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

**Other regulations, restrictions and prohibition regulations**

- 15.2. **Chemical Safety Assessment**  
 Chemical safety assessments for substances in this preparation were not carried out.

**16. Other information**

**Full text of classification in section 3:**

**Abbreviations and acronyms**

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Additional information**

Classification according to Regulation (EC) No. 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

MSDS for #02128 - WATER MIXABLE OILCLR  
Issue Date: February 2014

of 8



**SAFETY DATA SHEET**  
**DALER ♦ ROWNEY**  
**Water Mixable Oil – Titanium White**

**1. Identification of the mixture and of the company**

**1.1 Product Identifiers**

Product name	Water Mixable Oil – Titanium White
Product number	119-xxx-009
Brand	Daler-Rowney
CAS-No	Not Applicable

**1.2 Relevant identified uses of the mixture and uses advised against**

Identified uses	Artists, Art students
-----------------	-----------------------

**1.3 Details of the supplier of the safety data sheet**

Company	Daler-Rowney Ltd Peacock Lane Bracknell, RG12 8SS England
Telephone	+44 (0)1344 461083
E-mail address	celine.griot@daler-rowney.com

**1.4 Emergency telephone number**

Emergency phone #	+44 (0)1344-461000
-------------------	--------------------

**2. Hazard identification**

**2.1 Classification of the mixture**

**Classification according to the Regulation (EC) No 1272/2008 (EU-GHS / CLP)**  
 Chronic aquatic toxicity (Category 2)  
 For the full text of the H-statements mentioned in this section, see section 16.

**Classification according to the EU Directives 67/548/EEC or 1999/45/EC**  
 Very toxic to aquatic life, may cause long-term adverse effects in the aquatic environment.

N, dangerous to the environment R50/53

1

MSDS for #02128 - WATER MIXABLE OILCLR  
Issue Date: February 2014

of 8

**SAFETY DATA SHEET**  
**DALER ♦ ROWNEY**  
**Water Mixable Oil – Titanium White**

**2.2 Label elements****Pictogram****Signal word**

not applicable

**Hazard statement**  
H411

toxic to aquatic life with long lasting effects

**Precautionary statements**  
P273  
P391  
P501avoid release to the environment  
collect spillage  
dispose of contents in accordance with local authority requirements**Classification according to the EU Directives 67/548/EEC or 1999/45/EC****Hazard symbol**

N dangerous for the environment

**R-phrase(s)**  
R50/53

very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

**S-phrases(s)**  
S60

This material and its container must be disposed of as hazardous waste

## S61

Avoid release to the environment. Refer to special instructions/safety data sheet

**3. Composition / Information on Ingredients****Hazardous ingredients according to Regulation (EC) No 1272/2008**

Colour	Product No.	Chemical	Cas-No.	Ec No	Index-No.	Classification	Concentration
Titanium White	119-xxx-009	Zinc oxide	1314-13-2	215-222-5	030-013-00-7	Chronic Tox. 2, H410, P273, P391, P501	3 - 7%

**Hazardous ingredients according to Directive 1999/45/EC**

Colour	Product No.	Chemical	Cas-No.	Ec No	Index-No.	Classification	Concentration
Titanium White	111-xxx-009	Zinc oxide	1314-13-2	215-222-5	030-013-00-7	N, R50/53, S60, S61	3- 7%

For the full text of the H-statements, and R-phrases mentioned in this section, see section 16.

2



MSDS for #02128 - WATER MIXABLE OILCLR

Issue Date: February 2014



of 8

**SAFETY DATA SHEET****DALER ♦ ROWNEY****Water Mixable Oil – Titanium White****4. First aid measures****4.1 Description of first aid measures****General advice**

Seek medical attention. Show this safety data sheet to the doctor in attendance.

**If inhaled**

Not applicable

**In case of skin contact**

Wash affected area with plenty of soap and water. DO NOT use solvents. Seek medical attention if irritation persists.

**In case of eye contact**

Remove any contact lenses. Promptly wash eyes with plenty of water for at least 15 minutes. Get medical attention if any discomfort continues.

**If swallowed**

DO NOT induce vomiting. Flush mouth with clean water. NEVER give anything by mouth to an unconscious person. Seek medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known effects are described in section 2.2.

**4.3 Indication of immediate medical attention and special treatment needed**

No data available.

**5. Fire fighting measures****5.1 Extinguishing media**

Use foam, carbon dioxide, or dry powder.

**5.2 Special hazards arising from the mixture**

Dense black smoke occurs during fire. Hazardous decomposition by-products may form with exposure to high temperatures.  
Formation of carbon oxides can arise.

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus if necessary.

**5.4 Further information**

No data available

3

MSDS for #02128 - WATER MIXABLE OILCLR  
Issue Date: February 2014

of 8

**SAFETY DATA SHEET****DALIER ♦ ROWNEY****Water Mixable Oil – Titanium White****6. Accidental release measures****6.1 Personal precautions, protective equipment, and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition.

**6.2 Environmental precautions**

Do not let product enter drains. Discharge into the environment must be avoided.

**6.3 Methods and materials for containment and cleaning up**

Absorb in vermiculite or dry sand.

**6.4 reference to other sections**

For disposal see section 13.

**7. Handling and Storage****7.1 Precautions for safe handling**

Observe good standard of hygiene. DO NOT eat, drink, or smoke while using. Wash hands after use.

**7.2 Conditions for safe storage, including any incompatibilities**

Reseal tube when not in use. Store at room temperature.

**7.3 Specific end use(s)**

Used for water mixable oil painting.

**8. Exposure controls / Personal protection****8.1 Control parameters**

Not known

**8.2 Exposure controls****Eye / Face protection**

If risk of splashing, wear safety goggles.

**Skin protection**

Use suitable protective gloves if risk of skin contact

**Respiratory protection**

Not required

4

Page 4 of 8

MSDS for #02128 - WATER MIXABLE OILCLR

Issue Date: February 2014

of 8

**SAFETY DATA SHEET****DALER ♦ ROWNEY****Water Mixable Oil – Titanium White****9. Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance	white paste
Odour	vegetable oil
Odour Threshold	no data available
pH	not applicable
Melting point	no data available
Initial boiling point and boiling range	no data available
Flash point	no data available
Evaporation rate	no data available
Flammability (solid, gas)	no data available
Upper/lower flammability or explosive limits	no data available
Vapour pressure	no data available
Vapour density	no data available
Relative density	1.8 g/mL at 20 °C
Water solubility	soluble
Partition coefficient: n-octanol/water	no data available
Auto-ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	no data available
Explosive properties	no data available
Oxidising properties	no data available

**9.2 Other Safety Information**

Miscible with oil

5

MSDS for #02128 - WATER MIXABLE OILCLR  
Issue Date: February 2014

of 8

**SAFETY DATA SHEET****DALER ♦ ROWNEY****Water Mixable Oil – Titanium White****10. Stability and Reactivity****10.1 Reactivity**

Possible spontaneous combustion of rags / clothes soaked in linseed oil and oil paints.

**10.2 Chemical Stability**

Stable under normal temperature conditions

**10.3 Possibility of Hazardous Reactions**

Possible spontaneous combustion of rags / clothes soaked in linseed oil and oil paints.

**10.4 Conditions to avoid**

Keep away from combustible materials.

**10.5 Incompatible materials**

Not known

**10.6 Hazardous decomposition products**

Not known

**11. Toxicological information****11.1 Information on toxicological effects****Acute toxicity**

No data available

**Skin corrosion / irritation**

No data available

**Serious eye damage / eye irritation**

No data available

**Respiratory or skin sensitization**

No data available

**Germ cell mutagenicity**

No data available

**Carcinogenicity**

No data available

**Reproductive toxicity**

No data available

**Specific target organ toxicity – single exposure**

No data available

**Specific target organ toxicity – repeated exposure**

No data available

**Aspiration hazard**

No data available

6

Page 6 of 8

Item Numbers: 02128-1023

Item Numbers: 02128-1009, 02128-1019, 02128-1029

Page 12 of 14

MSDS for #02128 - WATER MIXABLE OILCLR

Issue Date: February 2014

of 8



**SAFETY DATA SHEET**  
**DALER ♦ ROWNEY**  
**Water Mixable Oil – Titanium White**

**12. Ecological information****12.1 Toxicity**

No data available

**12.2 Persistence and degradability**

No data available

**12.3 Bioaccumulative potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB

**12.6 Other adverse effects**

No data available

**13. Disposal considerations****13.1 Waste treatment method****Product**Dispose of in accordance with local regulations.  
Waste should not be disposed of by release to sewers**Contaminated packaging**

Dispose of as unused product.

**14. Transport information****14.1 UN number**

ADR/RID: 3082

IMDG: 3082

IATA: 3082

**14.2 UN proper shipping name**

ADR/RID: Environmentally hazardous substance, liquid, N.O.S

IMDG: Environmentally hazardous substance, liquid, N.O.S

IATA: Environmentally hazardous substance, liquid, N.O.S

7

MSDS for #02128 - WATER MIXABLE OILCLR  
Issue Date: February 2014

of 8

**SAFETY DATA SHEET**  
**DALER ♦ ROWNEY**  
**Water Mixable Oil – Titanium White**

**14.3 Transport hazard class(es)**

ADR/RID: 9

IMDG: 9

IATA: 9

**14.4 Packaging group**

ADR/RID: III

IMDG: III

IATA: III

**14.5 Environmental hazards**

ADR/RID: yes

IMDG Marine Pollutant: yes

IATA: yes

**14.6 Special precautions for user**

No data available

**15. Regulatory Information**

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

**15.1 Safety, health, and environment regulations/legislation specific for the mixture**

No data available

**15.2 Chemical safety assessment**

No data available

**16. Other information****Full text of H-Statements referred to under sections 2 and 3**Chronic Tox.  
H411Chronic toxicity  
toxic to aquatic life with long lasting effects**Full text of R-phrases referred to under sections 2 and 3**

N

dangerous to the environment

R50/53

very toxic to aquatic organisms, may cause long-term  
adverse effects in the aquatic environment**Further information****DISCLAIMER**

The above information is believed to be correct but does not claim to be all inclusive and shall be used only as a guide. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness.

8