02220-XXXX

MSDS for #02220 MANNIECODT CHINMAR INVAFETY DATA SHEET

Date of Issue: 14-06-2024 Date of Revision: 08-05-2024 Page 1 of 8



Shimmer Fountain Pen Ink

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) & 2020/878

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Diamine Shimmer Fountain Pen Ink
1.2 Relevant Identified uses of the su Identified Use(s)	Ibstance or mixture and uses advised against Preparation for use in writing instruments.
Uses Advised Against	Not known.
1.3 Details of the supplier of the safe	
Manufacturer	·
Company Identification	Diamine Limited.
Address of Manufacturer	30 Farriers Way
	Industrial Estate
	Liverpool.
Postal code	L30 4XL.
Telephone: Fax	+44 (0)151 524 3800. Not known.
Fax E-mail	admin@diamineinks.co.uk.
Office hours	autilitie ularimeliiks.co.uk.
Supplier	
Company Identification	Diamine Limited.
Address of Supplier	30 Farriers Way
	Industrial Estate
	Liverpool.
Postal code	L30 4XL.
Telephone: Fax	+44(0) 151 524 3800. Not known.
Fax E-mail	admin@diamineinks.co.uk.
Office hours	autilitie ularimeliiks.co.uk.
1.4 Emergency telephone number	
Emergency Phone No.	+44 07525854168.
Contact	No information available.
SECTION 2: HAZARDS IDENTIFICATIO	
2.4 Classification of the substance of	
2.1 Classification of the substance o Regulation (EC) No. 1272/2008 (CLP)	Not classified as dangerous for supply/use.
2.2 Label elements	Not classified as dangerous for supply/use.
	According to Regulation (EC) No. 1272/2008 (CLP)
Product Name	Diamine Shimmer Fountain Pen Ink
Hazard Pictogram(s)	None.
Signal Word(s)	None.
Hazard Statement(s)	EUH208: Contains: 1,2-benzisothiaol-3(2H)-2-methylisothiazol-3(2H)-one, reaction
	mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)) May produce an allergic reaction.
	(0.1) may produce all dilergic reaction.
Precautionary Statement(s)	None.
2.3 Other hazards	
	None known.
2.4 Additional Information	
	None.
SECTION 3: COMPOSITION/INFORMA	TION ON INGREDIENTS

Generated by HazMix com ™

Page: 1 - 8

Revision: 1 - Replaces

Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3372, 02220-3742, 02220-3742, 02220-4412, 02220-4512, 02220-5012, 02220-5012, 02220-5162, 02220-5162, 02220-5062, 02220-5162, 0220-51



Shimmer Fountain Pen Ink

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.		Hazard Statement(s)	Hazard Pictogram(s)
mica	12001-26-2	601-648-2	3.00	Not classified.	None
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	1.00	Carc. 2 H351	GHS08
Diiron trioxide	1309-37-1	215-168-2	0.40	Not classified	None
1,2-benzisothiazol-3(2H)-one1,2- benzisothiazolin-3-one	2634-33-5	220-120-9		Acute Tox. 4 H302 Skin Irrit. 2 H315 Skin Sens. 1 H317 Eye Dam. 1 H318 Aquatic Acute 1 H400 Aquatic Chronic 2 H411	GHS05 GHS07 GHS09
Tin Oxide	18282-10-5	242-159-0	0.01	Not classified.	None
2-methylisothiazol-3(2H)-one	2682-20-4	220-239-6		Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Skin Sens. 1A H317 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	55965-84-9	611-341-5	0.00145	Acute Tox. 3 H301 Acute Tox. 2 H310 Skin Corr. 1C H314 Skin Sens. 1A H317 Eye Dam. 1 H318 Acute Tox. 2 H330 Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS06 GHS05 GHS07 GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concent	tration Limit	M-factor	ATE
1,2-benzisothiazol-3(2H)-one1,2- benzisothiazolin-3-one	2634-33-5				Acute Tox. 4 (H302) : 450 (21st ATP)
2-methylisothiazol-3(2H)-one	2682-20-4	Skin Sens. 1		Acute 1: 10	Acute Tox. 3 (H301) : 100 Acute Tox. 3 (H311) : 300 Acute Tox. 2 (H330) : 0.500
reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol- 3-one (3:1)	55965-84-9	Skin Corr. 1C <u>Skin Irrit. 2</u> Skin Sens. 1A Eye Dam. 1	100.00 C>= 0.06 < 0.60 C>= 0.0015 <=	Acute 1: 100 Aquatic Chronic 1: 100	Acute Tox. 3 (H301) : 100 Acute Tox. 2 (H310) : 50 Acute Tox. 2 (H330) : 0.500

Generated by HazMix com ™

Page: 2 - 8

Revision: 1 - Replaces

Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3372, 02220-3742, 02220-3742, 02220-4412, 02220-4512, 02220-5012, 02220-5012, 02220-5162, 02220-5162, 02220-5062, 0220-5062, 020-506,



Shimmer Fountain Pen Ink

		100.00	
	Eye Irrit. 2	C>= 0.06 < 0.60	

Contains no non-classified vPvB substances. Contains a non-classified substance with a Union workplace exposure limit. Glycerol, mist (56-81-5) Iron oxide, fume (as Fe) (1309-37-1) For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

 4.1 Description of first aid measures Inhalation Skin Contact Eye Contact Ingestion 4.2 Most important symptoms and efference 4.3 Indication of any immediate medic SECTION 5: FIREFIGHTING MEASURE 	None anticipated. Treat symptomatically. al attention and special treatment needed Unlikely to be required but if necessary treat symptomatically.
 5.1 Extinguishing media Suitable Extinguishing media Unsuitable extinguishing media 5.2 Special hazards arising from the s 5.3 Advice for firefighters 	None anticipated. Heating may cause decomposition. As appropriate for surrounding fire.
SECTION 6: ACCIDENTAL RELEASE M	EASURES
6.1 Personal precautions, protective e6.2 Environmental precautions6.3 Methods and material for containn	Provide adequate ventilation. Wear suitable gloves if prolonged skin contact is likely. Do not release large quantities into the surface water or into drains.
6.4 Reference to other sections	Adsorb spillages onto sand, earth or any suitable adsorbent material. See Also Section 8, 13.
SECTION 7: HANDLING AND STORAGE	
7.1 Precautions for safe handling 7.2 Conditions for safe storage, include	Keep Container tightly closed when not in use. Avoid contact with eyes and skin. Jing any incompatibilities
Storage temperature Storage life Incompatible materials 7.3 Specific end use(s)	Ambient. Stable under normal conditions. None known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Not known.

Generated by HazMix com ™

8.1 Control parameters 8.1.1 Occupational Exposure Limits

Page: 3 - 8

Revision: 1 - Replaces

Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3412, 02220-3702, 02220-3712, 02220-3742, 02220-4412, 02220-4512, 02220-5002, 02220-5012, 02220-5022, 02220-5162, 02220-5002, 02220-5022, 0220-5022, 0220-5022, 0220-5022, 0220-502, 0220-5022, 0220-5022, 0220-5022, 0220-502 6172, 02220-7922, 02220-8002, 02220-8012, 02220-8912, 02220-9212, 02220-9332





Shimmer Fountain Pen Ink

Occupational Exposure Limits					
SUBŜTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	 STEL (mg/m³)	Note
Glycerol, mist	56-81-5		10		
Mica total inhalable	12001-26-2		10		
Mica respirable	12001-26-2		0.8		
Titanium dioxide total inhalable	13463-67-7		10		
Titanium dioxide respirable	13463-67-7		4		
Iron oxide, fume (as Fe)	1309-37-1		5	10	
Rouge total inhalable	1309-37-1		10		
Rouge respirable	1309-37-1		4		
Tin compounds, inorganic except SnH4, (as Sn)	18282-10-5		2	4	

Region United Kingdom Remark

Notes

8.2 Exposure controls

	ate engineering controls I protection equipment	Ensure adequate ventilation.
	Eye Protection	Wear eye protection with side protection (EN ISO 16321-1).
	Skin protection	Not normally required.
	Respiratory protection	Normally no personal respiratory protection is necessary.
<u>SSS</u>	Thermal hazards	None known.

Source UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

8.2.3. Environmental Exposure Controls Do not release large quantities into the surface water or into drains. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Liquid.
Mobile coloured liquid
Low.
Not known.
100c
N/A.
N/A
N/A.
N/A
Not known.

Generated by HazMix com ™

Page: 4 - 8

Revision: 1 - Replaces:

Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3372, 02220-3712, 02220-3742, 02220-4412, 02220-4512, 02220-5012, 02220-5012, 02220-5162, 02220-5162, 02220-5062, 02220-5162, 0220-5162, 0220-5



Shimmer Fountain Pen Ink

Solubility Partition coefficient n-octanol/water (log value) Vapour pressure Density and/or relative density Relative density Particle characteristics 9.2 Other information

pН

Kinematic Viscosity

Not known. Solubility (Water) : Misable. Solubility (Other) : Not known. Not known. Not data available. Not known. 0.85 - 1.2 Not applicable only applies to solids

3 -.8.5

None.

SECTION 10: STABILITY AND REACTIVITY

None anticipated.
Stable under normal conditions.
stable under normal conditions.
No hazardous reactions known if used for its intended purpose.
None anticipated.
Not known.
ucts
No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 2040816.38
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 2955665
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 17241.38
Skin corrosion/irritation Serious eye damage/irritation Skin sensitization data Respiratory sensitization data Germ cell mutagenicity Carcinogenicity Reproductive toxicity Lactation STOT - single exposure STOT - repeated exposure Aspiration hazard 11.2 Information on other hazards	Calculation method : Not classified. Calculation method : Not classified.
	Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.

Generated by HazMix com ™

Page: 5 - 8

Revision: 1 - Replaces

Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3372, 02220-3712, 02220-3742, 02220-4412, 02220-4512, 02220-5012, 02220-5012, 02220-5162, 02220-5162, 02220-5062, 02220-5162, 0220-5162, 0220-5



Shimmer Fountain Pen Ink				
Toxicity - Terrestrial Compartment 12.2 Persistence and degradability	Not classified.			
12.3 Bioaccumulative potential	Not known.			
12.4 Mobility in soil	Not known.			
12.5 Results of PBT and vPvB assess	Not known.			
	Not known.			
12.6 Endocrine disrupting properties	None known.			
12.7 Other adverse effects	Not known.			
SECTION 13: DISPOSAL CONSIDERAT	IONS			
13.1 Waste treatment methods				
13.2 Additional Information	Dispose at suitable refuse site.			
13.2 Additional information	No special precautions are required for this product.			
SECTION 14: TRANSPORT INFORMATI	ON			
Not classified as hazardous for transpo	ort.			
14.1 UN number or ID number	Not applicable			
14.2 UN proper shipping name	Not applicable			
14.3 Transport hazard class(es)	Not applicable			
14.4 Packing group	Not applicable			
14.5 Environmental hazards	Not classified as a Marine Pollutant.			
14.6 Special precautions for user				
14.7 Maritime transport in bulk accord				
	Not known			
SECTION 15: REGULATORY INFORMA				
15.1 Safety, health and environmental European Regulations - Authorisations a	regulations/legislation specific for the substance or mixture			
Candidate List of Substances of Very High Concern for Authorisation	Not listed			
REACH: ANNEX XIV list of substances subject to authorisation	Not listed			
REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	2-methylisothiazol-3(2H)-one (2682-20-4), 1,2-benzisothiazol-3(2H)-one1,2- benzisothiazolin-3-one (2634-33-5), reaction mass of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)			
mixtures and articles Community Rolling Action Plan (CoRAP) Regulation (EU) № 2019/1021 of the European Parliament and of the Council	titanium dioxide (13463-67-7) Not listed			

European Parliament and of the Council on persistent organic pollutants Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer Regulation (EU) N° 649/2012 of the Not listed European Parliament and of the Council

Not listed

Generated by HazMix com ™

Page: 6 - 8

Revision: 1 - Replaces

Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3412, 02220-3702, 02220-3712, 02220-3742, 02220-4412, 02220-4512, 02220-5002, 02220-5012, 02220-5022, 02220-5162, 02220-5002, 02220-5022, 0220-5022, 0220-5022, 0220-5022, 0220-502, 0220-5022, 0220-5022, 0220-5022, 0220-502 6172, 02220-7922, 02220-8002, 02220-8012, 02220-8912, 02220-9212, 02220-9332

Page 7 of 8



Shimmer Fountain Pen Ink	
concerning the export and import of hazardous chemicals National regulations Other 15.2 Chemical Safety Assessment	Not known. A REACH chemical safety assessment has not been carried out.
SECTION 16: OTHER INFORMATION	
The following sections contain revisions or new statements:	
LEGEND	
Hazard Pictogram(s)	None.
	GHS05: GHS: Corrosion GHS06: GHS: Skull and crossbones GHS07: GHS: Exclamation mark GHS08: GHS: Health hazard GHS09: GHS: Environment
Hazard classification	Acute Tox. 3 : Acute toxicity, Category 3 Acute Tox. 4 : Acute toxicity, Category 4 Acute Tox. 2 : Acute toxicity, Category 2 Acute Tox. 3 : Acute toxicity, Category 3 Skin Corr. 1B : Skin corrosion/irritation, Category 1B Skin Corr. 1C : Skin corrosion/irritation, Category 1C Skin Irrit. 2 : Skin corrosion/irritation, Category 2 Skin Sens. 1 : Skin sensitization, Category 1 Skin Sens. 1A : Skin sensitization, Category 1 Acute Tox. 2 : Acute toxicity, Category 2 Carc. 2 : Carcinogenicity, Category 2 Aquatic Chronic 1 : Hazardous to the aquatic environment, Acute, Category 1 Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2
Hazard Statement(s)	 H301: Toxic if swallowed. H302: Harmful if swallowed. H310: Fatal in contact with skin. H311: Toxic in contact with skin. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage. H330: Fatal if inhaled. H351: Suspected of causing cancer. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects.
Precautionary Statement(s) Acronyms	None. ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of

 Generated by HazMix com ™
 Page: 7 - 8
 Revision: 1 - Replaces:

 Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3712, 02220-3742, 02220-4412, 02220-4512, 02220-5012, 02220-5012, 02220-5022, 02220-5022, 02220-5002, 0220-5002, 02002, 0220-5002, 0220-500, 02002, 02002, 02002, 02002, 02002, 02002, 02002, 02002, 02002,



Shimmer Fountain Pen Ink

substances and mixtures DNEL : Derived No Effect Level EC : European Community EINECS : European Inventory of Existing Commercial Chemical Substances LTEL : Long term exposure limit PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals STEL : Short term exposure limit STOT : Specific Target Organ Toxicity vPvB : very Persistent and very Bioaccumulative

Key literature references and sources data used to compile the SDS Training Advice Disclaimers

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)

Regular safety training as appropriate Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Generated by HazMix com ™

Page: 8 - 8

Revision: 1 - Replaces

Item Numbers: 02220-1012, 02220-2022, 02220-3372, 02220-3372, 02220-3742, 02220-3742, 02220-4412, 02220-4512, 02220-5002, 02220-5012, 02220-5022, 02220-5162, 02220-5062, 02220-6062, 0220-6062, 020-6062, 020-