

SAFETY DATA SHEET: Prussian Blue Dry Pigment  
 REVISED: 5/1/2023

02959-5224  


## SAFETY DATA SHEET

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT

**Product Name:** Prussian Blue Dry Pigment  
**Product Description:** Dry pigment  
**Intended Use:** Fine art painting and decorative coatings

#### COMPANY

**Company Name:** Gamblin Artists Colors  
**Company Address:** 2734 SE Raymond.  
 Portland, OR 97202  
 USA  
**Company Phone:** 503-235-1945  
**Emergency Phone:** Local Emergency Room

### SECTION 2: HAZARDS IDENTIFICATION

GHS HAZARD CLASSIFICATION: NOT CLASSIFIED

#### GHS LABEL ELEMENTS:

**SIGNAL WORD:** NO SIGNAL WORD

**LABEL CODES / PICTOGRAMS:**  
 NO PICTOGRAMS

**HAZARD STATEMENTS:** H315 - Causes skin reaction.  
 H320 - Causes eye irritation.  
 H335 - May cause respiratory irritation.

#### PRECAUTIONARY STATEMENTS

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.  
 P281 - Use personal protective equipment as required.  
 P391 - Collect spillage.  
 P403 + 233 - Store in well-ventilated place. Keep container tightly closed.

#### EMERGENCY OVERVIEW

Contact Rating: 2 - Moderate  
 Lab Protective Equip: Safety glasses

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### HAZARDOUS COMPONENTS:

Chemical Name	CAS#	EINECS	Concentration 0(%)	Hazardous
Prussian Blue (Pigment Blue 27)	25869-00-5	247-304-1	100	No.

1

SAFETY DATA SHEET: Prussian Blue Dry Pigment  
REVISED: 5/1/2023

**This material contains SARA 313 listed substances. See Section 15 for further details.**

## SECTION 4: FIRST AID MEASURES

### NECESSARY MEASURES:

**Inhalation:** REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION IMMEDIATELY.

**Ingestion:** INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION IMMEDIATELY.

**Skin:** REMOVE CONTAMINATED CLOTHING AND SHOES. IMMEDIATELY FLUSH SKIN WITH PLENTY OF SOAP & WATER. THOROUGHLY CLEAN CONTAMINATED CLOTHING AND SHOES BEFORE REUSE. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

**Eyes:** IMMEDIATELY FLUSH EYES WITH PLENTY OF LUKEWARM WATER FOR AT LEAST 15 MINUTES, LIFTING LOWER AND UPPER EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION IMMEDIATELY.

### SYMPTOMS/EFFECTS:

**Inhalation:** INHALATION OF DUSTS MAY IRRITATE THE NOSE, THROAT AND UPPER RESPIRATORY TRACT. IN SEVERE CASES, REMOVE TO FRESH AIR IMMEDIATELY. CALL PHYSICIAN.

**Ingestion:** NO SIGNIFICANT EFFECTS.

**Skin:** MAY CAUSE IRRITATION IF IN CONTACT FOR EXTENDED PERIODS OF TIME.

**Eyes:** THE MORE COMMON HAZARDS ARE LOCAL IRRITATION OR ABRASION. IN SEVERE CASES, ABSORPTION CAN OCCUR THROUGH EYE TISSUES AND MAY CAUSE CORNEAL INJURY.

**Chronic exposure:** **Inhalation:** REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION IMMEDIATELY.

**Ingestion:** INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GET MEDICAL ATTENTION IMMEDIATELY.

**Skin:** REMOVE CONTAMINATED CLOTHING AND SHOES. IMMEDIATELY FLUSH SKIN WITH PLENTY OF SOAP & WATER. THOROUGHLY CLEAN CONTAMINATED CLOTHING AND SHOES BEFORE REUSE. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

**Eyes:** IMMEDIATELY FLUSH EYES WITH PLENTY OF LUKEWARM WATER FOR AT LEAST 15 MINUTES, LIFTING LOWER AND UPPER EYELIDS OCCASIONALLY. GET MEDICAL ATTENTION IMMEDIATELY.

**Chronic Exposure:** NONE KNOWN.

**Aggravation of Pre-existing conditions:** NONE KNOWN.

## SECTION 5: FIRE FIGHTING MEASURES

### **FIRE FIGHTING**

**Fire:**  
Not considered to be a fire hazard.

**Explosion:**  
Not considered to be an explosion hazard. Sealed containers may rupture when heated.

**Fire Extinguishing Media:**

SAFETY DATA SHEET: Prussian Blue Dry Pigment  
REVISED: 5/1/2023

Use any means suitable for extinguishing surrounding fire. Do not allow water runoff to enter sewers or waterways. Carbon dioxide, water spray or foam are all suitable.

**Fire Fighting Equipment:**

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus. Incomplete burning will produce Hydrogen Cyanide gas. In the event of fire, noxious fumes of ammonia, hydrogen cyanide and carbon monoxide or dioxide may be liberated.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Wear personal protection equipment (See section 8).

**Spills:** Sweep up and containerize for reclamation or disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.

## SECTION 7: HANDLING AND STORAGE

**Handling:** Wear special personal protective equipment (Section 8) for maintenance break-in or where exposures may exceed established exposure levels. Wash hands, face, forearms and neck when exiting restricted areas.

**Storage:** Keep in a tightly closed container, stored in cool, dry, ventilated area away from direct sources of heat. Protect against physical damage. Isolate from incompatible materials. Observe all warnings and precautions listed for the product.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**For Nuisance dust:**

OSHA Threshold Limit Value (TLV):

15 mg/m<sup>3</sup> TWA Total Dust

5 mg/m<sup>3</sup> Respirable Dust

**Ventilation System:**

A system of local and/or general exhaust is recommended. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

**Personal Protection:**

NIOSH approved dust respirators are recommended when handling in areas where dusting of pigment can occur. Impervious clothing should be worn when cleaning up large spills or in areas where a large degree of contact would be expected. Safety glasses are recommended. Maintain eye wash fountain and quick-drench facilities in work area.

**Skin Protection:**

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.

**Eye Protection:**

Use chemical safety goggles and/or full-face shield where dusting or splashing of solutions is possible. Maintain eye wash fountain and quick-drench facilities in work area.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**Information on basic physical and chemical properties**

**Appearance:** Solid, fine powder

**Color:** Blue

SAFETY DATA SHEET: Prussian Blue Dry Pigment  
 REVISED: 5/1/2023

<b>Odor:</b>	Odorless
<b>Solubility in water:</b>	Insoluble
<b>Specific Gravity:</b>	1.70
<b>pH:</b>	4.5 - 6.5
<b>Boiling point:</b>	Not applicable
<b>Vapor density:</b>	Not applicable
<b>Melting point:</b>	Not applicable
<b>Vapor pressure (mm Hg)</b>	Not applicable
<b>% Volatiles by volume</b>	Not applicable
<b>Evaporation rate (BuAc = 1)</b>	Not applicable

## SECTION 10: STABILITY AND REACTIVITY

### Stability:

Stable under ordinary conditions of use and storage.

### Hazardous Decomposition Products:

When involved in a fire, burning pigments may evolve noxious gases which are toxic. These compounds may include carbon monoxide, carbon dioxide, ammonia, nitrous oxides or hydrogen chloride depending upon the pigment type.

### Hazardous Polymerization:

Will not occur.

### Incompatibilities:

Avoid strong oxidizing agents such as peroxides, chlorates, perchlorates, nitrates and permanganates. Oxidizing material may vigorously evolve oxygen in large amounts.

### Conditions to Avoid:

Incompatibles

## SECTION 11: TOXICOLOGICAL INFORMATION

### Toxicological Data:

Pigments in general are considered to be practically non-toxic. This low order of toxicity is probably due to the fact that pigments are somewhat inert and insoluble substances.

### Reproductive Toxicity:

No known published data available.

### Cancer Lists:

Ingredient	NTP Carcinogen		
	Known	Anticipated	IARC Category
None			

## SECTION 12: ECOLOGICAL INFORMATION

Since organic pigments are generally insoluble compounds, they are believed to have minimal bioaccumulation and bioavailability characteristics.

When released into soil, the material may leach into groundwater. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet deposition.

**Environmental Toxicity:** No information found.

SAFETY DATA SHEET: Prussian Blue Dry Pigment  
REVISED: 5/1/2023

### SECTION 13: DISPOSAL CONSIDERATIONS

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste facility. Dispose of container and unused contents in accordance with federal, state and local requirements.

### SECTION 14: TRANSPORT INFORMATION

U.S. DEPARTMENT OF TRANSPORTATION (DOT)  
INTERNATIONAL MARITIME DANGEROUS GOODS (IMO / IMDG)  
INTERNATIONAL AIR (ICAO/ IATA)

Proper Shipping Name: Not Regulated  
UN Number:  
Class:  
Packing Group:  
Information reported for product/size:

### SECTION 15: REGULATORY INFORMATION

#### Chemical Inventory Status

Ingredient	USA	Europe	Japan	Australia	Korea	China	Canada	Phillipines
	TSCA	EINICS	MITI	AICS	ECL	IECSC	DSL	PICCS
Pigment Blue 27	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

#### Federal, State & International Regulations

Ingredient	SARA 302		SARA 313		CERCLA	RCRA 261.33	TSCA 8(d)
	RQ	TPQ	List	Chemical Category			
Pigment Blue 27	No	No	Yes	Chromium compound	Yes	No	No

<b>Chemical Weapons convention</b>	No	<b>Fire:</b>	No
<b>TSCA 12 (b)</b>	No	<b>Pressure:</b>	No
<b>DCTA:</b>	No	<b>Reactivity:</b>	No
<b>SARA 311/312</b>	<b>Acute</b> No	<b>Australian Hazchem Code:</b>	NA
	<b>Chronic</b> Yes		

#### OSHA Hazardous Substance:

This material is classified as not hazardous under OSHA regulations.

#### Clean Air Act - Hazardous Air Pollutants (HAP):

This product does not contain any Hazardous Air Pollutants (HAP) as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

#### Clean Air Act - Volatile Organic Compounds (VOC):

This product does not contain and SOCOMI Intermediate or Final Volatile Organic Compounds (VOC), as defined by the U.S. Clean Air Act Section 111 (40 CFR 60.489).

#### Clean Air Act - Ozone Depleting Substances (DOS):

SAFETY DATA SHEET: Prussian Blue Dry Pigment  
REVISED: 5/1/2023

This product neither contains nor was manufactured with a Class I or Class II ozone depleting substance (DOS), as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subt. A, App. A+B).

**Clean Water Act - Priority Pollutants (PP):**

This product does not contain any Priority Pollutants listed under the U.S. Clean Water Act, Section 307 (2) (1) Priority Pollutant List (4 CFR 401.15).

## SECTION 16: OTHER INFORMATION

**HMIS Information:**

**Health: 1**

**Flammability: 1**

**Physical Hazard: 0**

**NFPA Information:**

**Health: 1**

**Flammability: 0**

**Physical Hazard: 0**

HMIS and NFPA uses a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possess essentially no hazard; a rating of four indicates extreme hazard. Although similar, the two ratings systems are intended for different purposes, and use different criteria.

HMIS system - designed to communicate workplace hazard information to employees who handle hazardous chemicals.

NFPA system - developed to provide an on-the-spot alert to the hazards of a material and their severity, to emergency responders.

**The information and recommendations contained herein are, to the best of Gamblin's knowledge and belief, accurate and reliable, but it is not warranted to be. You can contact Gamblin to ensure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use and it is the user's responsibility to carefully read the product label and follow instructions for safe use of the product.**