

02959-7104

**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 01/25/2023



## SAFETY DATA SHEET

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT

**Product Name:** Viridian Dry Pigment  
**Product Description:** pigment/colorant  
**Intended Use:** Fine art painting and decorative coatings

#### COMPANY

**Company Name:** Gamblin Artists Colors  
**Company Address:** 323 SE Division Pl.  
 Portland, OR 97202  
 USA  
**Company Phone:** 503-235-1945  
**Emergency Phone:** Local Emergency Room



### SECTION 2: HAZARDS IDENTIFICATION

**OSHA/HCS status:** This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** TOXIC TO REPRODUCTION [Fertility] – Category 1B  
 TOXIC TO REPRODUCTION [Unborn child] – Category 1B

#### GHS LABEL ELEMENTS

##### Hazard pictograms



**Signal word:** Danger  
**Hazard statement:** May damage fertility or the unborn child  
**Precautionary statements:**

**General:** Read label before use. Keep out of reach of children. If medical advice is needed, have product container at hand.  
**Prevention:** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.  
**Response:** IF exposed or concerned. Get medical attention.  
**Storage:** Store locked up.



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016

**Disposal:** Dispose of contents and container in accordance with all local, regional, national and international regulations.

**Hazard(s) not otherwise classified (HNOC)**

Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, nose and throat.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient name	CAS-No.	(%)
Chromium Compounds	12001-99-9	>80
Diboron Trioxide	1303-86-2	>0.3%

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

### SECTION 4: FIRST AID MEASURES

- Eyes:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing. If breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact:** Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion:** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so the vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Most important symptoms/effects, acute and delayed**

**Potential acute health effects**

- Eye contact** Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016

<b>Inhalation</b>	Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
<b>Skin contact</b>	No known significant effects or critical hazards.
<b>Ingestion</b>	No known significant effects or critical hazards

**Indication of immediate medical attention and special treatment needed, if necessary**

**Notes to physician** Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

**Specific treatments** No specific treatment

**Protection of first-aiders**

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-containing breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## SECTION 5: FIRE FIGHTING MEASURES

### FIRE FIGHTING

**Extinguishing Media:** Use an extinguishing agent suitable for the surrounding materials.

**Unsuitable Extinguishing Media:**  
None known.

**Specific hazards arising from the chemical:**  
No specific fire or explosion hazard.

**Hazardous thermal decomposition products**  
No specific data

**Special protective actions for fire-fighters**  
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for firefighters:**  
Fire-fighters should wear appropriate protective equipment and self-containing breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, protective equipment and emergency procedures:

**For non-emergency personnel** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders** If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel."



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016

**Environmental Precautions:**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

**Small spill** Move containers from spill area. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment filled with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor.

**Large spill** Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or contained areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment filled with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

**SECTION 7: HANDLING AND STORAGE**

**Precautions for Safe Handling:**

**Protective measures:** Put on appropriate personal protective equipment (see Section 8). Avoid exposure – obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing dust. If curing normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Cautions for Safe Storage, including any incompatibilities:**

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate equipment to avoid environmental contamination.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Occupational Exposure Limits**

Ingredient Name	Exposure limits
Diboron Trioxide	<b>OSHA PEL (United States, 2/2013).</b>
	TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
	<b>ACGIH PEL 1989 (United States, 3/1989).</b>
	TWA 10 mg/m <sup>3</sup> 8 hours
	<b>OSHA PEL 1989 (United States, 3/1989).</b>
	TWAA 10mg/m <sup>3</sup> 8 hours. Form: Total dust.



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016

#### **APPROPRIATE ENGINEERING CONTROLS**

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### **ENVIRONMENTAL EXPOSURE CONTROLS**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **INDIVIDUAL PROTECTION MEASURES**

##### **HYGENE MEASURES**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reuse. Ensure that eyewash stations and safety showers are close to the workstation location.

##### **EYE/FACE PROTECTION**

Safety eyewear comply with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

##### **SKIN PROTECTION**

###### **HAND PROTECTION**

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufactures. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

###### **BODY PROTECTION**

Personal protection equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

###### **OTHER SKIN PROTECTION**

Appropriate footwear and any additional in protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

##### **RESPIRATORY PROTECTION**

Normal work clothing (long sleeved shirts and long pants) is recommended. In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary.



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

<b>PHYSICAL STATE:</b>	Solid (powder)
<b>COLOR:</b>	Green
<b>ODOR:</b>	Odorless
<b>ODOR THRESHOLD:</b>	Not applicable
<b>pH</b>	Not tested
<b>MELTING POINT</b>	Not available
<b>BOILING POINT</b>	Not available
<b>FLASH POINT</b>	Not applicable
<b>VOC</b>	<b>0%</b>
<b>EVAPORATION RATE</b>	Not tested
<b>FLAMMABILITY (SOLID, GAS)</b>	Not available
<b>UPPER/LOWER EXPLOSIVE</b>	Not tested
<b>FLAMMABILITY LIMITS</b>	
<b>VAPOR PRESSURE</b>	Not available
<b>VAPOR DENSITY</b>	Not tested
<b>RELATIVE DENSITY:</b>	3.35
<b>SOLUBILITY:</b>	Insoluble in the following materials: cold water and hot water
<b>PARTITION COEFFICIENT</b>	Not applicable
<b>(n-octanol/water)</b>	
<b>AUTO-IGNITION TEMPERATURE</b>	Not applicable
<b>DECOMPOSITION TEMPERATURE</b>	Not applicable
<b>VISCOSITY</b>	Not tested

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity:</b>	No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability:</b>	This product is stable.
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions does not occur.
<b>Conditions to Avoid:</b>	No specific data.
<b>Incompatible materials:</b>	No specific data.
<b>Hazardous Decomposition Products:</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

<b>SKIN CONTACT</b>	Adverse symptoms may include the following: Reduced fetal weight Increase in fetal deaths Skeletal malformations
<b>INGESTION</b>	Adverse symptoms may include the following: Reduced fetal weight Increase in fetal deaths



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016

Skeletal malformations

#### **DELAYED AND IMMEDIATE EFFECTS AND ALSO CHRONIC EFFECTS FROM SHORT AND LONG TERM EXPOSURE**

##### **SHORT TERM EXPOSURE**

**POTENTIAL IMMEDIATE EFFECTS:** Not available  
**POTENTIAL DELAYED EFFECTS:** Not available

##### **LONG TERM EXPOSURE**

**POTENTIAL IMMEDIATE EFFECTS:** Not available  
**POTENTIAL DELAYED EFFECTS:** Not available

##### **POTENTIAL CHRONIC HEALTH EFFECTS**

**GENERAL:** Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.  
**CARCINOGENICITY** No known significant effects or critical hazards  
**MUTAGENICITY** No known significant effects or critical hazards  
**TERATOGENICITY** **May** damage the unborn child  
**DEVELOPMENTAL EFFECTS** No known significant effects or critical hazards  
**FERTILITY EFFECTS** May damage fertility

#### **NUMERICAL MEASURES OF TOXICITY**

##### **ACUTE TOXICITY ESTIMATES:**

<b>ROUTE</b>	<b>ATE value</b>
Oral	3150.5 mg/kg

#### **SECTION 12: ECOLOGICAL INFORMATION**

**TOXICITY** Not available  
**PERSISTENCE AND DEGRADABILITY** Not available  
**BIOACCUMULATIVE POTENTIAL** Not available  
**MOBILITY IN SOIL**  
     **Soil/water partition Coefficient (Koc)** Not available  
**OTHER ADVERSE EFFECTS** No known significant effects or critical hazards

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

##### **DISPOSAL METHODS:**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016

## SECTION 14: TRANSPORT INFORMATION

	DOT classification	TDG classification	Mexico classification	IMDG	IATA
<b>UN number</b>	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
<b>UN proper Shipping name</b>	-	-	-	-	-
<b>Transport Hazard class(es)</b>	-	-	-	-	-
<b>Packing group</b>	-	-	-	-	-
<b>Environmental Hazards</b>	No.	No.	No.	No.	No.
<b>Additional information</b>	-	-	-	-	-

**Special precautions for user:** **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

## SECTION 15: REGULATORY INFORMATION

### INTERNATIONAL LISTS:

**Australian Inventory (AICS):** All components are listed or exempted.  
**China Inventory (IECSC):** All components are listed or exempted.  
**Japan Inventory:** All components are listed or exempted.  
**Korea Inventory:** All components are listed or exempted.  
**Malaysia Inventory of (EHS Register):** Not determined.  
**New Zealand Inventory of chemicals (NZIoC):** All components are listed or exempted.  
**Philippine Inventory (PICCS)** All components are listed or exempted.  
**Taiwan inventory (CSNN):** Not determined.  
**Europe Inventory:** Please contact your supplier to get the information.

## SECTION 16: OTHER INFORMATION

The information and recommendations contained herein are, to the best of Gamblin's knowledge and belief, accurate and reliable, but it is not warranted to be. You can contact Gamblin to ensure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use and it is the user's responsibility to carefully read the product label and follow instructions for safe use of the product.



**SAFETY DATA SHEET:** Gamblin Artist Oil Colors – Viridian Dry Pigment  
**REVISED:** 2/19/2016



\_\_\_\_\_