SAFETY DATA SHEEIT nt Sienna Dry Pigment REVISED: 01/25/2023 02959-8044



# SAFETY DATA SHEET

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

#### PRODUCT

FRODUCT	
Product Name:	Burnt Sienna Dry Pigment
Product Description:	Pigment, colorant
Intended Use:	Fine art painting and decorative coatings
COMPANY	
Company Name:	Gamblin Artists Colors
Company Address:	323 SE Division Pl.
	Portland, OR 97202
	USA
Company Phone:	503-235-1945



## **SECTION 2: HAZARDS IDENTIFICATION**

CLASSIFICATION: LABEL ELEMENTS: Carc. 1A H350

Local Emergency Room



**Emergency Phone:** 



Signal word:DangerHazard statement:H350 - May cause cancer (Inhalation).Precautionary statements:

P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P280 - Wear eye protection, protective clothing, protective gloves.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container according to local, regional, national, and international regulations.

## HAZARDS NOT OTHERWISE CLASSIFIED (HNOC):

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### CAS NUMBER/OTHER IDENTIFIERS



Name	CAS#	Concentration (%)	Classification (GHS-US)
Sienna (Limonite)	1317-63-1	60-70	Not classified
Talc (No asbestos)	14807-96-6	10-14	Not classified
Magnesium carbonate	546-93-0	8-11	Not classified
Barium sulfate	7727-43-7	5-8	Not classified
Iron oxide red	1309-37-1	3-4	Not classified
Quartz	14808-60-7	2.8-3.5	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372

## **SECTION 4: FIRST AID MEASURES**

Eyes:	Wash with clean water for at least 15 minutes. If irritation persists, get medical attention.
Skin:	Flush contaminated skin with plenty of water.
Inhalation:	Remove to fresh air and keep at rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.
Ingestion:	Do NOT induce vomiting. Rinse mouth. Call a doctor/physician if problems
	arise.
Most important symp	toms and effects, both acute and delayed:
	May cause cancer. May cause respiratory irritation. May cause skin irritation.
	May cause eye irritation. Ingestion is not likely to be harmful or have adverse
	effects.
	Change in Summer to many Many and and and and

Chronic Symptoms: May cause cancer.

NOTES TO PHYSICIANS OR FIRST AID PROVIDERS: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## **SECTION 5: FIRE FIGHTING MEASURES**

#### FIRE FIGHTING

**Extinguishing Media:** Use extinguishing agent suitable for type of surrounding fire. **Unsuitable Extinguishing Media:** 

Do not use a heavy water stream. Use of heavy stream of water may spread

fire.

Special Fire Fighting Procedures:

Use protective equipment appropriate for surrounding materials. Not a fire hazard.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### PERSONAL PRECAUTIONS

General Measures: Avoid all contact with skin, eyes, or clothing. Avoid breathing dust



**Protective Equipment:** Use appropriate personal protection equipment (PPE). **Emergency Procedures:** Evacuate unnecessary personnel.

#### EMERGENCY RESPONDERS

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Stop spill if safe to do so. Eliminate ignition sources. Ventilate area.

#### ENVIRONMENTAL PRECAUTIONS

General Measures: Prevent entry to sewers and public waters.

#### METHODS FOR MATERIAL CONTAINMENT AND CLEAN-UP

For Containment: Contain and collect as any solid.

Methods for Clean-up: Clear up spills immediately and dispose of waste safely. Spills should be contained with mechanical barriers. Transfer spilled material to a suitable container for disposal.

#### ADDITIONAL

See Heading 8. Exposure controls and personal protection.

## SECTION 7: HANDLING AND STORAGE

#### PRECAUTIONS FOR SAFE HANDLING

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash

hands and other exposed areas with mild soap and water before eating,

drinking

#### CONDITIONS FOR SAFE STORAGE

Technical Measures:Comply with applicable regulations.Storage Conditions:Store in a dry, cool and well-ventilated place.

Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

SPECIFIC END USE(S) Inorganic pigment.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**



## CONTROL PARAMETERS

Iron oxide (1	1309-37-1)	
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	2500 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup>
Quartz (1480	08-60-7)	
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	0.025 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	0.05 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m <sup>3</sup> )	50 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (STEL) (mg/m <sup>3</sup> )	250 mppcf/%SiO2+5, 10mg/m³/%SiO2+2
Barium Sulfa	te (7727-43-7)	
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> (inhalable fraction, particulate matter containing no
	And the state of the state of the state of the	asbestos and <1% crystalline silica)
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	10 mg/m³ (total dust)
		5 mg/m <sup>3</sup> (respirable dust)
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m <sup>3</sup> (total dust)
		5 mg/m <sup>3</sup> (respirable fraction)
Talc (14807-9	96-6)	
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (particulate matter containing no asbestos and <1%
		crystalline silica, respirable fraction)
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	2 mg/m <sup>3</sup> (containing no Asbestos and <1% Quartz-respirable dust)
USA IDLH	US IDLH (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup> (containing no asbestos and <1% quartz)
Magnesium	carbonate (546-93-0)	
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )	10 mg/m <sup>3</sup> (total dust)
		5 mg/m <sup>3</sup> (respirable dust)
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	15 mg/m³ (total dust)
		5 mg/m <sup>3</sup> (respirable fraction)
Inert or Nuis	ance Dust	
USA ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup> Respirable fraction
		10 mg/m³ Total Dust
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	5 mg/m <sup>3</sup> Respirable fraction
	102 "No.262 NO 794	15 mg/m <sup>3</sup> Total Dust

#### EXPOSURE CONTROLS

Appropriate Engine	ering Controls:
	Ensure adequate ventilation, especially in confined areas. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure all national/local regulations are observed.
<b>Personal Protective</b>	Equipment:
	Protective goggles. Gloves. Protective clothing. Insufficient ventilation: wear
	respiratory protection.
<b>Materials for Protec</b>	tive Clothing:
	Chemically resistant materials and fabrics.
Hand Protection:	Wear chemically resistant protective gloves.
Eye Protection:	Chemical goggles or safety glasses.
Skin and Body Prote	ection:
	Wear suitable protective clothing.



Page 4 of 8



**Respiratory Protection:** Use a NIOSH-approved respirator or self-contained breathing apparatus

whenever exposure may exceed established Occupational Exposure Limits.

#### **Environmental Exposure Controls:**

Do not allow the product to be released into the environment.

#### **Consumer Exposure Controls:**

Do not eat, drink or smoke during use.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### GENERAL INFORMATION

Physical State:	Powder
Color:	Brown
Odor:	None
Odor Threshold:	N/D
IMPORTANT HEALTH, SAFETY,	AND ENVIRONMENTAL INFORMATION
Boiling Point:	N/A
Melting Point:	> 1000° C
Freezing Point:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Relative Density:	3.1
Evaporation Rate:	N/A
Solubility in Water:	Insoluble in cold water and hot water
Solids by Weight:	N/D
Tap Density	0.9 g/cc
VOC Content:	0%
Molecular Weight:	N/A
Viscosity:	N/D
Decomposition Temp:	N/D
pH:	6-7

#### SECTION 10: STABILITY AND REACTIVITY INFORMATION ON STABILITY AND REACTIVITY

RMATION ON STABILITY	AND REACTIVITY
Stability:	Material is stable under normal conditions
<b>Conditions to Avoid:</b>	Extremely high or low temperatures. Ignition sources. Incompatible materials.
Materials to Avoid:	Strong acids. Strong bases. Strong oxidizers.
	This material contains synthetic iron oxide which is incompatible with
hydraz	ine,
	calcium hypochlorite, performic acid, and ethylene oxide.
Hazardous Decomposi	ition or Bi-Products:
	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of Hazardo	us Reactions:
	Under normal conditions of storage and use, hazardous reactions will not occur.

# SECTION 11: TOXICOLOGICAL INFORMATION

INFORMATION ON TOXICOLO	GICAL EFFECTS	
Acute Toxicity:	Not classified	
Iron oxide (1309-37-1	) LD50 Oral Rat	> 10000 mg/kg
	IARC group	3
Quartz (14808-60-7)	LD50 Oral Rat	> 5000 mg/kg
	LD50 Dermal Rat	> 5000 mg/kg
	IARC group	1
Skin Corrosion/Irritat	ion: Not classified	
Serious Eye Damage/	Irritation: Not classified	
Respiratory or Skin Se	ensitization: Not classifie	ed
Germ Cell Mutagenici	ty: Not classified	
••••	cause cancer (Inhalation	•
National Toxicity Prog	gram (NTP) Status: Knov	wn Human Carcinogens
Reproductive Toxicity	Not classified	
Specific Target Organ	<b>Toxicity (Single Exposu</b>	re): Not classified
Specific Target Organ	<b>Toxicity (Repeated Exp</b>	osure): Not classified
Aspiration Hazard: No	ot classified	
Chronic Symptoms: N	1ay cause cancer.	
SYMPTOMS RELATED TO THE	PHYSICAL, CHEMICAL	AND TOXICOLOGICAL CHARACTERISTICS
Inhalation: May cause	erespiratory irritation	
Ingestion: No adverse	effects due to ingestion	n are expected
Skin: May cause skin i	rritation	
<b>Eye:</b> May cause eye in	ritation	
SECTION 12: ECOLOGIC	AL INFORMATION	

#### ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available **Mobility:** No information available

#### PERSISTENCE AND MOBILITY

Biodegradation: No information availableBioaccumulative potential:No information availableMobility in Soil:No additional information availableOther Information: Avoid release to the environment

## SECTION 13: DISPOSAL CONSIDERATIONS

NOTE: Disposal recommendations based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at the time of disposal.

Waste Disposal:	Dispose of in accordance with national, state, and local regulations.
	Avoid release to the environment.
Empty Container:	Empty containers should be taken for recycling, recovery, or disposal through suitably qualified or licensed contractor and in accordance with governmental regulations.

#### **SECTION 14: TRANSPORT INFORMATION**

LAND (DOT): Not regulated



SEA (IMDG):



AIR (IATA):	Not regulated
SECTION 15: REGUL	ATORY INFORMATION

Not regulated

#### **US FEDERAL REGULATIONS** SARA Section 311/312 Hazard Classes Delayed (chronic) health hazard Sienna (Limonite) (1317-63-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory Barium sulfate (7727-43-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory Talc (14807-96-6) Listed on the United States TSCA (Toxic Substances Control Act) inventory Magnesium carbonate (546-93-0) Listed on the United States TSCA (Toxic Substances Control Act) inventory Iron oxide red (1309-37-1) Listed on the United States TSCA (Toxic Substances Control Act) inventory Quartz (14808-60-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory **US STATE REGULATIONS** Quartz (14808-60-7) California Proposition 65 - Carcinogens List WARNING: This product contains chemicals known to the State of California to cause cancer. Massachusetts Right To Know List U.S. New Jersev **Right to Know Hazardous Substance List** Pennsylvania RTK (Right to Know) List Iron Oxide Red (1309-37-1) Massachusetts Right To Know List **Right to Know Hazardous Substance List** New Jersey Pennsylvania RTK (Right to Know) List Talc (14807-96-6) Massachusetts Right To Know List U.S. New Jersey **Right to Know Hazardous Substance List** Pennsylvania RTK (Right to Know) List Magnesium Carbonate (546-93-0) Massachusetts Right To Know List **Right to Know Hazardous Substance List** New Jersey Barium Sulfate (7727-43-7) Massachusetts Right To Know List **Right to Know Hazardous Substance List** New Jersey Pennsylvania RTK (Right to Know) List **INTERNATIONAL REGULATIONS:**





COUNTRY	CHEMICAL INVENTORY	STATUS
Europe	EINECS	All ingredients are either listed or exempt.
Canada	DSL	All ingredients are listed, including those by way of naturally occurring ores
China	IECSC	All ingredients are listed.
Japan	METI	All ingredients are either listed or exempt as naturally occurring minerals.
Australia	AICS	Listed
Korea	KECL	Unknown
New Zealand	NZIOC	Listed with limitations.
Philippines	PICCS	All ingredients are listed.

### SECTION 16: OTHER INFORMATION GHS FULL TEXT PHRASES

	Carcinogenicity Category 1A Specific target organ toxicity (repeated exposure) Category 1 Specific target organ toxicity (single exposure) Category 3 May cause respiratory irritation
	Specific target organ toxicity (single exposure) Category 3 May cause respiratory irritation
	May cause respiratory irritation
	May cause cancer
	Causes damage to organs through prolonged or repeated exposure
Health Fire	1 0
Reactivity	0
Personal Protection	E (glasses, gloves, dust respirator)
, N/A = Not applicable	
,	Fire Reactivity Personal Protection <b>N/A = Not applicable</b>

Updates made in accordance with implementation of GHS requirements.

The information and recommendations contained herein are, to the best of Gamblin's knowledge and belief, accurate and reliable, but it is not warranted to be. You can contact Gamblin to ensure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use and it is the user's responsibility to carefully read the product label and follow instructions for safe use of the product.