SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (14/10/2021) - Page 1/10

SAFETY DATA SHEET

GESSO SEMI-ABSORBANT - N125014.500

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: GESSO SEMI-ABSORBANT

Product code: N125014.500. UFI: DC0K-CSPM-QR0H-KVVE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Additive for artistical use

1.3. Details of the supplier of the safety data sheet

Registered company name: MAX SAUER SAS.

Address: 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone: 00 33 (0)2 96 68 20 00. Fax: 00 33 (0)2 96 61 77 19.

regulatory.affairs@raphael.fr

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word: WARNING

Product identifiers:

613-088-00-6 1,2-BENZISOTHIAZOL-3(2H)-ONE

CAS 55965-84-9 REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND

2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Hazard statements:

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace. SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (14/10/2021) - Page 2/10

GESSO SEMI-ABSORBANT - N125014.500

P280 Wear protective gloves/protective clothing/eye protection/face

protection/hearing protection/ ...

Precautionary statements - Response :

P321 Specific treatment (see ... on this label).

P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary statements - Disposal:

P501 Dispose of contents/container to ...

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contains substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Composition:	T == -:	I	T
Identification	(EC) 1272/2008	Note	%
CAS: 57-55-6		[1]	2.5 <= x % < 10
EC: 200-338-0			
REACH: 01-2119456809-23-XXXX			
PROPANE-1,2-DIOL			
CAS: 7727-43-7		[1]	$1 \le x \% < 2.5$
EC: 231-784-4			
SULFATE DE BARYUM			
CAS: 102-79-4	GHS05		1 <= x % < 2.5
EC: 203-055-0	Dgr		
REACH: 01-2120124239-60-xxxx	Eye Dam. 1, H318		
N-BUTYLDIETHANOLAMINE			
CAS: 107-21-1	GHS07, GHS08	[1]	1 <= x % < 2.5
EC: 203-473-3	Wng	1	
REACH: 01-2119456816-28-XXXX	Acute Tox. 4, H302 STOT RE 2, H373		
MONOETHYLENE GLYCOL	3,555,55		
CAS: 7631-86-9		[1]	1 <= x % < 2.5
EC: 231-545-4			
DIOXYDE DE SILICIUM			
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	0 <= x % < 1
CAS: 2634-33-5	Dgr	' '	
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60-XXXX	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
, , , , , , , , , , , , , , , , , , , ,	Aquatic Acute 1, H400		
	M Acute = 1		

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 3.1 (14/10/2021) - Page 3/10

MAX SAUER SAS

GESSO SEMI-ABSORBANT - N125014.500

CAS: 55965-84-9	GHS06, GHS05, GHS09	В	0 <= x % < 1
REACH: 01-2120764691-48	Dgr		
	Acute Tox. 3, H301		
REACTION MASS OF	Acute Tox. 2, H310		
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-	Skin Corr. 1C, H314		
ONE AND	Skin Sens. 1A, H317		
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
	EUH-071		

Specific concentration limits:

Specific concentration mines.		
Identification	Specific concentration limits	ATE
INDEX: 613-088-00-6	Skin Sens. 1: H317 C>= 0.05%	
CAS: 2634-33-5		
EC: 220-120-9		
REACH: 01-2120761540-60-XXXX		
1,2-BENZISOTHIAZOL-3(2H)-ONE		
CAS: 55965-84-9	Skin Corr. 1C: H314 C>= 0.6%	
REACH: 01-2120764691-48	Skin Irrit. 2: H315 0.06% <= C < 0.6%	
	Eye Dam. 1: H318 C>= 0.6%	
REACTION MASS OF	Eye Irrit. 2: H319 0.06% <= C < 0.6%	
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-	Skin Sens. 1A: H317 C>= 0.0015%	
ONE AND		
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)		

Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

In the event of an allergic reaction, seek medical attention.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (14/10/2021) - Page 4/10

GESSO SEMI-ABSORBANT - N125014.500

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SAFETY DATA SHEET (REGULATION (EC) \mathfrak{n}° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (14/10/2021) - Page 5/10

GESSO SEMI-ABSORBANT - N125014.500

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- European Union (2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE):

CAS		VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes:	
107-2	1-1	52	20	104	40	Peau	
- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):							
CAS		TWA:	STEL:	Ceiling:	Definition:	Criteria:	

 CAS
 TWA:
 STEL:
 Ceiling:
 Definition:
 Criteria:

 7727-43-7
 10 mg/m3

 107-21-1
 100

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME:	VME:	Excess	Notes
107-21-1		10 ppm		2(I)
		26 mg/m ³		
7631-86-9		4E mg/m³		

- France (INRS - ED984 / 2020-1546)

 CAS
 VME-ppm:
 VME-mg/m3:
 VLE-ppm:
 VLE-mg/m3:
 Notes:
 TMP No:

 107-21-1
 20
 52
 40
 104
 *
 84

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
57-55-6	10 mg/m ³				
7727-43-7	4 mg/m ³				
107-21-1	20 ppm	40 ppm		Sk	
	52 mg/m ³	104 mg/m ³			

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

 $Type\ of\ gloves\ recommended:$

- Natural latex

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (14/10/2021) - Page 6/10

GESSO SEMI-ABSORBANT - N125014.500

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

S

After contact with the product, all parts of the body that have b	een soiled must be washed.	
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES		
9.1. Information on basic physical and chemical properties		
Physical state		
Physical state:	Viscous liquid.	
Colour		
Unspecified		
Odour		
Odour threshold:	Not stated.	
Melting point		
Melting point/melting range:	Not specified.	
Freezing point		
Freezing point / Freezing range:	Not stated.	
Boiling point or initial boiling point and boiling range		
Boiling point/boiling range:	Not specified.	
Flammability		
Flammability (solid, gas):	Not stated.	
Lower and upper explosion limit		
Explosive properties, lower explosivity limit (%):	Not stated.	
Explosive properties, upper explosivity limit (%):	Not stated.	
Flash point		
Flash Point:	101.00 °C.	
Auto-ignition temperature		
Self-ignition temperature:	Not specified.	
Decomposition temperature		
Decomposition point/decomposition range:	Not specified.	
рН		
pH:	Not stated.	
	Slightly basic.	
Kinematic viscosity		
Viscosity:	Not stated.	
Solubility		
Water solubility:	Dilutable.	
Fat solubility:	Not stated.	
Partition coefficient n-octanol/water (log value)		
Partition coefficient: n-octanol/water:	Not stated.	
Vapour pressure		
Vapour pressure (50°C):	Not relevant.	
Density and/or relative density		
	_	

Density:

> 1

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (14/10/2021) - Page 7/10

GESSO SEMI-ABSORBANT - N125014.500

Relative vapour density

Vapour density:

Not stated.

9.2. Other information

No data available.

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. May cause an allergic reaction by skin contact.

11.1.1. Substances

Acute toxicity:

SULFATE DE BARYUM (CAS: 7727-43-7)

Oral route : LD50 > 15000 mg/kg

Species: Rat (recommended by the CLP)

PROPANE-1,2-DIOL (CAS: 57-55-6)

Oral route : LD50 > 2000 mg/kg

Species: Rat (recommended by the CLP)

11.1.2. Mixture

No toxicological data available for the mixture.

Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 50-00-0: IARC Group 1: The agent is carcinogenic to humans.

CAS 7631-86-9: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

 $CAS\ 9002-88-4: IARC\ Group\ 3: The\ agent\ is\ not\ classifiable\ as\ to\ its\ carcinogenicity\ to\ humans.$

CAS 7631-86-9: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 3.1 (14/10/2021) - Page 8/10

MAX SAUER SAS

GESSO SEMI-ABSORBANT - N125014.500

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.1. Substances

SULFATE DE BARYUM (CAS: 7727-43-7)

Crustacean toxicity: EC50 = 32 mg/l

Species : Daphnia magna Duration of exposure : 48 h

PROPANE-1,2-DIOL (CAS: 57-55-6)

Fish toxicity: LC50 > 500 mg/l

Duration of exposure: 96 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

SULFATE DE BARYUM (CAS: 7727-43-7)

Biodegradability:

no degradability data is available, the substance is considered as not degrading

quickly.

PROPANE-1,2-DIOL (CAS: 57-55-6)

Biodegradability: no degradability data is available, the substance is considered as not degrading

quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :

WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version 3.1 (14/10/2021) - Page 9/10

MAX SAUER SAS

GESSO SEMI-ABSORBANT - N125014.500

SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

_

14.2. UN proper shipping name

_

14.3. Transport hazard class(es)

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)
- Container information:

No data available.

- Particular provisions:

No data available.

- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) :

WGK 1: Slightly hazardous for water.

- Swiss ordinance on the incentive tax on volatile organic compounds :

50-00-0 formaldehyde (méthanal)

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.

SAFETY DATA SHEET (REGULATION (EC) $\rm n^{\circ}$ 1907/2006 - REACH) MAX SAUER SAS

Version 3.1 (14/10/2021) - Page 10/10

GESSO SEMI-ABSORBANT - N125014.500

H373 May cause damage to organs through prolonged or repeated exposure .

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

Abbreviations:

LD50: The dose of a test substance resulting in 50% lethality in a given time period. LC50: The concentration of a test substance resulting in 50% lethality in a given period. EC50: The effective concentration of substance that causes 50% of the maximum response. REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

UFI: Unique formulation identifier.
STEL: Short-term exposure limit
TWA: Time Weighted Averages
TMP: French Occupational Illness table
TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.