SAFETY DATA SHEET (REGULATION (EC)  $n^\circ$  1907/2006 - REACH) MAX SAUER SAS

Version 6.1 (13/10/2021) - Page 1/10

GESSO NOIR - N125016.500

### SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : GESSO NOIR Product code : N125016.500. UFI : 8A6D-79E0-3T0V-G179

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS.

Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE.

Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19.

regulatory.affairs@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

 $Association/Organisation: INRS \/ ORFILA \ http://www.centres-antipoison.net.$ 

### SECTION 2 : HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :

GHS07		
Signal Word :		
WARNING		
Product identifiers :		
613-088-00-6	1,2-BENZISOTHIAZ	OL-3(2H)-ONE
EC 220-239-6	2-MÉTHYL-2H-ISOT	
Hazard statements :		
H317		May cause an allergic skin reaction.
Precautionary stateme	nts - General :	
P101		If medical advice is needed, have product container or label at hand.
P102		Keep out of reach of children.
Precautionary stateme	nts - Prevention :	
P261		Avoid breathing dust/fume/gas/mist/vapours/spray.
P272		Contaminated work clothing should not be allowed out of the workplace.
P280		Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/
Precautionary stateme	nts - Response :	
P321		Specific treatment (see on this label).

Item Numbers: 03506-2020

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 1 of 10

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 6.1 (13/10/2021) - Page 2/10

#### GESSO NOIR - N125016.500

P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to
Other information :	

### 2.3. Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture contains substances subject to authorization according to Annex XIV of REACH Regulation (EC) No 1907/2006: https://echa.europa.eu/en/authorisation-list

The mixture does not contains substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

### SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixtures

Composition :	(EG) 1070/0009		0(
Identification	(EC) 1272/2008	Note	%
CAS: 57-55-6		[1]	10 <= x % < 25
EC: 200-338-0			
REACH: 01-2119456809-23-XXXX			
PROPANE-1,2-DIOL			
CAS: 1333-86-4		[1]	2.5 <= x % < 10
EC: 215-609-9			
NOIR DE CARBONE			
INDEX: 603-096-00-8	GHS07	[1]	2.5 <= x % < 10
CAS: 112-34-5	Wng		
EC: 203-961-6	Eye Irrit. 2, H319		
2-(2-BUTOXYETHOXY)ETHANOL			
CAS: 9036-19-5	GHS07, GHS05	[6]	$0 \le x \% \le 1$
	Dgr	[XIV]	
OCTYLEPHÉNOXYPOLYÉTHOXYÉTHANO	Acute Tox. 4, H302	[211,1]	
L	Eye Dam. 1, H318		
	Aquatic Chronic 3, H412		
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	0 <= x % < 1
CAS: 2634-33-5	Dgr	[1]	$0 \leq x > 0 \leq 1$
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60-XXXX	Skin Irrit. 2, H315		
REACH: 01-2120/01340-00-AAAA	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
1,2-BEINZISOTTIAZOE-3(211)-ONE	Aquatic Acute 1, H400		
	M Acute = $1$		
CAS: 2682-20-4	GHS06, GHS05, GHS09	[1]	$0 \le x \% \le 1$
EC: 220-239-6			$0 \le x \% < 1$
EC: 220-239-0	Dgr		
	Acute Tox. 4, H302		
2-MÉTHYL-2H-ISOTHIAZOLE-3-ONE	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
	Skin Sens. 1, H317		
	Acute Tox. 3, H331		
	STOT SE 3, H335		
	Aquatic Acute 1, H400		
	M Acute $= 1$		

### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 6.1 (13/10/2021) - Page 3/10

GESSO NOIR - N125016.500

specific concentration milits.		
Identification	Specific concentration limits	ATE
INDEX: 613-088-00-6	Skin Sens. 1: H317 C>= 0.05%	
CAS: 2634-33-5		
EC: 220-120-9		
REACH: 01-2120761540-60-XXXX		
1,2-BENZISOTHIAZOL-3(2H)-ONE		
CAS: 2682-20-4	Skin Sens. 1: H317 C>= 0.0015%	
EC: 220-239-6		
2-MÉTHYL-2H-ISOTHIAZOLE-3-ONE		

#### **Information on ingredients :**

(Full text of H-phrases: see section 16)

[XIV] Substance subject to authorization according to Annex XIV of REACH Regulation (EC) No 1907/2006.

[1] Substance for which maximum workplace exposure limits are available.

[6] Substances of very high concern (SVHC).

### SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. description of first aid measures

### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

In the event of an allergic reaction, seek medical attention.

#### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### SECTION 5 : FIREFIGHTING MEASURES

### Non-flammable.

5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

No data available

SECTION 6 : ACCIDENTAL RELEASE MEASURES

### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

GESSO NOIR - N125016.500

Version 6.1 (13/10/2021) - Page 4/10

Page 4 of 10

earth, vermiculite,

6.1. Personal precautions, protective equipment and emergency procedures
Consult the safety measures listed under headings 7 and 8.
For non first aid worker
Avoid any contact with the skin and eyes.
For first aid worker
First aid workers will be equipped with suitable personal protective equipment (See section 8).
6.2. Environmental precautions
Contain and control the leaks or spills with non-combustible absorbent materials such as sand, diatomaceous earth in drums for waste disposal.
Prevent any material from entering drains or waterways.
6.3. Methods and material for containment and cleaning up
Clean preferably with a detergent, do not use solvents.
6.4. Reference to other sections
No data available.
SECTION 7 : HANDLING AND STORAGE
Requirements relating to storage premises apply to all facilities where the mixture is handled.
Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.
7.1. Precautions for safe handling
Always wash hands after handling.
Remove and wash contaminated clothing before re-using.
Fire prevention :
Prevent access by unauthorised personnel.
Recommended equipment and procedures :
For personal protection, see section 8.
Observe precautions stated on label and also industrial safety regulations.

### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### **Occupational exposure limits :**

- European Union (2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE) :

CAS	VME-mg/m3:	VME-ppm :	VLE-mg/m3 :	VLE-ppm :	Notes :	
112-34-5	67.5	10	101.2	15	-	]
- ACGIH TLV (Ame	- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :					
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	]
1333-86-4	3 (I) mg/m3			A3		
- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :						
CAS	VME :	VME :	Excess	Notes	]	
ens	11121	11121	Lineebb	110100	1	

Version 6.1 (13/10/2021) - Page 5/10

#### GESSO NOIR - N125016.500

112-34-5		10 ppm		1.5 (I)	]	
		67 mg/m <sup>3</sup>			]	
- France (INRS - EI	0984 / 2020-154	l6) :				
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
1333-86-4	-	3.5	-	-	-	-
112-34-5	10	67.5	15	101.2	-	-
- UK / WEL (Work	place exposure l	imits, EH40/20	05, Fourth Editi	on 2020) :		
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
57-55-6	10 mg/m <sup>3</sup>					
1333-86-4	3.5 mg/m <sup>3</sup>	7 mg/m <sup>3</sup>				
112-34-5	10 ppm	15 ppm				
	67.5 mg/m <sup>3</sup>	101.2 mg/m <sup>3</sup>				

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

# - Natural latex

# - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state Physical state :

Colour

Unspecified

Viscous liquid.

Version 6.1 (13/10/2021) - Page 6/10

Odour		
Odour threshold :	Not stated.	
Melting point		
Melting point/melting range :	Not specified.	
Freezing point		
Freezing point / Freezing range :	Not stated.	
Boiling point or initial boiling point and boiling range		
Boiling point/boiling range :	Not specified.	
Flammability		
Flammability (solid, gas) :	Not stated.	
Lower and upper explosion limit		
Explosive properties, lower explosivity limit (%) :	Not stated.	
Explosive properties, upper explosivity limit (%) :	Not stated.	
Flash point		
Flash point interval :	Not relevant.	
Auto-ignition temperature		
Self-ignition temperature :	Not specified.	
Decomposition temperature		
Decomposition point/decomposition range :	Not specified.	
pH		
pH:	Not stated.	
F	Slightly basic.	
Kinematic viscosity		
Viscosity :	Not stated.	
Solubility		
Water solubility :	Dilutable.	
Fat solubility :	Not stated.	
Partition coefficient n-octanol/water (log value)	The stated.	
Partition coefficient: n-octanol/water (log value)	Not stated.	
Vapour pressure		
Vapour pressure (50°C) :	Not relevant.	
Density and/or relative density	Not recvant.	
	>1	
Density :	> 1	
Relative vapour density	NT-4 -4-4- d	
Vapour density :	Not stated.	
9.2. Other information		
No data available.		
9.2.1. Information with regard to physical hazard classes		
No data available.		
9.2.2. Other safety characteristics		
No data available.		
ECTION 10 : STABILITY AND REACTIVITY		
10.1. Reactivity		
No data available.		
10.2. Chemical stability		
This mixture is stable under the recommended handling and	storage conditions in section 7	
10.3. Possibility of hazardous reactions	storage conditions in section 7.	
-		
No data available.		

Item Numbers: 03506-2020

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 6 of 10

Version 6.1 (13/10/2021) - Page 7/10

GESSO NOIR - N125016.500

GES	SO NOIR - N125016.500
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATI	ON
11.1. Information on hazard classes as defined in	Regulation (EC) No 1272/2008
May cause an allergic reaction by skin contact.	
11.1.1. Substances	
Acute toxicity :	
NOIR DE CARBONE (CAS: 1333-86-4)	
Oral route :	LD50 > 8000  mg/kg
	Species : Rat (recommended by the CLF
PROPANE-1,2-DIOL (CAS: 57-55-6)	
Oral route :	LD50 > 2000 mg/kg
	Species : Rat (recommended by the CLP
Germ cell mutagenicity :	
NOIR DE CARBONE (CAS: 1333-86-4)	
Ames test (in vitro) :	Negative.
	With or without metabolic activation. Species : S. typhimurium TA1535
	Species . S. typininarium 17(1555
11.1.2. Mixture	
No toxicological data available for the mixture.	
Monograph(s) from the IARC (International Age	ency for Research on Cancer) :
CAS 7631-86-9 : IARC Group 3 : The agent is no	ot classifiable as to its carcinogenicity to huma
CAS 1333-86-4 : IARC Group 2B : The agent is p	possibly carcinogenic to humans.
SECTION 12 : ECOLOGICAL INFORMATION	
12.1. Toxicity	
12.1.1 Substances	
NOIR DE CARBONE (CAS: 1333-86-4)	
MOIN DE CANDONE (CAS: 1555-80-4)	

NOIR DE CARBONE (CAS: 1333-86-4) Fish toxicity :

Crustacean toxicity :

Algae toxicity :

PROPANE-1,2-DIOL (CAS: 57-55-6) Fish toxicity : LC50 > 1000 mg/l Species : Brachydanio rerio Duration of exposure : 96 h

EC50 > 5600 mg/l Species : Daphnia magna Duration of exposure : 24 h

ECr50 = 1000 mg/l Species : Scenedesmus subspicatus Duration of exposure : 72 h

LC50 > 500 mg/l Duration of exposure : 96 h

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 8 of 10

### GESSO NOIR - N125016.500

12.1.2. Mixtures	
No aquatic toxicity data available for the mixture	).
12.2. Persistence and degradability	
12.2.1. Substances	
OCTYLEPHÉNOXYPOLYÉTHOXYÉTHA Biodegradability :	NOL (CAS: 9036-19-5) no degradability data is available, the substance is considered as not degrad quickly.
NOIR DE CARBONE (CAS: 1333-86-4) Biodegradability :	no degradability data is available, the substance is considered as not degradi quickly.
PROPANE-1,2-DIOL (CAS: 57-55-6) Biodegradability :	no degradability data is available, the substance is considered as not degrad quickly.
<b>12.3. Bioaccumulative potential</b> No data available.	
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vPvB assessment	
No data available.	
12.6. Endocrine disrupting properties	
No data available.	
12.7. Other adverse effects	
No data available.	
WGK 1 : Slightly hazardous for water. ECTION 13 : DISPOSAL CONSIDERATIONS	
	its container must be determined in accordance with Directive 2008/98/EC.
13.1. Waste treatment methods	
Do not pour into drains or waterways.	
Waste :	
Waste management is carried out without enda without risk to water, air, soil, plants or animals.	angering human health, without harming the environment and, in particular
Recycle or dispose of waste in compliance with c	current legislation, preferably via a certified collector or company.
Do not contaminate the ground or water with was	ste, do not dispose of waste into the environment.
Soiled packaging :	
	ontainer.
Empty container completely. Keep label(s) on co	
Empty container completely. Keep label(s) on co Give to a certified disposal contractor.	
Give to a certified disposal contractor.	
Give to a certified disposal contractor.	g.
Give to a certified disposal contractor. ECTION 14 : TRANSPORT INFORMATION	g.
Give to a certified disposal contractor. ECTION 14 : TRANSPORT INFORMATION Exempt from transport classification and labellin	g.
Give to a certified disposal contractor. ECTION 14 : TRANSPORT INFORMATION Exempt from transport classification and labellin 14.1. UN number or ID number	g.
Give to a certified disposal contractor. ECTION 14 : TRANSPORT INFORMATION Exempt from transport classification and labellin 14.1. UN number or ID number - 14.2. UN proper shipping name	g.
Give to a certified disposal contractor. ECTION 14 : TRANSPORT INFORMATION Exempt from transport classification and labellin 14.1. UN number or ID number - 14.2. UN proper shipping name - 14.3. Transport hazard class(es)	g.
Give to a certified disposal contractor. ECTION 14 : TRANSPORT INFORMATION Exempt from transport classification and labellin 14.1. UN number or ID number - 14.2. UN proper shipping name - 14.3. Transport hazard class(es)	g.

- Made under licence of European Label System MSDS software from InfoDyne - http://www.infodyne.fr -

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

AAA SAUEK SAS

Version 6.1 (13/10/2021) - Page 9/10

GESSO NOIR - N125016.500

#### 14.5. Environmental hazards

-

14.6. Special precautions for user

-

### SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)
- Container information:
- No data available.
- Particular provisions : No data available.
- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.
- Swiss ordinance on the incentive tax on volatile organic compounds :
- 112-34-5 2-(2-n-butoxyéthoxy)éthanol (éther mono-butylique de diéthylèneglycol)
- 15.2. Chemical safety assessment

No data available.

### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3 :

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

#### Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

Version 6.1 (13/10/2021) - Page 10/10

#### GESSO NOIR - N125016.500

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV: Average Exposure Value.

 $\label{eq:ADR} ADR: European \ agreement \ concerning \ the \ international \ carriage \ of \ dangerous \ goods \ by \ Road.$ 

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

 $v P v B: Very \ persistent, \ very \ bioaccumulable.$ 

SVHC : Substances of very high concern.