Product name: V BALL GRIP SDS No.: AI-029 Page 1/5

SAFETY DATA SHEET

Date of Issue : January 1, 2024

SDS No. : AI-029 Version : 004



1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture

Product name : V BALL GRIP

Product code : BLN-VBG5-B/R/L-A

BLN-VBG7-B/L-A

BLN-VBG10-B/L-A

Mixture name : CX-B/R/L, CX7-B

1.2. Use of the mixture : Ink for writing instrument

1.3. Company identification e-mail address

Name of manufacture

/supplier : PILOT Corporation

Address : 6-21, Kyobashi 2-chome, Chuo-ku, Tokyo, 104-8304, Japan

Telephone number : 03-3538-3700

Working hours (from 09.00am to 05.30pm)

Facsimile number : 03-3538-3909

E-mail address : international@pilot.co.jp

2. HAZARDS IDENTIFICATION

2.1. GHS Classification of the substance or mixture

Health hazards

Skin corrosion/irritation : Category 2
Serious eye damage/ irritation : Category 2
Sensitization - skin : Category 1

2.2. GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements

H315 : Causes skin irritation

H319 : Causes serious eye irritation

H317 : May cause an allergic skin reaction

Precautionary statements

Prevention

P264+P265 : Wash hands thoroughly after handling. Do not touch eyes.

P261 : Avoid breathing mist/vapors.

P272 : Contaminated work clothing should not be allowed out of the

workplace.

Product name: V BALL GRIP SDS No.: AI-029 Page 2/5

P280 : Wear protective gloves/eye protection/face protection.

Response

P302+P352 : IF ON SKIN: Wash with plenty of water and soap. P333+P317 : If skin irritation or rash occurs: Get medical help.

P362+P364 : Take off contaminated clothing and wash it before reuse.

P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing

P337+P317 : If eye irritation persists: Get medical help.

Disposal

P501 : Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3. Other hazards : None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture : Mixture

Ingredients and composition

Ingredients	CAS Number	Weight %	Component	
2-Pyrrolidone	616-45-5	3.3-5.0	All colors	
Triethanolamine	102-71-6	1.1-1.6	All colors	
Sodium hydroxide	1310-73-2	0.10	CX-B	
Surfactant	Non Public	0.98-1.4	All colors	
Additive A	Non Public	0.50	CX-B	
Additive B	Non Public	0.50	CX-R	
Additive C	Non Public	1.0-3.3	All colors	

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.

Ingestion : Refer for medical attention.

Skin contact : Wash the affected area under tepid running water using a mild soap.

And refer for medical attention if irritation continues.

Eye contact : Gently rinse the affected eyes with clean water for at least 15 minutes.

And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

4.2. Most important symptoms and effects, both acute and delayed

Ink contact with skin may cause irritation, swelling or redness.

4.3. Indication of any immediate medical attention and special treatment needed

In case of skin or eye contamination treat as under First Aid Measures.

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media

: Not classed as flammable.

In case of fire, use water spray, foam, dry, chemical powder or carbon dioxide.

5.2. Specifc hazards arising from the substance or mixture

Product name: V BALL GRIP SDS No.: AI-029 Page 3/5

: CO₂, CO, NO_x, and SO_x, is produced after combustion.

5.3. Special protective equipment and precautions for fire-fighters

: None

6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures
 - : Use proper ventilation. Use eye and skin protection.
- 6.2. Environmental precautions
 - : Do not dispose of waste to the sewer.
- 6.3. Methods and material for containment and cleaning up
 - : Absorb spill with material (cloth or paper), then place in a chemical waste containers.

7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
 - : Avoid rough handling or dropping.

Wear protective gloves/protective clothing/eye protection/face protection.

- 7.2. Conditions for safe storage, including any incompatibilities
 - : Store in a dry, cool, well-ventilated location.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

G .	Threshold limit values		
Component	ACGIH		
Triethanolamine	TLV-TWA 5 mg/m ³		
Sodium hydroxide	TLV-STEL 2 mg/m ³		

- 8.2. Appropriate engineering controls
 - : No special controls are needed.
- 8.3. Individual protection measures, such as personal protective equipment.
 - : Wear protective gloves/protective clothing/eye protection/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information	on basic	physical	and c	hemical	properties

(a) Appearance : Liquid

[Color] Black, Red, Blue

(b) Odor : Slight characteristic

(c) Odor threshold : No data

(d) pH : 7.8-10.1

(e) Melting point/freezing point : No data

(f) Initial boiling point/boiling range : About 100 degrees Celsius

(g) Flash point : Boils without flashing

(h) Evaporation rate : No data

(i) Flammability (solid, gas) : None

(j) Upper/lower flammability or : No data

explosive limits

Product name: V BALL GRIP SDS No.: A1-029 Page 4/5

(k) Vapor pressure : No data(l) Vapor density : No data

(m) Relative density : 1.05-1.10 (at 20 degrees Celsius)

(n) Solubility : Not applicable(o) Partition coefficient: : Not available

n-octanol/water

(p) Auto-ignition temperature(q) Decomposition temperature: No data

(r) Viscosity : 2.6-4.5 mPa·s (at 20 degrees Celsius)

9.2. Other information : None

10. STABILITY AND REACTIVITY

10.1. Reactivity
10.2. Chemical stability
10.3. Possibility of hazardous reactions
10.4. Conditions to avoid
10.5. Incompatible materials
10.6. Hazardous decomposition products
10.6. Hazardous decomposition products
10.7. This material is stable.
10.6. Strong oxidizing agents and reducing agents.
10.6. No data

11. TOXICOLOGICAL INFORMATION

There is no data available on the mixture itself.

Information on toxicological effects

Skin corrosion/irritation : Triethanolamine : Category 2

Sodium hydroxide
Surfactant
Category 1
Additive C
Category 2

Serious eye damage/ irritation : 2-Pyrrolidone : Category 2A

: Triethanolamine
: Category 2A
: Sodium hydroxide
: Category 1
: Surfactant
: Category 1
: Additive A
: Category 1
: Additive B
: Category 1
: Category 2
: Triethanolamine
: Category 1

 $\begin{array}{ll} {\rm :Additive\ B} & {\rm :Category\ 1} \\ {\rm :Additive\ C} & {\rm :Category\ 1} \\ \end{array}$

12. ECOLOGICAL INFORMATION

Sensitization - skin

There is no data available on the mixture itself.

12.1. Ecotoxicity

12.1.1. Hazardous to the aquatic environment, : Not applicable

short-term (acute)

12.1.2. Hazardous to the aquatic environment, : Not applicable

long-term (chronic)

12.2. Persistence and degradability : No data available

Product name: V BALL GRIP SDS No.: AI-029 Page 5/5

12.3. Bioaccumulative potential12.4. Mobility in soilNo data available

12.5. Other adverse effects : None

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

• Follow all regulations in your country.

14. TRANSPORT INFORMATION

14.1. UN number : Not applicable
14.2. UN proper shipping name : Not applicable
14.3. Transport hazard class(es) : Not applicable
14.4. Packing group : Not applicable
14.5. Environmental hazards : Not applicable
14.6. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

14.7. Special precautions for user : None

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Follow all regulations in your country.

16. OTHER INFORMATION

International GHS conformity.

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS