Version 9.1 (02/05/2022) - Page 1/9

ENCRE JAUNE SÉNÉGAL - N134010.519

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : ENCRE JAUNE SÉNÉGAL Product code : N134010.519. UFI : G81P-9P02-9S08-X2Y8

1.2. Relevant identified uses of the substance or mixture and uses advised against Paint for artist

1.3. Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS. Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19. regulatory.affairs@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07 Signal Word : WARNING Product identifiers : EC 228-940-9

4,4-BIS(5-HYDROXY-3-MÉTHYL-1-PHÉNYL-1H-PYRAZOLR-4-YLAZO-1,1-BIPHÉNYL-2,6'-DISUL FONATE DE DISODIUM

Hazard statements :	
H317	May cause an allergic skin reaction.
Precautionary statements - General :	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - Prevention :	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/

Version 9.1 (02/05/2022) - Page 2/9

ENCRE JAUNE SÉNÉGAL - N134010.519

Precautionary statements - Response :	
P321	Specific treatment (see on this label).
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to
2.2 Other haganda	

2.3. Other hazards

The mixture contains substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 1303-96-4	GHS08, GHS07	[1]	2.5 <= x % < 10
EC: 215-540-4	Dgr	[2]	
REACH: 01-2119490790-32	Eye Irrit. 2, H319	[6]	
	Repr. 1B, H360FD		
DISODIUM TETRABORATE DECAHYDRATE			
CAS: 6375-55-9	GHS07		1 <= x % < 2.5
EC: 228-940-9	Wng		
	Skin Sens. 1, H317		
4,4-BIS(5-HYDROXY-3-MÉTHYL-1-PHÉNYL			
-1H-PYRAZOLR-4-YLAZO-1,1-BIPHÉNYL-2,			
6'-DISULFONATE DE DISODIUM			
INDEX: 613-333-00-7	GHS08, GHS06, GHS05, GHS09	[2]	$0 \le x \% < 1$
CAS: 13463-41-7	Dgr		
EC: 236-671-3	Repr. 1B, H360D		
	Acute Tox. 2, H330		
PYRITHIONE ZINC	Acute Tox. 3, H301		
	STOT RE 1, H372		
	Eye Dam. 1, H318		
	Aquatic Acute 1, H400		
	M Acute = 1000		
	Aquatic Chronic 1, H410		
	M Chronic = 10		

Specific concentration limits:		
Identification	Specific concentration limits	ATE
CAS: 1303-96-4	Repr. 1B: H360F C>= 8.5%	
EC: 215-540-4	Repr. 1B: H360D C>= 8.5%	
REACH: 01-2119490790-32	•	
DISODIUM TETRABORATE DECAH	YDRATE	
INDEX: 613-333-00-7		inhalation: $ATE = 0.14 \text{ mg/l } 4h$
CAS: 13463-41-7		(dust/mist)
EC: 236-671-3		oral: ATE = 221 mg/kg BW
PYRITHIONE ZINC		

Information on ingredients :

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

[6] Substances of very high concern (SVHC).

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

MAX SAUER SAS

ENCRE JAUNE SÉNÉGAL - N134010.519

Version 9.1 (02/05/2022) - Page 3/9

ENCRE JAUNE SEIVEGAL - 11154010.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

MAX SAUER SAS

ENCRE JAUNE SÉNÉGAL - N134010.519

Version 9.1 (02/05/2022) - Page 4/9

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
1303-96-4	2 (I) mg/m3	6 (I) mg/m3		A4		
- France (INRS - ED984 / 2020-1546) :						
CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :
1303-96-4	-	5	-	-	R2	-
- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :						
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
1303-96-4	5 mg/m3	-	-	-	-	

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

In the brief brief

ENCRE JAUNE SÉNÉGAL - N134010.519

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required. Type of gloves recommended :

- Natural latex

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

site information on busic physical and chemical properties	
Physical state	
Physical state :	Viscous liquid.
Colour	
Unspecified	
Odour	
Odour threshold :	Not stated.
Melting point	
Melting point/melting range :	Not specified.
Freezing point	
Freezing point / Freezing range :	Not stated.
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range :	Not specified.
Flammability	
Flammability (solid, gas) :	Not stated.
Lower and upper explosion limit	
Explosive properties, lower explosivity limit (%):	Not stated.
Explosive properties, upper explosivity limit (%): Not stated.	
Flash point	
Flash point interval :	Not relevant.
Auto-ignition temperature	
Self-ignition temperature :	Not specified.
Decomposition temperature	
Decomposition point/decomposition range :	Not specified.
pH	
pH :	Not stated.
	Slightly basic.
pH (aqueous solution) :	Not stated.
Kinematic viscosity	
Viscosity :	Not stated.
Solubility	
Water solubility :	Dilutable.

Item Numbers: 21127-4090

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 5 of 9

Version 9.1 (02/05/2022) - Page 5/9

ENCRE JAUNE SÉNÉGAL - N134010.519

Fat solubility :	Not stated.
Partition coefficient n-octanol/water (log value)	
Partition coefficient: n-octanol/water :	Not stated.
Vapour pressure	
Vapour pressure (50°C) :	Not relevant.
Density and/or relative density	
Density :	>1
Relative vapour density	
Vapour density :	Not stated.
9.2. Other information	
No data available.	
9.2.1. Information with regard to physical hazard	classes
No data available.	
9.2.2. Other safety characteristics	
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended hand	lling and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
No data available.	
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATIO	N
11.1. Information on hazard classes as defined in F	Regulation (EC) No 1272/2008
May cause an allergic reaction by skin contact.	
11.1.1. Substances	
Acute toxicity :	
PYRITHIONE ZINC (CAS: 13463-41-7) Oral route :	LD50 = 221 mg/kg
Inhalation route (Dusts/mist) :	LC50 = 0.14 mg/l Duration of exposure : 4 h
11.1.2. Mixture	
No toxicological data available for the mixture.	

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

Item Numbers: 21127-4090

Version 9.1 (02/05/2022) - Page 6/9

AA SAUER SAS

Version 9.1 (02/05/2022) - Page 7/9

ENCRE JAUNE SÉNÉGAL - N134010.519

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

-

14.4. Packing group

14.5. Environmental hazards

....

14.6. Special precautions for user

-

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

Version 9.1 (02/05/2022) - Page 8/9

ENCRE JAUNE SÉNÉGAL - N134010.519

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 1 : Slightly hazardous for water.
- Swiss ordinance on the incentive tax on volatile organic compounds : 34590-94-8 2-(3-méthoxypropoxy)propane-1-ol
- 15.2. Chemical safety assessment
- No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H360D	May damage the unborn child.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE : Acute Toxicity Estimate

BW : Body Weight

CMR: Carcinogenic, mutagenic or reprotoxic.

UFI : Unique formulation identifier.

STEL : Short-term exposure limit

TWA : Time Weighted Averages

TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

AEV : Average Exposure Value.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

Item Numbers: 21127-4090

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 8 of 9

Version 9.1 (02/05/2022) - Page 9/9

ENCRE JAUNE SÉNÉGAL - N134010.519

vPvB : Very persistent, very bioaccumulable. SVHC : Substances of very high concern.