Version 1.1 (30/10/2012) - Page 1/6 Company: Max Sauer SAS

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : ENCRE BLEU TURQUOISE Product code : N134010.341.

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : Max Sauer SAS.

Address : 2 rue Lamarck.22000.Saint Brieuc.France.

Telephone : 0033(0)296682000. Fax : 0033(0)296770065.

mail@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

No labelling requirements for this mixture.

2.3. Other hazards

No data available.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

No substances fulfil the criteria set forth in annexe II section A of the REACH regulation (EC) n° 1907/2006.

3.2. Mixtures

Composition :

Identification	Name	Classification	%
INDEX: 005-011-01-1	DISODIUM TETRABORATE	GHS08, Dgr	$2.5 \le x \% \le 10$
		UIIS08, Dgi	$2.3 \le x / 6 \le 10$
CAS: 1303-96-4	DECAHYDRATE	1	
EC: 215-540-4		H:360FD.1B	
		R: 60 F2-61 G2	

Version 1.1 (30/10/2012) - Page 2/6 Company: Max Sauer SAS

SECTION 4 : FIRST AID MEASURES As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person. 4.1. Description of first aid measures In the event of swallowing : Seek medical attention, showing the label. 4.2. Most important symptoms and effects, both acute and delayed No data available. 4.3. Indication of any immediate medical attention and special treatment needed No data available. SECTION 5 : FIREFIGHTING MEASURES Non-flammable. 5.1. Extinguishing media 5.2. Special hazards arising from the substance or mixture A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health. Do not breathe in smoke. In the event of a fire, the following may be formed : - carbon monoxide (CO) - carbon dioxide (CO2) 5.3. Advice for firefighters No data available SECTION 6 : ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions, protective equipment and emergency procedures Consult the safety measures listed under headings 7 and 8. For fire-fighters Fire-fighters will be equipped with suitable personal protective equipment (See section 8). **6.2.** Environmental precautions Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal. Prevent any material from entering drains or waterways. 6.3. Methods and material for containment and cleaning up Clean preferably with a detergent, do not use solvents. 6.4. Reference to other sections No data available. **SECTION 7 : HANDLING AND STORAGE** Requirements relating to storage premises apply to all facilities where the mixture is handled. 7.1. Precautions for safe handling Always wash hands after handling. Fire prevention : Prevent access by unauthorised personnel. **Recommended equipment and procedures :** For personal protection, see section 8. Observe precautions stated on label and also industrial safety regulations.

ie: ENCRE BLEU IU	URQUOISE - N	134010.341				Company: Max Sauer S
Prohibited equipme	ent and procedures	:				
	g or drinking in area		ure is used.			
7.2. Conditions for s No data available.	safe storage, includ	ling any incomp	atibilities			
Storage						
Keep out of reach o	of children.					
Packaging Always keep in pac	ckaging made of an	identical materia	l to the original	1.		
7.3. Specific end use			6			
No data available.						
ECTION 8 : EXPOS	SURE CONTROLS	S/PERSONAL P	ROTECTION	1		
8.1. Control parame						
Occupational expos						
	nerican Conference	of Governmental	l Industrial Hvs	gienists, Threshol	d Limit Value	es, 2010) :
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
1303-96-4	2 mg/m3	6 mg/m3	-	-	I	
- France (INRS - El	e	2				
CAS	VME-ppm :	VME-mg/m3 :	VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
	-	5		-	R2	_
1303-96-4	-	3				
	- place exposure limi		2007) :			
			2007) : Ceiling :	Definition :	Criteria :	
- UK / WEL (Work	xplace exposure limi	its, EH40/2005, 2		Definition :	Criteria : -	
- UK / WEL (Work CAS 1303-96-4	xplace exposure limi TWA : 5 mg/m3	its, EH40/2005, 2		Definition : -	Criteria : -	
- UK / WEL (Work CAS	tplace exposure limi TWA : 5 mg/m3 ols	its, EH40/2005, 2 STEL : -	Ceiling : -	-	Criteria : -	
- UK / WEL (Work CAS 1303-96-4 8.2. Exposure contro Personal protection	tplace exposure limi TWA : 5 mg/m3 ols	its, EH40/2005, 2 STEL : - personal protect	Ceiling : - ctive equipment	- it	-	
- UK / WEL (Work CAS 1303-96-4 8.2. Exposure contro Personal protection	tplace exposure limi TWA : 5 mg/m3 ols measures, such as	its, EH40/2005, 2 STEL : - personal protect	Ceiling : - ctive equipment	- it	-	
- UK / WEL (Work CAS 1303-96-4 8.2. Exposure contro Personal protection Pictogram(s) indica	tplace exposure limi TWA : 5 mg/m3 ols measures, such as	its, EH40/2005, 2 STEL : - personal protect of wearing perso	Ceiling : - etive equipment nal protective e	- at quipment (PPE)	-	
- UK / WEL (Work CAS 1303-96-4 8.2. Exposure contro Personal protection Pictogram(s) indica	TWA : 5 mg/m3 ols measures, such as ating the obligation of	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has	Ceiling : - etive equipment nal protective e been properly	- nt equipment (PPE) maintained.	-	
 - UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink of 	TWA : 5 mg/m3 ols measures, such as ating the obligation of ctive equipment that ective equipment in	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, ave. Remove and v	Ceiling : - etive equipment nal protective et been properly way from the w	- equipment (PPE) maintained. ork area.	-	Ensure that there is adequ
 - UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink of 	trive equipment that ective equipment that rsmoke during use ally in confined area	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, ave. Remove and v	Ceiling : - etive equipment nal protective et been properly way from the w	- equipment (PPE) maintained. ork area.	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink or ventilation, especies 	trive equipment that ective equipment in r smoke during use ally in confined area on	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, ave. Remove and v	Ceiling : - etive equipment nal protective et been properly way from the w	- equipment (PPE) maintained. ork area.	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink or ventilation, especia Eye / face protection Avoid contact with Use eye protectors 	trive equipment that ective equipment in r smoke during use ally in confined area on	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, av e. Remove and v s. against liquid spl	Ceiling : - - etive equipment nal protective e been properly vay from the w vash contamina	- equipment (PPE) maintained. ork area. ated clothing bet	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink or ventilation, especia Eye / face protection Avoid contact with Use eye protectors - Before handling, weight 	trive equipment that ective equipment that ective equipment area ally in confined area on eyes. designed to protect	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, av e. Remove and v s. against liquid spl	Ceiling : - - etive equipment nal protective e been properly vay from the w vash contamina	- equipment (PPE) maintained. ork area. ated clothing bet	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Viewer eat, drink of ventilation, especia Eye / face protection Avoid contact with Use eye protectors Before handling, we Hand protection Wear suitable protection 	typiace exposure limit TWA : 5 mg/m3 ols measures, such as ating the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of t	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, av e. Remove and v s. against liquid spi n accordance wit	Ceiling : - - etive equipment nal protective et been properly vay from the w vash contamination lashes h standard EN1	- equipment (PPE) maintained. ork area. ated clothing bet	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink of ventilation, especia Eye / face protection Avoid contact with Use eye protectors - Before handling, we Hand protection 	typiace exposure limit TWA : 5 mg/m3 ols measures, such as ating the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of t	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, av e. Remove and v s. against liquid spi n accordance wit	Ceiling : - - etive equipment nal protective et been properly vay from the w vash contamination lashes h standard EN1	- equipment (PPE) maintained. ork area. ated clothing bet	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink or ventilation, especia Eye / face protection Avoid contact with Use eye protectors - Before handling, w Hand protection Wear suitable protection Type of gloves recor - Natural latex 	typiace exposure limit TWA : 5 mg/m3 ols measures, such as ating the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of t	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, av e. Remove and v s. against liquid spi n accordance wit	Ceiling : - - etive equipment nal protective et been properly vay from the w vash contamination lashes h standard EN1	- equipment (PPE) maintained. ork area. ated clothing bet	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink or ventilation, especia Eye / face protection Avoid contact with Use eye protectors - Before handling, we Hand protection Wear suitable protection Type of gloves recor - Natural latex Body protection 	typiace exposure limit TWA : 5 mg/m3 ols measures, such as ating the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of t	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, av e. Remove and v s. against liquid spi n accordance wit event of prolonge	Ceiling : - - etive equipment nal protective et been properly vay from the w vash contamination lashes h standard EN1	- equipment (PPE) maintained. ork area. ated clothing bet	-	Ensure that there is adequ
 UK / WEL (Work CAS 1303-96-4 8.2. Exposure control Personal protection Pictogram(s) indica Use personal protection Store personal protection Never eat, drink or ventilation, especia Eye / face protection Avoid contact with Use eye protectors - Before handling, weight Hand protection Wear suitable protection Wear suitable protection Type of gloves record - Natural latex Body protection Work clothing work 	ctive equipment that ective equipment that esting the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation of the obligation o	its, EH40/2005, 2 STEL : - personal protect of wearing person t is clean and has a clean place, av e. Remove and v s. against liquid spi n accordance wit event of prolonge	Ceiling : - - etive equipment nal protective et been properly vay from the w vash contamination lashes h standard EN1 ed or repeated s gularly.	- equipment (PPE) maintained. ork area. ated clothing bet 166.	- core re-using.	Ensure that there is adequ

Item Numbers: 21127-5110

Version 1.1 (30/10/2012) - Page 4/6 Company: Max Sauer SAS

ECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES	5			
9.1. Information on basic physical and chemical properties				
General information :				
Physical state :	viscous liquid.			
Important health, safety and environmental information				
pH :	Not stated.			
	slightly basic.			
Boiling point/boiling range :	not specified.			
Flash point interval :	not relevant.			
Vapour pressure :	not relevant.			
Density :	> 1			
Water solubility :	Dilutable.			
Melting point/melting range :	not specified.			
Self-ignition temperature :	not specified.			
Decomposition point/decomposition range :	not specified.			
9.2. Other information				
No data available.				
ECTION 10 : STABILITY AND REACTIVITY				
10.1. Reactivity				
No data available.				
10.2. Chemical stability				
This mixture is stable under the recommended handling and s	storage conditions in section 7.			
10.3. Possibility of hazardous reactions				
No data available.				
10.4. Conditions to avoid				
10.5. Incompatible materials				
10.6. Hazardous decomposition products				
The thermal decomposition may release/form :				
- carbon monoxide (CO)				
- carbon dioxide (CO2)				
ECTION 11 : TOXICOLOGICAL INFORMATION				
11.1. Information on toxicological effects				
No data available.				
11.1.1. Substances				
No toxicological data available for the substances.				
-				
11.1.2. Mixture				
No toxicological data available for the mixture.				
ECTION 12 : ECOLOGICAL INFORMATION				
12.1. Toxicity				
12.1.1. Substances				
No aquatic toxicity data available for the substances.				
12.1.2. Mixtures				
Nu a superior de sui side e de de la superior de la superior de superior de superior de la superior de superior de la superior				

No aquatic toxicity data available for the mixture.

Version 1.1 (30/10/2012) - Page 5/6 Company: Max Sauer SAS

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2011 - IMDG 2010 - ICAO/IATA 2012).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Particular provisions :
- No data available.

- Standardised American system for the identification of hazards presented by the product in view of emergency procedures (NFPA 704) :

NFPA 704, Labelling: Health=0 Inflammability=1 Instability/Reactivity=1 Specific Risk=none



15.2. Chemical safety assessment

No data available.

Version 1.1 (30/10/2012) - Page 6/6 Company: Max Sauer SAS

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Title for H, EUH and R indications mentioned in section 3 :

H360FD	May damage fertility. May damage the unborn child.
R 60.F2	May impair fertility.
R 61.G2	May cause harm to the unborn child.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.