

SAFETY DATA SHEET

Issuing Date	6/1/2015	Revision Date	6/1/2015	Revision Number	1
---------------------	----------	----------------------	----------	------------------------	---

1. IDENTIFICATION**Product Identifier****Product Name**

SNK400, SNK40A, -C, -G, -M

Other means of identification**Synonyms**

NONE

Recommended use of the chemical and restrictions on use**Recommended use**

Artistic Medium

Uses advised against**Details of the supplier of the safety data sheet****Supplier Name**

Yasutomo Inc.

Supplier Address1805 Rollins Road
Burlingame, CA
94010**Supplier Phone Number**

650 737 8888

Supplier Email

yasutomo490@gmail.com

Emergency telephone number

650 737 8888

2. HAZARDS IDENTIFICATION**Classification**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

CARCINOGENICITY	CLASS 2B
-----------------	----------

GHS Label elements, including precautionary statements**Emergency Overview**

Signal word	Danger		
Hazard Statements	WARNING: This product contains a chemical know to the State of California to cause cancer. (Applies to airborne particles of respirable size only)		
Appearance	Multiple Colors	Physical State	Liquid
Odor	None		

Precautionary Statements - Prevention

Wash face, hands, and any exposed skin thoroughly after handling

Do not eat, drink, or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

Eyes

Contact may be slightly irritating to eyes.

Skin

Prolonged or repeated contact may be irritating to skin.

Ingestion

May cause irritation to gastrointestinal system.

Precautionary Statements - Storage

None

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazard not otherwise classified (HNOC)

None

Unknown Toxicity

None

Other information

None

Interactions with Other Chemicals

NA

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	TWA	Trade Secret
Carbon Black	1333-86-4	1%	3.5mg/M3	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

TWA= Time Weighted Average (average airborne exposure in 8hr work shift work week)

4. FIRST AID MEASURES**First aid measures****General Advice****Eye Contact:** Flush with water for 15 minutes. SEE DOCTOR if any symptoms persist.**Skin Contact:** Wash with soap and water. SEE DOCTOR if skin irritation occurs.**Inhalation:** Remove subject to fresh air. SEE DOCTOR if symptoms persist.**Ingestion:** If swallowed, dilute by giving 2 or more glasses of water to drink ONLY IF CONSCIOUS! SEE DOCTOR.**5. FIRE-FIGHTING MEASURES****Suitable Extinguishing Media**

Carbon Dioxide, Water Spray, Foam or Dry Chemical

Unsuitable extinguishing media

None

Hazardous Combustion Products

Decomposition and combustion products may be toxic

Protective equipment and precautions for firefighters

Use self-contained breathing apparatus and full protective clothing

6. ACCIDENTAL RELEASE MEASURES**Methods for cleaning up**

Contain spill. Recover material for use or proper disposal. Clean residue with aqueous mopping.

7. HANDLING AND STORAGE**Conditions for safe storage, including any incompatibilities****Storage**

For best product stability, avoid freezing and higher than normal ambient temperatures.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate engineering controls**Engineering Measures**

General dilution ventilation is recommended at a level sufficient to keep individuals asymptomatic to inhalation exposure.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

None required under normal use.

Skin and Body Protection

Protective gloves are not required under normal use.

For techniques requiring continual hand exposure, gloves are recommended.

Respiratory Protection

None required under normal use. When sanding or spraying, use a NIOSH P100 dust and mist respirator

Hygiene Measures

Use in accordance with safe handling practices, including: do not eat, drink or smoke when working with materials, avoid excessive skin contact, wash after working with materials.

9. PHYSICAL AND CHEMICAL PROPERTIES**Physical State**

Appearance Liquid

Color Multiple Colors

Odor None

Odor Threshold

Property**Values**

pH	8.5-9.2
Melting/Freezing point	NA
Boiling point / boiling range	>100 C/212 F
Flash Point	NA
Evaporation Rate	NA
Fammability (solid, gas)	NA
Flammability Limit in Air	NA
Upper flammability limit	NA
Lower flammability limit	NA
Vapor pressure	NA
Vapor density	Heavier than air
Specific Gravity	1.02-1.04
Water Solubility	Soluble
Solubility in other solvents	NA
Partition coefficient:	NA
Autoignition temperature	NA
Decomposition temperature	NA
Kinematic viscosity	NA
Dynamic viscosity	NA
Explosive properties	NA
Oxidizing Properties	NA

10. STABILITY AND REACTIVITY**Reactivity**

NA

Chemical Stability

Stable

Possibility of Hazardous Reactions

NA

Hazardous Polymerization

NA

Conditions to avoid

NA

Incompatible materials

May react with strong oxidizers

Hazardous Decomposition Products

None known

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Inhalation	NA
Eye Contact	rabbit: minimal eye irritation
Skin Contact	rabbit: slight skin irritation
Ingestion	NA

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Carbon Black	rat:>5000 mg/kg	rabbit:>5000mg/kg	

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	OSHA
Carbon Black		Group 2B		

ACGIH (American Conference of Governmental Industrial Hygienists)*A2 - Suspected Human Carcinogen**A3 - Animal Carcinogen***IARC (International Agency for Research on Cancer)***Group 1 - Carcinogenic to Humans**Group 2B - Possibly Carcinogenic to Humans**Group 3 - Not Classifiable as to Carcinogenicity in Humans***NTP (National Toxicology Program)***Known - Known Carcinogen***OSHA (Occupational Safety and Health Administration of the US Dept of Labor)***X - Present***12. ECOLOGICAL INFORMATION****Persistence and Degradability**

Not readily biodegradable. No other data available.

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal methods**

Dispose as per local regulations. It is best to use all material, rather than dispose of it.

If necessary, dispose of as latex paint.

14. TRANSPORT INFORMATION

Not hazardous for shipping via any mode

15. REGULATORY INFORMATION**Consumer Product Labeling:**

Products are labeled in compliance with 67/548/EEC (EU), FHSA/LHAMA (USA), CCCR (CANADA)

16. OTHER INFORMATION

Prepared By William Robison via Manufacturer

Revision Date 6/1/2015

Revision Note

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet