21832-XXXX

## **Safety Data Sheet**

## **YASUTOMO**

Revised: 04/07/2023

## 01. CHEMICALS AND COMPANY IDENTIFICATION

Name: GEL X-TREME Company: YASUTOMO

3740 SKYPARK DRIVE TORRANCE, CA 90505

 Phone:
 (310) 791-1995

 Fax:
 (310) 791-1025

 e-Mail:
 csr@yasutomo.com

 Homepage:
 www.yasutomo.com

Emergency phone: 911 Use of substance Gel pens

## **02. HAZARDS IDENTIFICATION**

## **CLP/GHS Classification**

| Health                            | Environmental                     | Physical                          |  |
|-----------------------------------|-----------------------------------|-----------------------------------|--|
| Not Classified or Out of category | Not Classified or Out of category | Not Classified or Out of category |  |

Pictogram by CLP/GHS: None

| Hazard Statements                       | Precautionary Statements                    |
|---|---|
|   | P264: Wash hands thoroughly after handling. |
| P280: Wear protective gloves/protective |   |
|   | clothing/eye protection/face protection.    |
|   | P273: Avoid release to the environment.     |

## PBT substance and vPvB substance:

No component of this ink a PBT or vPvB substance under Regulation(ec) 1907/2006

## 03. COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture mixture

| Substance            | CLP/GHS<br>Classification | EINECS/ELINCS | CAS        | Range [%] |
|----------------------|---------------------------|---------------|------------|-----------|
| Pure Water           | None                      | 231-791-2     | 7723-18-5  | 40~50     |
| Glycerin             | None                      | 200-289-5     | 56-81-5    | 20~40     |
| C.I. acid red 18     | None                      | 220-036-2     | 2611-82-7  | 1~5       |
| C.I. acid red 87     | None                      | 241-409-6     | 17372-87-1 | 1~5       |
| C.I. direct black 19 | None                      | 229-208-1     | 6128-31-5  | 1~5       |

<u>www.yasutomo.com</u> Tel. (310) 791-1995 Fax. (310) 791-1025 e-Mail: <u>csr@yasutomo.com</u>

#### **YASUTOMO**

Revised: 04/07/2023

| C.I. acid blue 9           | None  | 220-168-0 | 2650-18-2 | 1~5    |
|----------------------------|---|-----------|-----------|--------|
| C.I. acid yellow 23        | None  | 217-699-5 | 1934-21-0 | 1~5    |
| C.I. acid yellow 3         | None  | 220-491-7 | 2783-94-0 | 1~5    |
| C.I. acid red 52           | None  | 222-529-8 | 3520-42-1 | 1~5    |
| 1,2-benzisothiazolin-3-one | Acute. Tox. 4-oral<br>Skin Irrit 2<br>Aquatic acute 1<br>Skin Sens. 1<br>Eye Dam. 1 | 220-120-9 | 2634-33-5 | <0.005 |

#### 04. First aid measures

Inhalation None

Skin Contact Immediately rinse skin with water.

Get medical advice and attention if you feel unwell.

Wash with plenty of soap and water.

If skin irritation or rash occurs, get medical advice and attention.

Eye Contact Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

When the ocular stimulation lasts, Seek medical treatment and advice.

Ingestion Rinse mouth. Do NOT induce vomiting.

Get medical advice and attention if you feel unwell.

## 05. Fire-fighting measures

Extinguishing Media Dry chemicals, CO<sub>2</sub>, water spray or regular foam.

#### 06. Accidental release measures

Personal Precautions Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

(Also see Section 8). Do not touch damaged container or leakage thing if you

do not wear appropriate

Protective clothes.

Environmental

Precautions

Method and Materials

for Containment and

Clean up:

Do not release to sewer, surface water or ground water.

After it is made to absorb to cloth or

sand, it flushes with bags of water. In this case, it is noted that a thick liquid

doesn't flow out to the river and drainage, etc.

<u>www.yasutomo.com</u> Tel. (310) 791-1995 Fax. (310) 791-1025 e-Mail: <u>csr@yasutomo.com</u> 2 of 6

#### **YASUTOMO**

Revised: 04/07/2023

## 07. Handling and storage

Precautions for Safe

Handling:

The worker wears an appropriate protection tool, and avoids

contact and the inhalation into eyes and the skins (Also see Section 8).

Conditions for Stable

Storage

The storage container must closely stop it, and be grounded and

bonded. Store away from low temperature less than its melting point and high

temperature below 50 °C.

## 08. Exposure controls / personal protection

**Engineering Controls** Personal Protective

Equipment

Good general ventilation should be sufficient to control airborne levels. Respiratory Use personal respiratory equipment as required.

Protection

Hand Protection

Use personal gloves as required.

Eye Protection Use personal eye protection as required. Skin and Body Use personal protective clothing and face

Protection protection as required.

## 09. Physical and chemical properties

Appearance Physical State liquid

> Form liquid (Low viscous liquid)

Lower Limit

**Upper Limit** 

Odour None Odour threshold

Melting Point/Freezing

Point

Initial Boiling Point and

**Boiling Ranges** Flash Point **Evaporation Rate** Flammability (solid, gas)

**Explosive Limits** Vapour Pressure Vapour Density Specific Gravity

Flammability or

Colour

Black, Blue, Red, Violet, Green etc.

No data available

7~9

No data available

100℃

no data available

no data available no data available

no data available no data available

no data available no data available no data available

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 e-Mail: csr@yasutomo.com

#### **YASUTOMO**

Revised: 04/07/2023

(Density)

Partition Coefficient : n- no data available

Octanol/Water

Auto-Ignition no data available
Decomposition no data available

Temperature

Viscosity >1000 mPa.s(25 ℃) Kinematic viscosity no data available

### 10. Stability and reactivity

Reactivity No data available

Chemical stability No decomposition, if used according to specifications.

Possibility of Hazardous Reaction
Incompatible Substances or Mixtures
Hazardous Decomposition Products

No data available
No data available

#### 11. Toxicological information

Acute Toxicity Inhalation: Not available

Ingestion: Not available

Eyes: May causes irritation transiently, but will be weakly

harmful

Skin: Will be weakly harmful.

Sensitization:

Mutagenicity

Reproductive Toxicity:

Carcinogenicity:

No data available

No data available

No data available

Other Information None

## 12. Ecological information

Toxicity: No data available Persistence /Degradability: Not available No data available

Bioaccumulation : Not expected to accumulate in biological organisms
Mobility: Not mobile soil. Pigment does not dissolve in water.
PBT and vPvB: No component in this ink a PBT or vPvB substance.

Ozone Depleting Substances:

Other advice Effects Not available

## 13. Disposal considerations

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 e-Mail: <u>csr@yasutomo.com</u> 4 of 6

#### **YASUTOMO**

Revised: 04/07/2023

Waste must be disposal of in accordance with federal, state and local regulations.

#### 14. Transport information

UN Number Not restricted UN Proper Sipping Name Not restricted Transport Hazard Class Not restricted Packing Group Not restricted

#### 15. Regulatory information

Inventory Status: All components are listed on ENCS, TSCA, DSL, ECL, ECN, IECSC, and EINECS/ELINCS.

(EU Information)

(EC) 2037/2000: Not Required (EC) 304/2003: Not Required

2002/95/EC: None

REACH SVHC (Until 10th candidate list): None

(USA Information)

SARA Title III §302: None

§304: None §313: None

California Proposition 65: None

HMIS Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: C

NFPA Rating: Health: 1 Flammability: 0 Reactivity: 0

## 16. Other information

## Literature References:

- \* ACGIH Threshold Limit Values for Chemicals Substances and Physical Agents and Biological Exposure Indices.
- \* ILO Occupational Safety and Health Series 37 "occupational Exposure Limits for Airborne Toxic Substances"
- \* World Health Organization International Agency for Research on cancer, IARC Monographs on the Carcinogenic

Risk of Chemicals to humans

- \* EU Directive 76/769/EEC, 67/548/EEC, 2009/2/EC
- \* EU Regulation (EC)2037/2000, (EC)304/2003, (EC) 1272/2008

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 e-mail: csr@yasutomo.com

## **YASUTOMO**

Revised: 04/07/2023

The information, data and recommendations set forth herein (the "information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the information and disclaims responsibility for any reliance thereon. The information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulation. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

<u>www.yasutomo.com</u> Tel. (310) 791-1995 Fax. (310) 791-1025 e-Mail: <u>csr@yasutomo.com</u> 6 of 6

#### **YASUTOMO**

Revised: 01/08/2023

## 01. CHEMICALS AND COMPANY IDENTIFICATION

Name : GEL X-TREME WHITE

Company: YASUTOMO

3740 SKYPARK DRIVE TORRANCE, CA 90505

 Phone:
 (310) 791-1995

 Fax:
 (310) 791-1025

 eMail:
 csr@yasutomo.com

 Homepage:
 www.yasutomo.com

Emergency phone: 911

Use of subsatance For gel pen inks

## **02. HAZARDS IDENTIFICATION**

#### **CLP/GHS Classification**

| Health                            | Environmental                     | Physical                          |
|-----------------------------------|-----------------------------------|-----------------------------------|
| Not Classified or Out of category | Not Classified or Out of category | Not Classified or Out of category |

Pictogram by CLP/GHS: None

| Hazard Statements                       | Precautionary Statements                    |
|---|---|
|   | P264: Wash hands thoroughly after handling. |
| P280: Wear protective gloves/protective |   |
|   | clothing/eye protection/face protection.    |
|   | P273: Avoid release to the environment.     |

## PBT substance and vPvB substance:

No component of this ink a PBT or vPvB substance under Regulation(ec) 1907/2006

## 03. COMPOSITION / INFORMATION ON INGREDIENTS

Distinction of Substance or Mixture mixture

| Substance                         | CLP/GHS<br>Classification  | EINECS/ELINCS | CAS        | Range [%] |
|-----------------------------------|--|---------------|------------|-----------|
| TITANIUM DIOXIDE                  | None   | 236-675-5     | 13463-67-7 | 5~10      |
| Glycerin                          | None   | 200-289-5     | 56-81-5    | 10~30     |
| 1,2-benzisothiazolin-3-one        | Acute. Tox. 4<br>Skin Irrit 2<br>Skin Sens. 1<br>Eye Dam. 1<br>Aquatic Acute 1 | 220-120-9     | 2634-33-5  | <0.005    |
| 3-lodo-2-propynyl butyl carbamate | Acute. Tox. 4 Skin Sens. 1 Eye Dam. 1 Aquatic Acute 1                          | 259-627-5     | 55406-53-6 | <0.015    |
| Pure Water                        | None   | 231-791-2     | 7723-18-5  | 50~60     |

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025

e-Mail: csr@yasutomo.com

#### **YASUTOMO**

Revised: 01/08/2023

#### 04. First aid measures

Inhalation None

Skin Contact Immediately rinse skin with water.

Get medical advice and attention if you feel unwell.

Wash with plenty of soap and water.

If skin irritation or rash occurs, get medical advice and attention.

Eye Contact Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

When the ocular stimulation lasts, Seek medical treatment and advice.

Ingestion Rinse mouth. Do NOT induce vomiting.

Get medical advice and attention if you feel unwell.

## 05. Fire-fighting measures

**Extinguishing Media** Dry chemicals, CO<sub>2</sub>, water spray or regular foam.

#### 06. Accidental release measures

**Personal Precautions** Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

Do not release to sewer, surface water or ground water.

(Also see Section 8). Do not touch damaged container or leakage thing if you

do not wear appropriate

Protective clothes.

Environmental

Precautions

Method and Materials

for Containment and

Clean up:

After it is made to absorb to cloth or

sand, it flushes with bags of water. In this case, it is noted that a thick liquid

doesn't flow out to the river and drainage, etc.

#### 07. Handling and storage

Precautions for Safe

Handling:

The worker wears an appropriate protection tool, and avoids

contact and the inhalation into eyes and the skins (Also see Section 8).\

Conditions for Stable

Storage

The storage container must closely stop it, and be grounded and

bonded. Store away from low temperature less than its melting point and high

temperature below 50 oC.

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com

#### **YASUTOMO**

Revised: 01/08/2023

## 08. Exposure controls / personal protection

**Exposure Limits:** 

| Component        | Wt %   | ACGIH 2002 •<br>TWA  | OSHA PEL             | EU-ILV            | DFG MAK           |
|------------------|--------|----------------------|----------------------|-------------------|-------------------|
| TITANIUM DIOXIDE | 10~15% | 15mg/m3<br>(as dust) | 10mg/m3<br>(as dust) | Not investigation | Not investigation |

**Equipment Measures Protection Tool** 

Facial cleansing shower and washroom equipment, etc.

The worker has to wear following protection tools for personal safe. Eye Protection: Chemical safety glasses with side-shields or goggles Skin Protection: Neoprene glove, boots, and/or full body protection

no data available

Ingestion Protection: Face shield or mask

## 09. Physical and chemical properties

Appearance Physical State liquid

> Form liquid (viscous liquid)

Colour white

Odour None Odour threshold No data available

7~9

Melting Point/Freezing No data available

Point

Initial Boiling Point and 100°C

**Boiling Ranges** 

Flash Point **Evaporation Rate** no data available Flammability (solid, gas) no data available Lower Limit no data available Flammability or **Explosive Limits Upper Limit** no data available no data available

Vapour Pressure Vapour Density no data available no data available Specific Gravity

(Density)

Partition Coefficient : nno data available

Octanol/Water **Auto-Ignition** no data available Decomposition no data available

Temperature

>2000 mPa.s(25°C) Viscosity Kinematic viscosity no data available

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 e-Mail: csr@yasutomo.com

#### **YASUTOMO**

Revised: 01/08/2023

## 10. Stability and reactivity

Reactivity No data available

Chemical stability No decomposition, if used according to specifications.

Possibility of Hazardous Reaction
Incompatible Substances or Mixtures
Hazardous Decomposition Products

No data available
No data available

#### 11. Toxicological information

Acute Toxicity Inhalation: Not available

Ingestion: Not available

Eyes: May causes irritation transiently, but will be weakly

harmful.

Skin: Will be weakly harmful.

Sensitization:

Mutagenicity

Reproductive Toxicity:

Carcinogenicity:

No data available

No data available

No data available

Other Information None

#### 12. Ecological information

Toxicity: No data available Persistence /Degradability: Not available No data available

Bioaccumulation

Mobility:

PBT and vPvB:

Not expected to accumulate in biological organisms
Not mobile soil. Pigment does not dissolve in water.
No component in this ink a PBT or vPvB substance.

Ozone Depleting Substances:

Other advice Effects Not available

## 13. Disposal considerations

Waste must be disposal of in accordance with federal, state and local regulations.

## 14. Transport information

UN Number Not restricted UN Proper Sipping Name Not restricted Transport Hazard Class Not restricted Packing Group Not restricted

www.yasutomo.com Tel. (310) 791-10995 Fax. (310) 791-1025 eMail: csr@yasutomo.com

#### **YASUTOMO**

Revised: 01/08/2023

Packing Group Not restricted Environmental Hazards Not restricted

Special Precautions for User Wear protection tools for personal safe in Section 8.

Transport according to Annex II of MARPOL Not Hazard Item, Not restricted

73/78 and the IBC Code:

### 15. Regulatory information

Inventory Status: All components are listed on ENCS, TSCA, DSL, ECL, ECN, IECSC, and EINECS/ELINCS.

(EU Information)

(EC) 2037/2000: Not Required (EC) 304/2003: Not Required

2002/95/EC: None

REACH SVHC (Until 10th candidate list): None

(USA Information)

SARA Title III §302: None

§304: None §313: None

California Proposition 65: None

HMIS Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: C

NFPA Rating: Health: 1 Flammability: 0 Reactivity: 0

## 16. Other informations

#### Literature References:

- \* ACGIH Threshold Limit Values for Chemicals Substances and Physical Agents and Biological Exposure Indices.
- \* ILO Occupational Safety and Health Series 37 "occupational Exposure Limits for Airborne Toxic Substances"
- \* World Health Organization International Agency for Research on cancer, IARC Monographs on the Carcinogenic

Risk of Chemicals to humans

- \* EU Directive 76/769/EEC, 67/548/EEC, 2009/2/EC
- \* EU Regulation (EC)2037/2000, (EC)304/2003, (EC) 1272/2008

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com

#### **YASUTOMO**

Revised: 01/08/2023

The information, data and recommendations set forth herein (the "information") are presented in good faith and are believed to be correct as of the date hereof. The company/manufacturer makes no representations as to the completeness or accuracy of the information and disclaims responsibility for any reliance thereon. The information is provided upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. Any use of the Information must be determined by the user to be in accordance with applicable Federal, state and local laws and regulation. In no event will the company/manufacturer be responsible for damages of any nature whatsoever resulting from the use or reliance upon the Information.

<u>www.yasutomo.com</u> Tel. (310) 791-1995 Fax. (310) 791-1025 e-Mail: <u>csr@yasutomo.com</u>

# Safety Data Sheet METALLIC GEL-XTREME (SILVER, GOLD)

## **YASUTOMO**

Revised: 01/09/2023

## 01. Identification of the substance / preparation and of the company

Product: METALLIC GEL X-TREME (SILVER, GOLD)

**Use:** See product designation

Company: YASUTOMO

3740 SKYPARK DRIVE TORRANCE, CA 90505

 Phone:
 (310) 791-1995

 Fax:
 (310) 791-1025

 eMail:
 csr@yasutomo.com

 Homepage:
 www.yasutomo.com

Emergency phone: 911

## **02. HAZARDS IDENTIFICATION**

## **CLP/GHS Classification**

| Health                            | Environmental                     | Physical                          |
|-----------------------------------|-----------------------------------|-----------------------------------|
| Not Classified or Out of category | Not Classified or Out of category | Not Classified or Out of category |

Pictogram by CLP/GHS: None

| Hazard Statements                       | Precautionary Statements                    |
|---|---|
|   |   |
|   | P264: Wash hands thoroughly after handling. |
| P280: Wear protective gloves/protective |   |
|   | clothing/eye protection/face protection.    |
|   | P273: Avoid release to the environment.     |

## PBT substance and vPvB substance:

No component of this ink a PBT or vPvB substance under Regulation(ec) 1907/2006

## 03. COMPOSITION / INFORMATION ON INGREDIENTS

| Substance                     | EINECS/ELINCS           | CAS                 | Range [%] | Symbol / R-phr. |
|-------------------------------|-------------------------|---------------------|-----------|-----------------|
| ALUMINUM PASTE + STEARIC ACID | 231-072-3<br>+266-928-5 | 7429-90-5 + 57-11-4 | 5~10      |                 |
| C.I PIGMENT YELLOW 83         | 226-939-8               | 5567-15-7           | 10~20     |                 |
| Glycerin                      | 200-289-5               | 56-81-5             | 10~20     |                 |
| 1,2-BENZISOTHAZOL-3(2H)-ONE   | 220-120-9               | 2634-33-5           | 0.005     |                 |
| WATER                         | 215-185-5               | 7732-18-5           | 30~40     |                 |

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com

Page 1 of 5

## Safety Data Sheet METALLIC GEL X-TREME (SILVER, GOLD)

#### **YASUTOMO**

Ingestion

Revised: 01/09/2023

#### 04. First aid measures

Inhalation None

Skin Contact Immediately rinse skin with water.

Get medical advice and attention if you feel unwell.

Wash with plenty of soap and water.

If skin irritation or rash occurs, get medical advice and attention.

Eye Contact Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsina.

When the ocular stimulation lasts, Seek medical treatment and advice.

Rinse mouth. Do NOT induce vomiting.

Get medical advice and attention if you feel unwell.

#### 05. Fire-fighting measures

Extinguishing Media Dry chemicals, CO<sub>2</sub>, water spray or regular foam.

#### 06. Accidental release measures

Personal Precautions Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

(Also see Section 8). Do not touch damaged container or leakage thing if you

do not wear appropriate

Protective clothes. Do not release to sewer, surface water or ground water.

Environmental

Precautions

Method and Materials

for Containment and

Clean up:

After it is made to absorb to cloth or

sand, it flushes with bags of water. In this case, it is noted that a thick liquid

doesn't flow out to the river and drainage, etc.

#### 07. Handling and storage

Precautions for Safe The worker wears an appropriate protection tool, and avoids

Handling: contact and the inhalation into eyes and the skins (Also see Section 8).\

Conditions for Stable The storage container must closely stop it, and be grounded and

Storage

bonded. Store away from low temperature less than its melting point and high temperature below 50 oC.

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com

Page 2 of 5

## **Safety Data Sheet** METALLIC GEL X-TREME (SILVER, GOLD)

#### **YASUTOMO**

Revised: 01/09/2023

#### 08. Exposure controls / personal protection

Respiratory protection Chemical resistant masks.

Hand protection Rubber gloves. Eye protection Chemical safty goggles.

Skin protection Impervious clothing.. General protective measures

Do not inhale vapours. Avoid contact with eyes and skin. Always wash up before handling product and before eationg, Hygiene measures

drinking, smoking or using the restroom Not determinated.

**Delimitation and monitoring** 

of the environmental

exposition

#### 09. Physical and chemical properties

Liquid paste.

Appearance/Odour: Metallic-SILVER, GOLD, BRONZE, PINK, BLUE, GREEN. VIOLET

pH-value: 7~9 Boiling point [°C]: ca. 100 Flash point [°C]: -15 Flammability:[°C]: None

ca. 0,8 Vol.% Lower explosion limit: Upper explosion limit: ca. 8,0 Vol.% Combustible properties: No.

no data available Vapour pressure [kPa]: Density [g/ml]: no data available Solubility in water: Complete.

Partition coefficient: n- octanol/ water: Not determinated. > 2,000mPa.s (25°C) Viscosity:

Relative vapour density determined ca. 3,3

in air:

Evaporation speed: ca. less than 1 Melting point [°C]: Not determinated. Auto ignition temperature [°C]: Not applicable. Decomposition temperature [°C]: Not applicable. Not applicable. pH-value, 1% Bulk density [kg/m³]: Not applicable.

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com

Page 3 of 5

# Safety Data Sheet METALLIC GEL X-TREME (SILVER, GOLD)

#### **YASUTOMO**

Revised: 01/09/2023

#### 10. Stability and reactivity

Reactivity No data available

Chemical stability No decomposition, if used according to specifications.

Possibility of Hazardous Reaction No data available Incompatible Substances or Mixtures No data available Hazardous Decomposition Products No data available

#### 11. Toxicological information

Acute Toxicity Inhalation: Not available

Ingestion: Not available

Eyes: May causes irritation transiently, but will be weakly

harmful.

Skin: Will be weakly harmful.

Sensitization:

Mutagenicity

Reproductive Toxicity:

Carcinogenicity:

No data available
No data available
No data available

Other Information None

## 12. Ecological information

Toxicity: No data available Persistence /Degradability: Not available No data available

Bioaccumulation : Not expected to accumulate in biological organisms
Mobility: Not mobile soil. Pigment does not dissolve in water.
PBT and vPvB: No component in this ink a PBT or vPvB substance.

Ozone Depleting Substances:

Other advice Effects Not available

Waste must be disposal of in accordance with federal, state and local regulations.

## 14. Transport information

UN Number Not restricted UN Proper Sipping Name Not restricted Transport Hazard Class Not restricted Packing Group Not restricted Packing Group Not restricted Environmental Hazards Not restricted

Special Precautions for User Wear protection tools for personal safe in Section 8.

Transport according to Annex II of MARPOL Not Hazard Item, Not restricted

73/78 and the IBC Code:

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com Page 4 of 5

## Safety Data Sheet METALLIC GEL- X-TREME (SILVER, GOLD)

## **YASUTOMO**

Revised: 01/09/2023

#### 15. Regulatory information

Inventory Status: All components are listed on ENCS, TSCA, DSL, ECL, ECN, IECSC, and EINECS/ELINCS.

(EU Information)

(EC) 2037/2000: Not Required (EC) 304/2003: Not Required

2002/95/EC: None

REACH SVHC (Until 10th candidate list): None

(USA Information)

SARA Title III §302: None

§304: None §313: None

California Proposition 65: None

HMIS Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: C

NFPA Rating: Health: 1 Flammability: 0 Reactivity: 0

#### 16. Other informations

Literature References:

- \* ACGIH Threshold Limit Values for Chemicals Substances and Physical Agents and Biological Exposure Indices.
- \* ILO Occupational Safety and Health Series 37 "occupational Exposure Limits for Airborne Toxic Substances"
- \* World Health Organization International Agency for Research on cancer, IARC Monographs on the Carcinogenic

Risk of Chemicals to humans

- \* EU Directive 76/769/EEC, 67/548/EEC, 2009/2/EC
- \* EU Regulation (EC)2037/2000, (EC)304/2003, (EC) 1272/20

<u>www.yasutomo.com</u> Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: <u>csr@yasutomo.com</u>

Page 5 of 5

## Safety Data Sheet METALLIC GEL X-TREME

#### **YASUTOMO**

Revised: 01/09/2023

## 01. Identification of the substance / preparation and of the company

Product: METALLIC GEL X-TREME
Use: See product designation

Company: YASUTOMO

3740 SKYPARK DRIVE TORRANCE, CA 90505

 Phone:
 (310) 791-1995

 Fax:
 (310) 791-1025

 eMail:
 csr@yasutomo.com

 Homepage:
 www.yasutomo.com

Emergency phone: 911

#### 02. HAZARDS IDENTIFICATION

## **CLP/GHS Classification**

| Health                            | Environmental                     | Physical                          |
|-----------------------------------|-----------------------------------|-----------------------------------|
| Not Classified or Out of category | Not Classified or Out of category | Not Classified or Out of category |

Pictogram by CLP/GHS: None

| Hazard Statements | Precautionary Statements                    |  |  |
|-------------------|---|--|--|
|                   | P264: Wash hands thoroughly after handling. |  |  |
|                   | P280: Wear protective gloves/protective     |  |  |
|                   | clothing/eye protection/face protection.    |  |  |
|                   | P273: Avoid release to the environment.     |  |  |

## PBT substance and vPvB substance:

No component of this ink a PBT or vPvB substance under Regulation(ec) 1907/2006

## 03. COMPOSITION / INFORMATION ON INGREDIENTS

| Substance                     | EINECS/ELINCS           | CAS                    | Range [%] | Symbol / R-phr. |
|-------------------------------|-------------------------|------------------------|-----------|-----------------|
| ALUMINUM PASTE + STEARIC ACID | 231-072-3<br>+266-928-5 | 7429-90-5<br>+ 57-11-4 | 5~10      |                 |
| C.I PIGMENT YELLOW 83         | 226-939-8               | 5567-15-7              | 10~20     |                 |
| C.I PIGMENT BLUE 15:3         | 205-685-1               | 147-14-8               | 10~20     |                 |
| C,I, PIGMENT RED 170          | 220-509-3               | 2786-76-7              | 10~20     |                 |

<u>www.yasutomo.com</u> Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: <u>csr@yasutomo.com</u> Page 1 of 5

## Safety Data Sheet METALLIC GEL X-TREME

#### **YASUTOMO**

Revised: 01/09/2023

| Substance                   | EINECS/ELINCS | CAS       | Range [%] | Symbol / R-phr. |
|-----------------------------|---------------|-----------|-----------|-----------------|
| C.I. PIGMENT VIOLET 23      | 228-767-9     | 6358-30-1 | 10~20     |                 |
| Glycerin                    | 200-289-5     | 56-81-5   | 20~30     |                 |
| 1,2-BENZISOTHAZOL-3(2H)-ONE | 220-120-9     | 2634-33-5 | <0.005    |                 |
| WATER                       | 215-185-5     | 7732-18-5 | 40~50     |                 |

#### 04. First aid measures

Inhalation None

Skin Contact Immediately rinse skin with water.

Get medical advice and attention if you feel unwell.

Wash with plenty of soap and water.

If skin irritation or rash occurs, get medical advice and attention.

Eye Contact Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

Continue rinsing.

When the ocular stimulation lasts, Seek medical treatment and advice.

Ingestion Rinse mouth. Do NOT induce vomiting.

Get medical advice and attention if you feel unwell.

## 05. Fire-fighting measures

**Extinguishing Media** Dry chemicals, CO<sub>2</sub>, water spray or regular foam.

## 06. Accidental release measures

Personal Precautions Avoid contact with skin, eyes and clothing. Avoid breathing vapor and mist.

(Also see Section 8). Do not touch damaged container or leakage thing if you

do not wear appropriate

Protective clothes.

Environmental

Do not release to sewer, surface water or ground water.

Precautions Method and Materials

for Containment and

After it is made to absorb to cloth or

Clean up:

sand, it flushes with bags of water. In this case, it is noted that a thick liquid

doesn't flow out to the river and drainage, etc.

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com Page 2 of 5

#### Safety Data Sheet **METALLIC GEL X-TREME**

## **YASUTOMO**

Revised: 01/09/2023

#### 07. Handling and storage

Precautions for Safe The worker wears an appropriate protection tool, and avoids

Handling: contact and the inhalation into eyes and the skins (Also see Section 8).\

Conditions for Stable The storage container must closely stop it, and be grounded and

Storage bonded. Store away from low temperature less than its melting point and high

temperature below 50 oC.

#### 08. Exposure controls / personal protection

Respiratory protection Chemical resistant masks.

Hand protection Rubber gloves.

Eye protection Chemical safty goggles. Impervious clothing.. Skin protection

General protective measures Do not inhale vapours. Avoid contact with eyes and skin. Always wash up before handling product and before eationg, Hygiene measures

Not determinated.

drinking, smoking or using the restroom

**Delimitation and monitoring** 

of the environmental

exposition

## 09. Physical and chemical properties

Form: Liquid paste.

Appearance/Odour: Metallic-SILVER, GOLD, BRONZE, PINK, BLUE, GREEN. VIOLET

pH-value: 7~9 Boiling point [°C]: ca. 100 Flash point [°C]: Flammability:[°C] : -15 None

Lower explosion limit: ca. 0,8 Vol.% ca. 8,0 Vol.% Upper explosion limit:

Combustible properties:

Vapour pressure [kPa]: no data available Density [g/ml]: no data available

Complete. Solubility in water:

Partition coefficient: n- octanol/ water: Not determinated. > 2,000mPa.s (25°C) Viscosity:

Relative vapour density determined ca. 3,3

in air:

www.yasutomo.com Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: csr@yasutomo.com Page 3 of 5

## Safety Data Sheet METALLIC GEL X-TREME

#### **YASUTOMO**

Revised: 01/09/2023

Evaporation speed:

Melting point [°C]:

Auto ignition temperature [°C]:

Decomposition temperature [°C]:

pH-value, 1%

Bulk density [kg/m³]:

Ca. less than 1

Not determinated.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

## 10. Stability and reactivity

Reactivity No data available

Chemical stability No decomposition, if used according to specifications.

Possibility of Hazardous Reaction No data available Incompatible Substances or Mixtures No data available Hazardous Decomposition Products No data available

## 11. Toxicological information

Acute Toxicity Inhalation: Not available

Ingestion: Not available

Eyes: May causes irritation transiently, but will be weakly

hármful.

Skin: Will be weakly harmful.

Sensitization:

Mutagenicity

Reproductive Toxicity:

Carcinogenicity:

No data available

No data available

No data available

Other Information None

## 12. Ecological information

Toxicity: No data available

Persistence / Degradability: Not available No data available

Bioaccumulation : Not expected to accumulate in biological organisms Mobility: Not mobile soil. Pigment does not dissolve in water.

PBT and vPvB:

No component in this ink a PBT or vPvB substance.

Ozone Depleting Substances:
Other advice Effects

Not available

<u>www.yasutomo.com</u> Tel. (310) 791-1025 Fax. (310) 791-1995 eMail: <u>csr@yasutomo.com</u> Page 4 of 5

## Safety Data Sheet METALLIC GEL X-TREME

#### **YASUTOMO**

Revised: 01/09/2023

#### 13. Disposal considerations

Waste must be disposal of in accordance with federal, state and local regulations.

#### 14. Transport information

UN Number Not restricted
UN Proper Sipping Name Not restricted
Transport Hazard Class Not restricted
Packing Group Not restricted
Packing Group Not restricted
Environmental Hazards Not restricted

Special Precautions for User Wear protection tools for personal safe in Section 8.

Transport according to Annex II of MARPOL Not Hazard Item, Not restricted

73/78 and the IBC Code:

#### 15. Regulatory information

Inventory Status: All components are listed on ENCS, TSCA, DSL, ECL, ECN, IECSC, and EINECS/ELINCS.

(EU Information)

(EC) 2037/2000: Not Required (EC) 304/2003: Not Required

2002/95/EC: None

REACH SVHC (Until 10th candidate list): None

(USA Information)

SARA Title III §302: None

§304: None §313: None

California Proposition 65: None

HMIS Rating: Health: 1 Flammability: 0 Reactivity: 0 Personal Protection: C

NFPA Rating: Health: 1 Flammability: 0 Reactivity: 0

#### 16. Other informations

#### Literature References:

- \* ACGIH Threshold Limit Values for Chemicals Substances and Physical Agents and Biological Exposure Indices.
- \* ILO Occupational Safety and Health Series 37 "occupational Exposure Limits for Airborne Toxic Substances"
- \* World Health Organization International Agency for Research on cancer, IARC Monographs on the Carcinogenic

Risk of Chemicals to humans

- \* EU Directive 76/769/EEC, 67/548/EEC, 2009/2/EC
- \* EU Regulation (EC)2037/2000, (EC)304/2003, (EC) 1272

<u>www.yasutomo.com</u> Tel. (310) 791-1995 Fax. (310) 791-1025 eMail: <u>csr@yasutomo.com</u> Page 5 of 5