

21938-1009

20533-XXXX

**GENERAL PENCIL COMPANY, INC.**

(T)650-369-4889 · (F)650-369-7169

**Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

**IDENTITY (As Used on Label and List)**

**All Wood Cased Pencil Products**  
**Art – Office – School – Craft – Charcoal –**  
**Graphite - Pastels - Colored**

**Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.**

**SECTION I****Manufacturer's Name**

General Pencil Company, Inc.

**Address****(Number, Street, City, State, and ZIP Code)**

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

**Emergency Telephone Number**

1-800-537-0734

**Telephone Number for Information**

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

**Date Prepared** 09/04/17**Signature of Preparer (optional)****Section II - Hazardous Ingredients/Identity Information****Hazardous Components***(Specific Chemical Identity; Common Name(s))*

N/A

**OSHA****PEL****ACGIH****TLV****Other Limits****Recommended****%****(optional)**

Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)

Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.

No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

**Section III - Physical/Chemical Characteristics****Boiling Point**

N/A

**Specific Gravity (H<sub>2</sub>O = 1)**

N/A

**Vapor Pressure (mm Hg)**

N/A

**Melting Point**

N/A

**Vapor Density (AIR = 1)**

N/A

**Evaporation Rate (Butyl Acetate = 1)**

N/A

**Solubility in Water**

N/A

**Appearance and Odor**

Solid Stick Form – Cedar Fragrance, Dk. Grey - Black

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
365° F	N/A	N/A	N/A

### Extinguishing Media

Foam, Carbon Dioxide, Dry Chemical

### Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

### Unusual Fire and Explosion Hazards

Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.

## Section V - Reactivity Data

Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	N/A

**Incompatibility (Materials to Avoid)**  
N/A

**Hazardous Decomposition or Byproducts**  
N/A

Hazardous Polymerization	May Occur	N/A	Conditions to Avoid
N/A	Will Not Occur	N/A	N/A

## Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
N/A	N/A	N/A	N/A

**Health Hazards (Acute and Chronic)**  
N/A

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
N/A	N/A	N/A	N/A

**Signs and Symptoms of Exposure**  
N/A

**Medical Conditions Generally Aggravated by Exposure**  
N/A

**Emergency and First Aid Procedures**  
N/A

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

<b>Section VII - Precautions for Safe Handling and Use</b>				
<b>Steps to Be Taken in Case Material is Released or Spilled</b>				
N/A				
<b>Waste Disposal Method</b>				
N/A				
<b>Precautions to Be taken in Handling and Storing</b>				
N/A				
<b>Other Precautions</b>				
N/A				

<b>Section VIII - Control Measures</b>				
<b>Respiratory Protection (Specify Type)</b>				
N/A				
<b>Ventilation:</b>	<b>Local Exhaust</b>	N/A	<b>Special</b>	N/A
	<b>Mechanical (General)</b>	N/A	<b>Other</b>	N/A
<b>Protective Gloves</b>				
N/A				
<b>Other Protective Clothing or Equipment</b>				
N/A				
<b>Work/Hygienic Practices</b>				
N/A				

<b>Section IX - Other</b>
PMA Certified

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



### IDENTITY (As Used on Label and List)

**General Pencil Charcoal  
Charcoal**

**Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.**

### SECTION I

#### Manufacturer or Distributor's Name

General Pencil Company, Inc.

#### Address

**(Number, Street, City, State, and ZIP Code)**

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

#### Emergency Telephone Number

1-800-537-0734

#### Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

**Date Prepared** 09/04/17

**Signature of Preparer (optional)**

### Section II - Hazardous Ingredients/Identity Information

#### Hazardous Components

*(Specific Chemical Identity; Common Name(s))*

N/A

#### OSHA

PEL

#### ACGIH

TLV

#### Other Limits

Recommended

#### %

(optional)

### Section III - Physical/Chemical Characteristics

#### Boiling Point

N/A

#### Specific Gravity (H<sub>2</sub>O = 1)

N/A

#### Vapor Pressure (mm Hg)

N/A

#### Melting Point

N/A

#### Vapor Density (AIR = 1)

N/A

#### Evaporation Rate (Butyl Acetate = 1)

N/A

#### Solubility in Water

N/A

#### Reactivity in Water

Non-Reactive

#### Appearance and Odor

Wood cased pencil, no odor

### Section IV - Fire and Explosion Hazard Data

#### Flash Point

**(Method Used)**

N/A

#### Flammable

**Limits**

N/A

#### LEL

N/A

#### UEL

N/A

#### Extinguishing Media

No special media required.

#### Special Fire Fighting Procedures

No special fire fighting procedures required.

#### Unusual Fire and Explosion Hazards

Not combustible.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section V - Reactivity Data

<b>Stability</b>	<b>Unstable</b>		<b>Conditions to Avoid</b>
	<b>Stable</b>	X	N/A
<b>Incompatibility (Materials to Avoid)</b>			
N/A			
<b>Hazardous Decomposition or Byproducts</b>			
N/A			
<b>Hazardous Polymerization</b>	<b>May Occur</b>	N/A	<b>Conditions to Avoid</b>
	<b>Will Not Occur</b>	N/A	N/A

## Section VI - Health Hazard Data

<b>Route(s) of Entry:</b>	<b>Inhalation?</b>	<b>Skin?</b>	<b>Eyes?</b>	<b>Ingestion?</b>
		X	X	X
<b>Health Hazards (Acute and Chronic)</b>				
None expected				
<b>Carcinogenicity:</b>	<b>NTP?</b>	<b>IARC Monographs?</b>	<b>OSHA Regulated?</b>	
	No	No	No	
<b>Signs and Symptoms of Exposure</b>				
N/A				
<b>Medical Conditions Generally Aggravated by Exposure</b>				
N/A				
<b>Emergency and First Aid Procedures</b>				
None Required				

## Section VII - Precautions for Safe Handling and Use

<b>Steps to Be Taken in Case Material is Released or Spilled</b>
None Required.
<b>Waste Disposal Method</b>
Dispose in accordance with Federal, State, and Local regulations
<b>Precautions to Be taken in Handling and Storing</b>
None required.
<b>Other Precautions</b>
None required.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section VIII - Control Measures

### Respiratory Protection (Specify Type)

None required.

<b>Ventilation:</b>	<b>Local Exhaust</b>	<b>Special</b>	<b>Mechanical (General)</b>	<b>Other</b>
	N/A	N/A	N/A	N/A

### Protective Gloves

N/A

### Eye Protection

N/A

### Other Protective Clothing or Equipment

N/A

### Work/Hygienic Practices

N/A

## Section IX - Color Information

This MSDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.

557-2B	570PC	957-6B
557-4B	967	960-2B
557-6B	957-2B	960-4B
557-HB	957-4B	960-6B

## Section X - Other

PMA Certified

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



### IDENTITY (As Used on Label and List) Willow Charcoal

**Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.**

### SECTION I

#### Manufacturer or Distributor's Name

General Pencil Company, Inc.

#### Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

#### Emergency Telephone Number

1-800-537-0734

#### Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

#### Date Prepared

 11/01/12

#### Signature of Preparer (optional)

### Section II - Hazardous Ingredients/Identity Information

#### Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

#### OSHA PEL

#### ACGIH TLV

#### Other Limits Recommended

#### % (optional)

### Section III - Physical/Chemical Characteristics

#### Boiling Point

N/A

#### Specific Gravity (H<sub>2</sub>O = 1)

N/A

#### Vapor Pressure (mm Hg)

N/A

#### Melting Point

N/A

#### Vapor Density (AIR = 1)

N/A

#### Evaporation Rate (Butyl Acetate = 1)

N/A

#### Solubility in Water

insoluble

#### Reactivity in Water

N/A

#### Appearance and Odor

Solid black carbon stick. No odor

### Section IV - Fire and Explosion Hazard Data

#### Flash Point

(Method Used)

N/A

#### Flammable

Limits

N/A

#### LEL

N/A

#### UEL

N/A

#### Extinguishing Media

N/A

#### Special Fire Fighting Procedures

General's Willow Charcoal is a natural organic product and does not cause a significant hazard if burnt. It should be treated as a wood material.

#### Unusual Fire and Explosion Hazards

N/A

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section V - Reactivity Data

<b>Stability:</b>	<b>Unstable</b>		<b>Conditions to Avoid</b>
	<b>Stable</b>	X	N/A
<b>Incompatibility (Materials to Avoid)</b>			
N/A			
<b>Hazardous Decomposition or Byproducts</b>			
N/A			
<b>Hazardous Polymerization:</b>	<b>May Occur</b>	N/A	<b>Conditions to Avoid</b>
	<b>Will Not Occur</b>	N/A	N/A

## Section VI - Health Hazard Data

<b>Route(s) of Entry:</b>	<b>Inhalation?</b>	<b>Skin?</b>	<b>Eyes?</b>	<b>Ingestion?</b>
	X	X	X	X

### Health Hazards (Acute and Chronic)

N/A

**Carcinogenicity:** NTP? N/A IARC Monographs? N/A OSHA Regulated? N/A

### Signs and Symptoms of Exposure

N/A

### Medical Conditions Generally Aggravated by Exposure

N/A

### Emergency and First Aid Procedures

Eyes	Flood the eye with plenty of water. Obtain medical attention if soreness or redness persists.
Skin	Not believed to be significant as supplied. Not classed as an irritant.
Ingestion	Not believed to be significant as supplied, but if a significant quantity is ingested seek medical attention/advice.
Inhalation	No fumes are given/emitted from the product.

## Section VII - Precautions for Safe Handling and Use

### Steps to Be Taken in Case Material is Released or Spilled

Sweep up using dustpan and brush. The powdered charcoal can be collected using a vacuum cleaner.

### Waste Disposal Method

Dispose of in accordance with local and national regulations.

### Precautions to be Taken in Handling and Storing

Charcoal sticks are fragile and should be handled and stored appropriately.

### Other Precautions

N/A

## Section VIII - Control Measures

### Respiratory Protection (Specify Type)

N/A

<b>Ventilation:</b>	<b>Local Exhaust</b>	<b>Special</b>	<b>Mechanical (General)</b>	<b>Other</b>
	N/A	N/A	N/A	N/A

### Protective Gloves

### Eye Protection

General Pencil Company, Inc.

MSDS  
<Product Name>

Page 2 of 3



# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

N/A

N/A

**Other Protective Clothing or Equipment**

**Work/Hygienic Practices**

## Section IX - Color Information

**This MSDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.**

N/A

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor  
Occupational Safety and Health  
Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



### IDENTITY (As Used on Label and List)

**Kneaded Erasers**  
**(#138E, #139E, #140E)**

**Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.**

### SECTION I

#### Manufacturer or Distributor's Name

General Pencil Company, Inc.

#### Address (Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

#### Emergency Telephone Number

1-800-537-0734

#### Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

**Date Prepared** 11/01/17

**Signature of Preparer (optional)**

### Section II - Hazardous Ingredients/Identity Information

#### Hazardous Components

(Specific Chemical Identity; Common Name(s))

Polyisobutylene polymer mixed with vulcanized vegetable oil, petroleum distillate, fillers, and pigment.  
DOES NOT CONTAIN LATEX AND LANOLIN.

OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)

### Section III - Physical/Chemical Characteristics

<b>Boiling Point</b>	N/A	<b>Specific Gravity (H<sub>2</sub>O = 1)</b>	N/A
<b>Vapor Pressure (mm Hg)</b>	N/A	<b>Melting Point</b>	N/A
<b>Vapor Density (AIR = 1)</b>	1.389g/cm <sup>3</sup>	<b>Evaporation Rate (Butyl Acetate = 1)</b>	N/A
<b>Solubility in Water</b>	Not soluble		
<b>Appearance and Odor</b>	Solid, Light Grey, Characteristic		

### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
N/A	N/A	N/A	N/A

#### Extinguishing Media

Water, Carbon Dioxide, Foam

#### Special Fire Fighting Procedures

N/A

#### Unusual Fire and Explosion Hazards

N/A

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section V - Reactivity Data

<b>Stability</b>	<b>Unstable</b>	N/A	<b>Conditions to Avoid</b>
	<b>Stable</b>	N/A	Prolonged heating causes material to soften
<b>Incompatibility (Materials to Avoid)</b>			
N/A			
<b>Hazardous Decomposition or Byproducts</b>			
N/A			
<b>Hazardous Polymerization</b>	<b>May Occur</b>	N/A	<b>Conditions to Avoid</b>
	<b>Will Not Occur</b>	N/A	

## Section VI - Health Hazard Data

<b>Route(s) of Entry:</b>	<b>Inhalation?</b>	<b>Skin?</b>	<b>Eyes?</b>	<b>Ingestion?</b>
	N/A	X	X	X
<b>Health Hazards (Acute and Chronic)</b>				
N/A				
<b>Carcinogenicity:</b>	<b>NTP?</b>	<b>IARC Monographs?</b>	<b>OSHA Regulated?</b>	
	N/A	N/A	N/A	
<b>Signs and Symptoms of Exposure</b>				
N/A				
<b>Medical Conditions Generally Aggravated by Exposure</b>				
N/A				
<b>Emergency and First Aid Procedures</b>				
Inhalation	N/A			
Skin	Wash with soap and water			
Eyes	Wash with water			
Ingestion	Consult with physician for advice			

## Section VII - Precautions for Safe Handling and Use

### Steps to Be Taken in Case Material is Released or Spilled

Clean up using manual or mechanical methods

### Waste Disposal Method

Dispose of per Local, State, and Federal regulations.

### Precautions to be taken in Handling and Storing

Keep away from strong sunlight and heat.

### Other Precautions

N/A

# GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

## Section VIII - Control Measures

### Respiratory Protection (Specify Type)

N/A

#### Ventilation:

**Local Exhaust**

N/A

**Special**

N/A

**Mechanical (General)**

N/A

**Other**

N/A

#### Protective Gloves

N/A

#### Eye Protection

N/A

#### Other Protective Clothing or Equipment

N/A

#### Work/Hygienic Practices

Practice good hygiene. Refrain from consuming food while using.

## Section IX - Other Information

On the basis of data available to us, this product does not cause health problems.

The information provided in this MSDS is correct to the best of our knowledge and belief at the date of its publication.

This product is LATEX and LANOLIN FREE.

This product conforms to EN 71 (European Standard for Safety of Toys)

Part 1 - Physical Properties

Part 2 - Flammability

Part 3 - Migratory Heavy Metal Content

\* U.S.G.P.O.: 1986 - 491 - 529/45775

\*\*This information sheet is for the consumer use of this product only.

\*\*\*The information herein is given in good faith, but no warranty, expressed or implied, is made.