

22110-XXXX

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Section 1 - PRODUCT AND COMPANY IDENTIFICATION**Material Name**

COPIC INK

Product Use

Drawing ink

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

Too Marker Products Inc.

7-22-17 Nishi-Gotanda,

Shinagawa-ku, Tokyo

141-0031,

JAPAN

Phone: +81-3-5719-2655

Emergency Phone #: +81-3-5719-2655

E-mail: tmp-inc@toomarker.co.jp

Section 2 - HAZARDS IDENTIFICATION**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

Flammable Liquids - Category 2

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Eye Irritation - Category 1

Skin Sensitization - Category 1A

Carcinogenicity - Category 1A

Reproductive Toxicity - Category 1A

Specific Target Organ Toxicity - Single Exposure - Category 1 (Central Nervous System , systemic toxicity)

Specific Target Organ Toxicity - Single Exposure - Category 3

Specific Target Organ Toxicity - Repeated Exposure - Category 1 (liver , Hematopoietic System)

Specific Target Organ Toxicity - Repeated Exposure - Category 2 (Central Nervous System)

Hazardous to the Aquatic Environment - Acute - Category 3

Hazardous to the Aquatic Environment - Chronic - Category 3

GHS Label Elements**Symbol(s)****Signal Word**

Danger

Hazard Statement(s)

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause cancer.

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

May damage fertility or the unborn child.
 Causes damage to organs.
 May cause respiratory irritation. May cause drowsiness or dizziness.
 Causes damage to organs through prolonged or repeated exposure.
 May cause damage to organs through prolonged or repeated exposure.
 Harmful to aquatic life with long lasting effects.

Precautionary Statement(s)**Prevention**

Obtain special instructions before use.
 Do not handle until all safety precautions have been read and understood.
 Keep container tightly closed.
 Keep away from heat/sparks/open flame/hot surfaces - No smoking.
 Ground/Bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting equipment.
 Take precautionary measures against static discharge.
 Use only non-sparking tools.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
 Do not breathe dust/fume/gas/mist/vapors/spray.
 Wash thoroughly after handling.
 Contaminated work clothing must not be allowed out of the workplace.
 Do not eat, drink or smoke when using this product.
 Avoid release to the environment.

Response

In case of fire: Use appropriate media to extinguish.
 If exposed: Call a POISON CENTER or doctor/physician.
 IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER or doctor.
 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 Take off contaminated clothing and wash before reuse.
 If skin irritation or rash occurs: Get medical advice/attention.

Storage

Store in a well-ventilated place. Keep container tightly closed.
 Keep cool.
 Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Statement(s) of Unknown Aquatic Toxicity

17% of the mixture consists of ingredient(s) of unknown acute aquatic toxicity.
 17% of the mixture consists of ingredient(s) of unknown chronic aquatic toxicity.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
64-17-5	Ethyl alcohol	75-85
71-23-8	n-Propanol	<10

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

68333-69-7	Pentaerythritol ester of maleic anhydride adduct of rosin	3-7
67-63-0	Isopropyl alcohol	<5
128-37-0	2,6-Di-tert-butyl-p-cresol	<1
61791-14-8	Ethoxylated coconut oil alkyl amine	<1
Mixture	Dye	<10

Component Related Regulatory Information

The chemical identity and/or percentage of composition is being withheld as a trade secret.

Section 4 - FIRST AID MEASURES**Inhalation**

Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician.

Skin

Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Ingestion

Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth.

Most Important Symptoms/Effects**Acute**

skin irritation, eye damage, allergic skin reaction, central nervous system damage, systemic toxicity damage, respiratory tract irritation, central nervous system depression

Delayed

allergic skin reaction, cancer, reproductive effects, liver damage, central nervous system damage, hematopoietic system damage

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES**Extinguishing Media****Suitable Extinguishing Media**

carbon dioxide, regular dry chemical, water spray, alcohol resistant foam

Unsuitable Extinguishing Media

Do not scatter spilled material with high-pressure water streams.

Special Hazards Arising from the Chemical

Highly flammable liquid and vapor. Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition.

Hazardous Combustion Products

oxides of carbon, miscellaneous decomposition products

Fire Fighting Measures

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. Keep unnecessary people away, isolate hazard area and deny entry. Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible

Safety Data Sheet

Material Name: COPIC INK
SDS ID: CA-1773

then take the following precautions: Let the fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. Do not attempt to extinguish fire unless flow of material can be stopped first. Flood with fine water spray. Do not scatter spilled material with high-pressure water streams. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Avoid heat, flames, sparks and other sources of ignition. Stop leak if possible without personal risk. Reduce vapors with water spray. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Large spills: Dike for later disposal. Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor or mist. Use only outdoors or in a well-ventilated area. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wear protective gloves/clothing and eye/face protection. Wash thoroughly after handling.

Conditions for Safe Storage, Including any Incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Store locked up.

Further information on storage conditions: Store and handle in accordance with all current regulations and standards.

Keep separated from incompatible substances.

Incompatible Materials

acids, bases, combustible materials, halocarbons, halogens, metal oxides, metal salts, metals, oxidizing materials, peroxides

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Ethyl alcohol	64-17-5
ACGIH:	1000 ppm STEL
NIOSH:	1000 ppm TWA ; 1900 mg/m ³ TWA
	3300 ppm IDLH (10% LEL)
OSHA (US):	1000 ppm TWA ; 1900 mg/m ³ TWA
Mexico:	1000 ppm TWA VLE-PPT ; 1900 mg/m ³ TWA VLE-PPT

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

n-Propanol	71-23-8
ACGIH:	100 ppm TWA
NIOSH:	200 ppm TWA ; 500 mg/m3 TWA
	250 ppm STEL ; 625 mg/m3 STEL
	Potential for dermal absorption
	800 ppm IDLH
OSHA (US):	200 ppm TWA ; 500 mg/m3 TWA
Mexico:	200 ppm TWA VLE-PPT ; 500 mg/m3 TWA VLE-PPT
	250 ppm STEL [PPT-CT] ; 625 mg/m3 STEL [PPT-CT]
	Skin - potential for cutaneous absorption
Isopropyl alcohol	67-63-0
ACGIH:	200 ppm TWA
	400 ppm STEL
NIOSH:	400 ppm TWA ; 980 mg/m3 TWA
	500 ppm STEL ; 1225 mg/m3 STEL
	2000 ppm IDLH (10% LEL)
OSHA (US):	400 ppm TWA ; 980 mg/m3 TWA
Mexico:	400 ppm TWA VLE-PPT ; 980 mg/m3 TWA VLE-PPT
	500 ppm STEL [PPT-CT] ; 1225 mg/m3 STEL [PPT-CT]
2,6-Di-tert-butyl-p-cresol	128-37-0
ACGIH:	2 mg/m3 TWA inhalable fraction and vapor
NIOSH:	10 mg/m3 TWA
Mexico:	10 mg/m3 TWA VLE-PPT
	20 mg/m3 STEL [PPT-CT]

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**Isopropyl alcohol (67-63-0)**

40 mg/l Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

Engineering Controls

Provide local exhaust or process enclosure ventilation system. Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Ensure compliance with applicable exposure limits.

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Individual Protection Measures, such as Personal Protective Equipment**Eye/face protection**

Wear splash resistant safety goggles.

Skin Protection

Wear protective clothing to prevent contact.

Respiratory Protection

Consult with a health and safety professional for specific respirators appropriate for your use.

Glove Recommendations

Wear appropriate chemical resistant gloves.

Protective Materials

Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Translucent liquid	Physical State	liquid
Odor	slight alcohol odor	Color	translucent
Odor Threshold	Not available	pH	Not available
Melting Point	-117 °C (Ethanol)	Boiling Point	79 °C (Ethanol)
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not available
Autoignition Temperature	Not available	Flash Point	14.3 °C
Lower Explosive Limit	3.3 vol% (Ethanol)	Decomposition temperature	Not available
Upper Explosive Limit	19 vol% (Ethanol)	Vapor Pressure	5.8 kPa (20 °C, Ethanol)
Vapor Density (air=1)	1.6 (Ethanol)	Specific Gravity (water=1)	Not available
Water Solubility	(Miscible with water)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	Not available
Physical Form	liquid	Molecular Weight	Not available

Other Information

No additional information is available.

Section 10 - STABILITY AND REACTIVITY**Reactivity**

No reactivity hazard is expected.

Chemical Stability

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Highly flammable. Avoid flames, sparks, and other sources of ignition. Containers may rupture or explode if exposed to heat. Avoid contact with incompatible materials.

Incompatible Materials

acids, bases, combustible materials, halocarbons, halogens, metal oxides, metal salts, metals, oxidizing materials, peroxides

Hazardous decomposition products

oxides of carbon, miscellaneous decomposition products

Section 11 - TOXICOLOGICAL INFORMATION**Information on Likely Routes of Exposure****Inhalation**

irritation, drowsiness, dizziness, cancer, reproductive effects, organ damage

Skin Contact

irritation

Eye Contact

eye damage

Ingestion

irritation, drowsiness, dizziness

Acute and Chronic Toxicity**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Ethyl alcohol (64-17-5)

Oral LD50 Rat 7060 mg/kg

Inhalation LC50 Rat 124.7 mg/L 4 h

n-Propanol (71-23-8)

Oral LD50 Rat 1870 mg/kg

Dermal LD50 Rabbit 4049 mg/kg

Inhalation LC50 Rat >13548 ppm 4 h

Isopropyl alcohol (67-63-0)

Oral LD50 Rat 1870 mg/kg

Dermal LD50 Rabbit 4059 mg/kg

Inhalation LC50 Rat 72600 mg/m³ 4 h**2,6-Di-tert-butyl-p-cresol (128-37-0)**

Oral LD50 Rat >2930 mg/kg (aqueous dispersion at 10% w/v of arabic gum)

Dermal LD50 Rat >2000 mg/kg (no deaths occurred)

Ethoxylated coconut oil alkyl amine (61791-14-8)

Oral LD50 Rat 750 mg/kg

Product Toxicity Data**Acute Toxicity Estimate**

Dermal	> 2000 mg/kg
Inhalation - Vapor	> 20 mg/L
Oral	> 2000 mg/kg

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Immediate Effects

skin irritation, eye damage, central nervous system damage, systemic toxicity damage, respiratory tract irritation, central nervous system depression

Delayed Effects

cancer, reproductive effects, liver damage, central nervous system damage, hematopoietic system damage

Irritation/Corrosivity Data

skin irritation, eye damage

Respiratory Sensitization

No information available for the product.

Dermal Sensitization

May cause an allergic reaction.

Component Carcinogenicity

Ethyl alcohol	64-17-5
ACGIH:	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
IARC:	Monograph 100E [2012] (in alcoholic beverages); Monograph 96 [2010] (in alcoholic beverages) (Group 1 (carcinogenic to humans))
DFG:	Category 5 (low carcinogenic potency)
OSHA:	Present
n-Propanol	71-23-8
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
Isopropyl alcohol	67-63-0
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 71 [1999] ; Supplement 7 [1987] ; Monograph 15 [1977] (Group 3 (not classifiable))
2,6-Di-tert-butyl-p-cresol	128-37-0
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Supplement 7 [1987] ; Monograph 40 [1986] (Group 3 (not classifiable))
DFG:	Category 4 (no significant contribution to human cancer)

Germ Cell Mutagenicity

No information available for the product.

Tumorigenic Data

No information available for the product.

Reproductive Toxicity

Available data characterizes components of this product as reproductive hazards.

Specific Target Organ Toxicity - Single Exposure

central nervous system, systemic toxicity, respiratory tract

Specific Target Organ Toxicity - Repeated Exposure

liver, central nervous system, hematopoietic system

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Aspiration hazard

Not expected to be an aspiration hazard.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION**Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Component Analysis - Aquatic Toxicity

Ethyl alcohol	64-17-5
Fish:	LC50 96 h Oncorhynchus mykiss 12 - 16 mg/L [static]; LC50 96 h Pimephales promelas >100 mg/L [static]; LC50 96 h Pimephales promelas 13400 - 15100 mg/L [flow-through]
Invertebrate:	LC50 48 h Daphnia magna 9268 - 14221 mg/L IUCLID ; EC50 48 h Daphnia magna 2 mg/L [Static] EPA
n-Propanol	71-23-8
Fish:	LC50 96 h Pimephales promelas 4480 mg/L [flow-through]
Invertebrate:	EC50 48 h Daphnia magna 3642 mg/L IUCLID ; EC50 48 h Daphnia magna 3339 - 3977 mg/L [Static] EPA
Isopropyl alcohol	67-63-0
Fish:	LC50 96 h Pimephales promelas 9640 mg/L [flow-through]; LC50 96 h Pimephales promelas 11130 mg/L [static]; LC50 96 h Lepomis macrochirus >1400000 µg/L
Algae:	EC50 96 h Desmodesmus subspicatus >1000 mg/L IUCLID ; EC50 72 h Desmodesmus subspicatus >1000 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 13299 mg/L IUCLID
2,6-Di-tert-butyl-p-cresol	128-37-0
Algae:	EC50 72 h Pseudokirchneriella subcapitata 6 mg/L IUCLID ; EC50 72 h Desmodesmus subspicatus >0.42 mg/L IUCLID

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No information available for product.

Section 13 - DISPOSAL CONSIDERATIONS

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Disposal Methods

Dispose in accordance with all applicable regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION**Component Marine Pollutants (IMDG)**

Not a marine pollutant.

IATA Information:**Shipping Name:** ALCOHOLS, N.O.S. , (Contains: Ethanol , Propanol)**Hazard Class:** 3**UN#:** UN1987**Packing Group:** II**Required Label(s):** 3**ICAO Information:****Shipping Name:** ALCOHOLS, N.O.S. , (Contains: Ethanol , Propanol)**Hazard Class:** 3**UN#:** UN1987**Packing Group:** II**Required Label(s):** 3**IMDG Information:****Shipping Name:** ALCOHOLS, N.O.S. , (Contains: Ethanol , Propanol)**Hazard Class:** 3**UN#:** UN1987**Packing Group:** II**Required Label(s):** 3**US DOT Information:****Shipping Name:** ALCOHOLS, N.O.S. , (Contains: Ethanol , Propanol)**Hazard Class:** 3**UN/NA #:** UN1987**Packing Group:** II**Required Label(s):** 3**TDG Information:****Shipping Name:** ALCOHOLS, N.O.S. , (Contains: Ethanol , Propanol)**Hazard Class:** 3**UN#:** UN1987**Packing Group:** II**Required Label(s):** 3**International Bulk Chemical Code**

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

n-Propanol	71-23-8
IBC Code:	Category Y

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Section 15 - REGULATORY INFORMATION**U.S. Federal Regulations**

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), and/or require an OSHA process safety plan.

Isopropyl alcohol	67-63-0
SARA 313:	1 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)

SARA Section 311/312 (40 CFR 370 Subparts B and C) \ reporting categories

Flammable; Carcinogenicity; Reproductive Toxicity; Skin Corrosion/Irritation; Respiratory/Skin Sensitization; Serious Eye Damage/Eye Irritation; Specific Target Organ Toxicity

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
Ethyl alcohol	64-17-5	Yes	Yes	Yes	Yes	Yes
n-Propanol	71-23-8	Yes	Yes	Yes	Yes	Yes
Isopropyl alcohol	67-63-0	Yes	Yes	Yes	Yes	Yes
2,6-Di-tert-butyl-p-cresol	128-37-0	Yes	Yes	Yes	Yes	Yes

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):

WARNING! This product contains a chemical known to the state of California to cause cancer

WARNING! This product contains a chemical known to the state of California to cause reproductive/developmental effects

Ethyl alcohol	64-17-5
Carc:	carcinogen , 4/29/2011 (in alcoholic beverages)
Repro/Dev. Tox	developmental toxicity , 10/1/1987 (in alcoholic beverages)

Canada Regulations**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Ethyl alcohol	64-17-5
	0.1 %
n-Propanol	71-23-8
	1 %

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

Isopropyl alcohol	67-63-0
	1 %
2,6-Di-tert-butyl-p-cresol	128-37-0
	1 %

Component Analysis - Inventory
Ethyl alcohol (64-17-5)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

n-Propanol (71-23-8)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

Pentaerythritol ester of maleic anhydride adduct of rosin (68333-69-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	No	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	No	Yes

Isopropyl alcohol (67-63-0)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

2,6-Di-tert-butyl-p-cresol (128-37-0)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes

Ethoxylated coconut oil alkyl amine (61791-14-8)

Safety Data Sheet

Material Name: COPIC INK

SDS ID: CA-1773

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	No	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Dye (Mixture)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
No	No	No	No	No	No	No	No	No	No	No	No	No	No

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 3 Fire: 4 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

New SDS: 26 July 2017

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit;

Safety Data Sheet

Material Name: COPIC INK**SDS ID: CA-1773**

UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information**Disclaimer:**

The information set forth in this Safety Data Sheet does not purport to be all-inclusive and should be used only as a guide. While the information and recommendations set forth herein are believed to be accurate, the company makes no warranty regarding such information and recommendations and disclaims all liability from reliance thereon.