

22888-1009

20533-XXXX

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

**IDENTITY (As Used on Label and List)**

All Wood Cased Pencil Products
Art – Office – School – Craft – Charcoal –
Graphite - Pastels - Colored

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I**Manufacturer's Name**

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 09/04/17**Signature of Preparer (optional)****Section II - Hazardous Ingredients/Identity Information****Hazardous Components**

(Specific Chemical Identity; Common Name(s))

N/A

OSHA**PEL****ACGIH****TLV****Other Limits****Recommended****%****(optional)**

Pencil products bearing the PMA Certification Mark (Seal) of the Pencil Makers Assoc. Inc., are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (B) (5)

Pencil products bearing the PMA Certification Mark (Seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the programs Toxicological review board to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans.

No acute or chronic health labeling is required under, provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236.

Section III - Physical/Chemical Characteristics**Boiling Point**

N/A

Specific Gravity (H₂O = 1)

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water

N/A

Appearance and Odor

Solid Stick Form – Cedar Fragrance, Dk. Grey - Black

General Pencil Company, Inc.

MSDS
Wood Cased Pencils

Page 1 of 3

Item Numbers: 20533-1009, 20533-1022, 20533-1049, 20533-1149, 20533-1369, 20533-2009, 20533-3009, 20533-4009, 20533-5009, 20533-1011, 20533-1109, 20533-2020, 20533-3060, 20533-3080, 20533-3280, 20533-3350, 20533-3710, 20533-3720, 20533-4040, 20533-4260, 20533-4510, 20533-5020, 20533-5140, 20533-5200, 20533-5230, 20533-5800, 20533-6040, 20533-6060, 20533-7010, 20533-7020, 20533-7050, 20533-7090, 20533-7840, 20533-7860, 20533-8050, 20533-8080, 20533-8140, 20533-8310, 20533-8520, 20533-8540, 20533-8710, 20533-9180

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section IV - Fire and Explosion Hazard Data

| Flash Point (Method Used) | Flammable Limits | LEL | UEL |
|------------------------------|---------------------|-----|-----|
| 365° F | N/A | N/A | N/A |

Extinguishing Media

Foam, Carbon Dioxide, Dry Chemical

Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Unusual Fire and Explosion Hazards

Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gasses.

Section V - Reactivity Data

| Stability | Unstable | N/A | Conditions to Avoid |
|-----------|----------|-----|---------------------|
| | Stable | N/A | N/A |

Incompatibility (Materials to Avoid)
N/A

Hazardous Decomposition or Byproducts
N/A

| Hazardous Polymerization | May Occur | N/A | Conditions to Avoid |
|--------------------------|----------------|-----|---------------------|
| N/A | Will Not Occur | N/A | N/A |

Section VI - Health Hazard Data

| Route(s) of Entry: | Inhalation? | Skin? | Ingestion? |
|--------------------|-------------|-------|------------|
| N/A | N/A | N/A | N/A |

Health Hazards (Acute and Chronic)
N/A

| Carcinogenicity: | NTP? | IARC Monographs? | OSHA Regulated? |
|------------------|------|------------------|-----------------|
| N/A | N/A | N/A | N/A |

Signs and Symptoms of Exposure
N/A

Medical Conditions Generally Aggravated by Exposure
N/A

Emergency and First Aid Procedures
N/A

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

N/A

Waste Disposal Method

N/A

Precautions to Be taken in Handling and Storing

N/A

Other Precautions

N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type)

N/A

Ventilation:

Local Exhaust

N/A

Special

N/A

Mechanical (General)

N/A

Other

N/A

Protective Gloves

N/A

Eye Protection

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

N/A

Section IX - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List) Factis Erasers

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer's or Distributors Name

General Pencil Company, Inc.

Address (Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 1/13/18

Signature of Preparer (optional)

Section II - Hazardous Ingredients

Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

OSHA
PELACGIH
TLVOther Limits
Recommended%
(optional)

Section III - Physical and Chemical Characteristics

Boiling Point

N/A

Specific Gravity (H₂O = 1)

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water

N/A

Reactivity in Water

Non-Reactive

Appearance and Odor

Section IV - Fire and Explosion Information

Flash Point (Method Used)

N/A

Auto ignition Temperature

N/A

Explosion limits in air (% by volume)

Not explosive

Extinguishing Media

No special media required

Special Fire Fighting Procedures

No special fire fighting procedures required

Unusual Fire and Explosion Hazards

Not combustible

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section V – Physical Hazards/Reactivity

| | | | |
|--|-----------------------|-----|----------------------------|
| Stability | Unstable | N/A | Conditions to Avoid |
| | Stable | N/A | N/A |
| Hazardous Polymerization Products | | | |
| N/A | | | |
| Incompatibility (Materials to Avoid) | | | |
| N/A | | | |
| Hazardous Decomposition or Byproducts | | | |
| N/A | | | |
| Hazardous Polymerization | May Occur | N/A | Conditions to Avoid |
| | Will Not Occur | N/A | N/A |

Section VI - Health Hazard Data

Permissible Exposure Level

See Section II for Component PEL/TLV's

Route(s) of Entry

Eye, Skin, Ingestion

Effects and Symptoms of Acute Exposure

None expected

Effects and Symptoms of Chronic Exposure

None expected

| | | | |
|---------------------------|------------|-------------|-------------|
| Carcinogen Listing | NTP | IARC | OSHA |
| | NO | NO | NO |

See Section II for Components Affected

Medical Conditions Usually Aggravated by Over Exposure to This Product

None

First Aid Measures

None required. No acute health effects expected

Section VII – Spill or Leak Procedures

Precautions to Be taken in Handling and Storing

N/A

Steps to be Taken In Case a Material is Spilled

No special spill procedures required

Waste Disposal Method

Dispose in accordance with Federal, State, and Local regulations.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

| |
|---|
| <p>Section VIII – Protective Equipment/Control Measures</p> <p>Respiratory Protection and Special Ventilation Requirements None</p> <p>Other Protective Equipment (Gloves, Goggles, Etc) None Required</p> <p>Work/Hygienic Practices None Required</p> |
|---|

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor
Occupational Safety and Health
Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

**General Pencil Charcoal
Charcoal**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

SECTION I

Manufacturer or Distributor's Name

General Pencil Company, Inc.

Address

(Number, Street, City, State, and ZIP Code)

(NJ) 67 Fleet St., Jersey City, NJ 07306

(CA) 3160 Bay Rd., Redwood City, CA 94063

Emergency Telephone Number

1-800-537-0734

Telephone Number for Information

(NJ) 1-201-653-5351 or (CA) 1-650-369-4889

Date Prepared 09/04/17

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components

(Specific Chemical Identity; Common Name(s))

N/A

OSHA

PEL

ACGIH

TLV

Other Limits

Recommended

%

(optional)

Section III - Physical/Chemical Characteristics

Boiling Point

N/A

Specific Gravity (H₂O = 1)

N/A

Vapor Pressure (mm Hg)

N/A

Melting Point

N/A

Vapor Density (AIR = 1)

N/A

Evaporation Rate (Butyl Acetate = 1)

N/A

Solubility in Water

N/A

Reactivity in Water

Non-Reactive

Appearance and Odor

Wood cased pencil, no odor

Section IV - Fire and Explosion Hazard Data

Flash Point

(Method Used)

N/A

Flammable

Limits

N/A

LEL

N/A

UEL

N/A

Extinguishing Media

No special media required.

Special Fire Fighting Procedures

No special fire fighting procedures required.

Unusual Fire and Explosion Hazards

Not combustible.

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section V - Reactivity Data

| | | | |
|--|-----------------------|-----|----------------------------|
| Stability | Unstable | | Conditions to Avoid |
| | Stable | X | N/A |
| Incompatibility (Materials to Avoid) | | | |
| N/A | | | |
| Hazardous Decomposition or Byproducts | | | |
| N/A | | | |
| Hazardous Polymerization | May Occur | N/A | Conditions to Avoid |
| | Will Not Occur | N/A | N/A |

Section VI - Health Hazard Data

| | | | | |
|--|--------------------|-------------------------|------------------------|-------------------|
| Route(s) of Entry: | Inhalation? | Skin? | Eyes? | Ingestion? |
| | | X | X | X |
| Health Hazards (Acute and Chronic) | | | | |
| None expected | | | | |
| Carcinogenicity: | NTP? | IARC Monographs? | OSHA Regulated? | |
| | No | No | No | |
| Signs and Symptoms of Exposure | | | | |
| N/A | | | | |
| Medical Conditions Generally Aggravated by Exposure | | | | |
| N/A | | | | |
| Emergency and First Aid Procedures | | | | |
| None Required | | | | |

Section VII - Precautions for Safe Handling and Use

| |
|--|
| Steps to Be Taken in Case Material is Released or Spilled |
| None Required. |
| Waste Disposal Method |
| Dispose in accordance with Federal, State, and Local regulations |
| Precautions to Be taken in Handling and Storing |
| None required. |
| Other Precautions |
| None required. |

GENERAL PENCIL COMPANY, INC.

(T)650-369-4889 · (F)650-369-7169

Section VIII - Control Measures

Respiratory Protection (Specify Type)

None required.

| | | | | |
|---------------------|----------------------|----------------|-----------------------------|--------------|
| Ventilation: | Local Exhaust | Special | Mechanical (General) | Other |
| | N/A | N/A | N/A | N/A |

Protective Gloves

N/A

Eye Protection

N/A

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices

N/A

Section IX - Color Information

This MSDS applies to the following colors which are associated with hazardous and/or non-hazardous ingredients.

| | | |
|--------|--------|--------|
| 557-2B | 570PC | 957-6B |
| 557-4B | 967 | 960-2B |
| 557-6B | 957-2B | 960-4B |
| 557-HB | 957-4B | 960-6B |

Section X - Other

PMA Certified

* U.S.G.P.O.: 1986 - 491 - 529/45775

**This information sheet is for the consumer use of this product only.

***The information herein is given in good faith, but no warranty, expressed or implied, is made.