

23832-1041

|   |          |
|---|----------|
| 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 | 05/21/18 |
|---|----------|



## Safety Data Sheet

Copyright, 2018, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 07-7652-6 | <b>Version Number:</b>  | 33.00    |
| <b>Issue Date:</b>     | 05/21/18  | <b>Supersedes Date:</b> | 01/30/18 |

### SECTION 1: Identification

#### 1.1. Product identifier

3M BRAND RE-STICKABLE GLUE STICK 6314, 6307

#### Product Identification Numbers

44-0028-8705-5, 44-0028-8706-3, 56-0359-9015-1, 70-0050-1334-0, 70-0051-9642-6, 70-0708-2565-1, 70-0708-2598-2, 70-0708-2621-2, 70-0708-2658-4, 70-0708-2659-2, 70-0709-7788-2, 70-0709-7789-0, 70-0709-7813-8, 70-0709-7822-9, 70-0709-7823-7, 70-0709-7824-5, 70-0709-7825-2, 70-0710-2245-6, 70-0710-2246-4, 70-0710-3424-6, 70-0710-3461-8, 70-0710-6879-8, 70-0710-9720-1, 70-0710-9757-3, 70-0711-7568-4, 70-0711-7787-0, 70-0712-1538-1, 70-0712-1540-7, 70-0712-1541-5, 70-0712-1573-8, 70-0712-1597-7, 70-0712-1598-5, 70-0714-2278-9, 70-0714-8230-4, 70-0714-8231-2

#### 1.2. Recommended use and restrictions on use

**Recommended use**  
Adhesive

#### 1.3. Supplier's details

|                      |   |
|----------------------|---|
| <b>MANUFACTURER:</b> | 3M                                      |
| <b>DIVISION:</b>     | Stationery and Office Supplies Division |
| <b>ADDRESS:</b>      | 3M Center, St. Paul, MN 55144-1000, USA |
| <b>Telephone:</b>    | 1-888-3M HELPS (1-888-364-3577)         |

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

#### 2.1. Hazard classification

Reproductive Toxicity: Category 2.

#### 2.2. Label elements

**Signal word**  
Warning

#### Symbols

Health Hazard |

|   |          |
|---|----------|
| 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 | 05/21/18 |
|---|----------|

**Pictograms****Hazard Statements**

Suspected of damaging fertility or the unborn child.

**Precautionary Statements****General:**

Keep out of reach of children.

**Prevention:**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves.

**Response:**

IF exposed or concerned: Get medical advice/attention.

**Storage:**

Store locked up.

**Disposal:**

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

26% of the mixture consists of ingredients of unknown acute oral toxicity.

|  |
|--|
| <b>SECTION 3: Composition/information on ingredients</b> |
|--|

| Ingredient                             | C.A.S. No.    | % by Wt              |
|--|---------------|----------------------|
| WATER                                  | 7732-18-5     | 35 - 50              |
| ACRYLATE POLYMER                       | Trade Secret* | 20 - 30              |
| ACRYLIC COPOLYMER                      | Trade Secret* | 5 - 20               |
| SODIUM STEARATE                        | 822-16-2      | 5 - 10               |
| 2-AMINOISOBUTANOL                      | 124-68-5      | 1 - 5 Trade Secret * |
| POLYETHYLENE GLYCOL                    | 25322-68-3    | 1 - 5                |
| Ethoxylated tetramethyldecylnediol     | 9014-85-1     | < 2 Trade Secret *   |
| N-VINYLPYRROLIDINONE POLYMER           | 9003-39-8     | < 2                  |
| SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE | 577-11-7      | < 2 Trade Secret *   |

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

|                                      |
|--------------------------------------|
| <b>SECTION 4: First aid measures</b> |
|--------------------------------------|

**4.1. Description of first aid measures****Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin Contact:**

|   |          |
|---|----------|
| 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 | 05/21/18 |
|---|----------|

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye Contact:**

No need for first aid is anticipated.

**If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1. Information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

## **SECTION 5: Fire-fighting measures**

**5.1. Suitable extinguishing media**

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products****Substance**

Carbon monoxide  
Carbon dioxide

**Condition**

During Combustion  
During Combustion

**5.3. Special protective actions for fire-fighters**

No special protective actions for fire-fighters are anticipated.

## **SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (gloves, respirators, etc.) as required.

**7.2. Conditions for safe storage including any incompatibilities**

|   |          |
|---|----------|
| 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 | 05/21/18 |
|---|----------|

No special storage requirements.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient          | C.A.S. No. | Agency | Limit type  | Additional Comments            |
|---------------------|------------|--------|---|--------------------------------|
| POLYETHYLENE GLYCOL | 25322-68-3 | AIHA   | TWA(as particulate):10 mg/m3                                      |                                |
| STEARATES           | 822-16-2   | ACGIH  | TWA(inhalable fraction):10 mg/m3;TWA(respirable fraction):3 mg/m3 | A4: Not class. as human carcin |

ACGIH : American Conference of Governmental Industrial Hygienists  
 AIHA : American Industrial Hygiene Association  
 CMRG : Chemical Manufacturer's Recommended Guidelines  
 OSHA : United States Department of Labor - Occupational Safety and Health Administration  
 TWA: Time-Weighted-Average  
 STEL: Short Term Exposure Limit  
 CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

None required.

##### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

##### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                         |       |
|-------------------------|-------|
| General Physical Form:  | Solid |
| Specific Physical Form: | Paste |

|  |                 |
|--|-----------------|
| <b>3M BRAND RE-STICKABLE GLUE STICK 6314, 6307</b> | <b>05/21/18</b> |
|--|-----------------|

|  |                                     |
|--|-------------------------------------|
| <b>Odor, Color, Grade:</b>                     | White with fatty acid/acrylic odor. |
| <b>Odor threshold</b>                          | <i>No Data Available</i>            |
| <b>pH</b>                                      | 10.7                                |
| <b>Melting point</b>                           | Approximately 54 °C                 |
| <b>Boiling Point</b>                           | <i>Not Applicable</i>               |
| <b>Flash Point</b>                             | No flash point                      |
| <b>Evaporation rate</b>                        | <i>Not Applicable</i>               |
| <b>Flammability (solid, gas)</b>               | Not Classified                      |
| <b>Flammable Limits(LEL)</b>                   | <i>Not Applicable</i>               |
| <b>Flammable Limits(UEL)</b>                   | <i>Not Applicable</i>               |
| <b>Vapor Pressure</b>                          | 11 mmHg [@ 68 °F]                   |
| <b>Vapor Density</b>                           | <i>No Data Available</i>            |
| <b>Density</b>                                 | 0.96 g/cm <sup>3</sup>              |
| <b>Specific Gravity</b>                        | 0.96 [ <i>Ref Std: WATER=1</i> ]    |
| <b>Solubility in Water</b>                     | Appreciable                         |
| <b>Solubility- non-water</b>                   | <i>No Data Available</i>            |
| <b>Partition coefficient: n-octanol/ water</b> | <i>No Data Available</i>            |
| <b>Autoignition temperature</b>                | <i>Not Applicable</i>               |
| <b>Decomposition temperature</b>               | <i>No Data Available</i>            |
| <b>Viscosity</b>                               | <i>Not Applicable</i>               |
| <b>Molecular weight</b>                        | <i>No Data Available</i>            |
| <b>Percent volatile</b>                        | Approximately 40 %                  |

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

This material is considered to be non reactive under normal use conditions.

### **10.2. Chemical stability**

Stable.

### **10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

### **10.4. Conditions to avoid**

None known.

### **10.5. Incompatible materials**

None known.

### **10.6. Hazardous decomposition products**

#### **Substance**

None known.

#### **Condition**

Refer to section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be

|   |          |
|---|----------|
| 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 | 05/21/18 |
|---|----------|

relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

#### Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

May cause additional health effects (see below).

#### Additional Health Effects:

#### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

| Name                                   | Route                          | Species | Value  |
|--|--------------------------------|---------|--|
| Overall product                        | Ingestion                      |         | No data available; calculated ATE >5,000 mg/kg |
| ACRYLATE POLYMER                       | Dermal                         |         | LD50 estimated to be > 5,000 mg/kg             |
| ACRYLATE POLYMER                       | Ingestion                      |         | LD50 estimated to be 2,000 - 5,000 mg/kg       |
| POLYETHYLENE GLYCOL                    | Dermal                         | Rabbit  | LD50 > 20,000 mg/kg                            |
| POLYETHYLENE GLYCOL                    | Ingestion                      | Rat     | LD50 32,770 mg/kg                              |
| SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE | Dermal                         | Rabbit  | LD50 > 10,000 mg/kg                            |
| Ethoxylated tetramethyldecynediol      | Dermal                         | Rat     | LD50 > 2,000 mg/kg                             |
| Ethoxylated tetramethyldecynediol      | Ingestion                      | Rat     | LD50 6,400 mg/kg                               |
| SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 20 mg/l                                 |
| SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE | Ingestion                      | Rat     | LD50 > 2,100 mg/kg                             |
| 2-AMINOISOBUTANOL                      | Dermal                         | Rabbit  | LD50 > 2,000 mg/kg                             |
| 2-AMINOISOBUTANOL                      | Ingestion                      | Rat     | LD50 2,900 mg/kg                               |
| N-VINYLPYRROLIDINONE POLYMER           | Dermal                         |         | LD50 estimated to be > 5,000 mg/kg             |
| N-VINYLPYRROLIDINONE POLYMER           | Inhalation-Dust/Mist (4 hours) | Rat     | LC50 > 5.2 mg/l                                |
| N-VINYLPYRROLIDINONE POLYMER           | Ingestion                      | Rat     | LD50 100,000 mg/kg                             |

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

| Name | Species | Value |
|------|---------|-------|
|      |         |       |

|  |                 |
|--|-----------------|
| <b>3M BRAND RE-STICKABLE GLUE STICK 6314, 6307</b> | <b>05/21/18</b> |
|--|-----------------|

|  |                        |                           |
|--|------------------------|---------------------------|
| ACRYLATE POLYMER                       | Professional judgement | No significant irritation |
| POLYETHYLENE GLYCOL                    | Rabbit                 | Minimal irritation        |
| Ethoxylated tetramethyldecynediol      | Rabbit                 | No significant irritation |
| SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE | Rabbit                 | Irritant                  |
| 2-AMINOISOBUTANOL                      | Rabbit                 | Irritant                  |
| N-VINYLPYRROLIDINONE POLYMER           | Rabbit                 | No significant irritation |

**Serious Eye Damage/Irritation**

| Name                                   | Species | Value         |
|--|---------|---------------|
| POLYETHYLENE GLYCOL                    | Rabbit  | Mild irritant |
| Ethoxylated tetramethyldecynediol      | Rabbit  | Corrosive     |
| SODIUM DI(2-ETHYLHEXYL) SULFOSUCCINATE | Rabbit  | Corrosive     |
| 2-AMINOISOBUTANOL                      | Rabbit  | Corrosive     |

**Skin Sensitization**

| Name                              | Species                | Value          |
|-----------------------------------|------------------------|----------------|
| ACRYLATE POLYMER                  | Professional judgement | Not classified |
| POLYETHYLENE GLYCOL               | Guinea pig             | Not classified |
| Ethoxylated tetramethyldecynediol | Mouse                  | Not classified |
| 2-AMINOISOBUTANOL                 | Guinea pig             | Not classified |
| N-VINYLPYRROLIDINONE POLYMER      | Human                  | Not classified |

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

| Name                              | Route    | Value         |
|-----------------------------------|----------|---------------|
| POLYETHYLENE GLYCOL               | In Vitro | Not mutagenic |
| POLYETHYLENE GLYCOL               | In vivo  | Not mutagenic |
| Ethoxylated tetramethyldecynediol | In Vitro | Not mutagenic |
| 2-AMINOISOBUTANOL                 | In Vitro | Not mutagenic |
| 2-AMINOISOBUTANOL                 | In vivo  | Not mutagenic |
| N-VINYLPYRROLIDINONE POLYMER      | In Vitro | Not mutagenic |

**Carcinogenicity**

| Name                         | Route     | Species | Value            |
|------------------------------|-----------|---------|------------------|
| POLYETHYLENE GLYCOL          | Ingestion | Rat     | Not carcinogenic |
| N-VINYLPYRROLIDINONE POLYMER | Ingestion | Rat     | Not carcinogenic |

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

| Name                | Route         | Value  | Species | Test Result                   | Exposure Duration |
|---------------------|---------------|--|---------|-------------------------------|-------------------|
| POLYETHYLENE GLYCOL | Ingestion     | Not classified for female reproduction             | Rat     | NOAEL 1,125 mg/kg/day         | during gestation  |
| POLYETHYLENE GLYCOL | Ingestion     | Not classified for male reproduction               | Rat     | NOAEL 5699 +/- 1341 mg/kg/day | 5 days            |
| POLYETHYLENE GLYCOL | Not Specified | Not classified for reproduction and/or development |         | NOEL N/A                      |                   |

**3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 05/21/18**

|                                     |           |  |       |                         |                            |
|-------------------------------------|-----------|--|-------|-------------------------|----------------------------|
| POLYETHYLENE GLYCOL                 | Ingestion | Not classified for development         | Mouse | NOAEL 562 mg/animal/day | during gestation           |
| Ethoxylated tetramethyldecylenediol | Ingestion | Not classified for female reproduction | Rat   | NOAEL 2,000 mg/kg/day   | 1 generation               |
| Ethoxylated tetramethyldecylenediol | Ingestion | Not classified for male reproduction   | Rat   | NOAEL 2,000 mg/kg/day   | 1 generation               |
| 2-AMINOISOBUTANOL                   | Ingestion | Not classified for female reproduction | Rat   | NOAEL 1,000 mg/kg/day   | prematuring into lactation |
| 2-AMINOISOBUTANOL                   | Ingestion | Not classified for male reproduction   | Rat   | NOAEL 1,000 mg/kg/day   | 37 days                    |
| 2-AMINOISOBUTANOL                   | Dermal    | Not classified for development         | Rat   | NOAEL 300 mg/kg/day     | during gestation           |
| 2-AMINOISOBUTANOL                   | Ingestion | Toxic to development                   | Rat   | NOAEL 100 mg/kg/day     | prematuring into lactation |
| N-VINYLPYRROLIDINONE POLYMER        | Ingestion | Not classified for development         | Rat   | NOAEL 5,000 mg/kg/day   | during gestation           |

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name                                | Route      | Target Organ(s)        | Value  | Species                | Test Result         | Exposure Duration |
|-------------------------------------|------------|------------------------|--|------------------------|---------------------|-------------------|
| POLYETHYLENE GLYCOL                 | Inhalation | respiratory irritation | Not classified   | Rat                    | NOAEL 1,008 mg/l    | 2 weeks           |
| Ethoxylated tetramethyldecylenediol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available |                   |
| 2-AMINOISOBUTANOL                   | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Mouse                  | NOAEL Not available |                   |

**Specific Target Organ Toxicity - repeated exposure**

| Name                                | Route      | Target Organ(s)  | Value  | Species | Test Result           | Exposure Duration |
|-------------------------------------|------------|--|--|---------|-----------------------|-------------------|
| POLYETHYLENE GLYCOL                 | Inhalation | respiratory system   | Not classified   | Rat     | NOAEL 1,008 mg/l      | 2 weeks           |
| POLYETHYLENE GLYCOL                 | Ingestion  | kidney and/or bladder   heart   endocrine system   hematopoietic system   liver   nervous system | Not classified   | Rat     | NOAEL 5,640 mg/kg/day | 13 weeks          |
| Ethoxylated tetramethyldecylenediol | Ingestion  | liver   blood   kidney and/or bladder  | Not classified   | Dog     | NOAEL 600 mg/kg/day   | 91 days           |
| 2-AMINOISOBUTANOL                   | Ingestion  | liver  | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL 23 mg/kg/day    | 90 days           |
| 2-AMINOISOBUTANOL                   | Ingestion  | blood   eyes   kidney and/or bladder   | Not classified   | Dog     | NOAEL 2.8 mg/kg/day   | 1 years           |

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information****Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.



|   |          |
|---|----------|
| 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 | 05/21/18 |
|---|----------|

**Chemical fate information**

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): Not regulated

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information****15.1. US Federal Regulations**

Contact 3M for more information.

**EPCRA 311/312 Hazard Classifications:****Physical Hazards**

Not applicable

**Health Hazards**

Reproductive toxicity

**15.2. State Regulations**

Contact 3M for more information.

**15.3. Chemical Inventories**

The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information.

The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Contact 3M for more information.

**15.4. International Regulations**

Contact 3M for more information.

**This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.**

|   |          |
|---|----------|
| 3M BRAND RE-STICKABLE GLUE STICK 6314, 6307 | 05/21/18 |
|---|----------|

## SECTION 16: Other information

### NFPA Hazard Classification

Health: 1 Flammability: 0 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

### HMIS Hazard Classification

Health: \*1 Flammability: 0 Physical Hazard: 0 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

|                        |           |                         |          |
|------------------------|-----------|-------------------------|----------|
| <b>Document Group:</b> | 07-7652-6 | <b>Version Number:</b>  | 33.00    |
| <b>Issue Date:</b>     | 05/21/18  | <b>Supersedes Date:</b> | 01/30/18 |

**DISCLAIMER:** The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M USA SDSs are available at [www.3M.com](http://www.3M.com)