

23912-XXXX

Safety Data Sheet**Product Name: Frank T Ross Ltd. Weldbond Wood Glue****1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY/UNDERTAKING****Product Identifier:****Product Name** Weldbond Wood Glue.**Other Identification Means:****Synonyms** None**Use of Substance/Preparation and Restrictions:****Recommended Use:** Adhesive.
Uses Advised Against: No information available**SDS Supplier Details:****Company Name:** Frank T. Ross Limited.
Company Identification: 110 Riviera Drive, Unit 3
Markham, Ontario L3R 5M1**Company Emergency Telephone Number** Emergency Phone: 905-940-1107**2. HAZARDS IDENTIFICATION****Classification:**

This product is not considered hazardous under the 2012 OSHA Hazard Communication Standard (29 CER 1910.1200) and WHMIS 2015.

GHS Label Elements, including precautionary statement:**Emergency Overview:****The product contains no substances which at given concentration, are considered to be hazardous to health.****Appearance: White, Viscous Physical State: Liquid Odour: Mild****Signal Word (GHS-US):**

None

Hazard Pictograms (GHS-US):

None

Hazard Statements (GHS-US):Causes mild skin irritation
May cause slight eye irritation.**Precautionary Statements (GHS-US) - Prevention:**

None

Date: November 13, 2024

SDS: Frank T Ross Ltd Weldbond Wood Glue.

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Precautionary Statements (GHS-US) - Response:

None

Precautionary Statements (GHS-US) - Storage:

None

Precautionary Statements (GHS-US) - Disposal:

None

Hazards not otherwise classified (HNOC):

None

Interactions with Other Chemicals:

None

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical

Ingredient	CAS#	% by Wt.	Trade Secret
------------	------	----------	--------------

No ingredients that require disclosure under OSHA or WHMIS 2015

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First Aid Measures:

Eye Contact:	Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin Contact:	Thoroughly wash exposed skin with soap and water. Remove any contaminated clothing and wash before reuse.
Inhalation:	Remove to fresh air. If symptoms persist consult physician.
Ingestion:	Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless directed by medical personal. Never give anything to an unconscious person. Get medical aid.
Notes to Physician:	Treatment based on judgment of attending physician.
Most Important symptoms and effects, both acute and delayed:	No information available

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media	Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant foam
Unsuitable Extinguishing Media	No information available.

November 13, 2024

SDS: Frank T Ross Ltd Weldbond Universal Adhesive.

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Specific Exposure Hazards Thermal decomposition releases irritating gases.
Hazardous Combustion Products Carbon Oxides.

Explosion Data:

Sensitivity to Mechanical Impact: None.

Sensitivity to Static Discharge: None.

Special safety equipment: Self-contained positive pressure breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe mist.

Environmental Precautions:

Environmental Precautions: Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up:

Method for Containment: Contain any spills with dikes to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

Procedures for Non-Emergency Personnel:

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

Procedures for Emergency Personnel:

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

Reference to Other Sections: See Heading 8. Exposure Controls and Personal Protection.

7. HANDLING AND STORAGE

Precautions for Safe Handling:

Handling: Ensure good ventilation/exhaustion at the workplace.

Information about fire and explosion protection: Keep respiratory protective device available.

Date November 13, 2024

SDS: Frank T Ross Ltd Weldbond Wood Glue.

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles: Store in a cool location.
Protect from humidity and water.
Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
Store receptacle in a well ventilated area.
Keep container tightly sealed.
Store product above 5°C.
Do not allow to freeze.
Shocking the emulsion with large amounts of chemicals or extreme shear may cause coagulation.

Specific end use(s): Adhesive.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters:

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Appropriate Engineering Controls:

Engineering Measures Showers. Eyewash Stations. Ventilation Systems.

Individual Protection Measures:

Protective not normally require for household use under normal conditions.
For industrial or institutional use see below.

Eye protection: Safety goggles.

Skin protection: Use body-covering impervious clothing.

Hand protection: Chemical resistant gloves.

Respiratory protection: Use local exhaust or dilution ventilation.

Working hygiene: Take usual precautions when handling. Workers should wash hands before eating, drinking or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Liquid	Odour	Typical
Appearance	Viscous		

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Colour	White.	Odour Threshold	No information available.
Property	Values	Remarks/Method	
pH	No data available	None known	
Melting/Freezing Point	0 ⁰ C/ 32F	None known	
Boiling Point/Range	Est 100 C / 212 F	None known	
Flash Point	None	None known	
Evaporation Rate	No data available	None known	
Flammability (solid, gas)	No data available	None known	
Flammability Limit in Air:			
Upper Limit	No data available	None known	
Lower Limit	No data available	None known	
Vapour Pressure	No data available	None known	
Vapour density	No data available	None known	
Specific Gravity	1.06 g/cm ³		
Water Solubility	Soluble in water.	None known	
Solubility Other Solvents	No data available	None known	
Partition Coefficient:			
n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition Temperature	No data available	None known	
Kinematic Viscosity	No data available	None known	
Dynamic Viscosity	3,500-6,000 cps	None known	
Explosive Properties	No data available	None known	
Oxidizing Properties	No data available	None known	
Other Properties:			
Softening Point	No data available		
VOC Content %	0.9% or 9 grams per liter		
Particle Size	No data available		
Particle Size Distribution	No data available		

10. STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Stable under recommended storage conditions
Possibility of Hazardous Reactions:	None under normal processing
Hazardous Polymerization:	Does not occur.
Conditions to avoid:	Incompatible agents
Incompatible materials:	Oxidizing agents, acids. Carbon oxides.
Hazardous Decomposition Products:	
Thermal Decomposition / Conditions to be avoided:	Residual monomer vapors can evolve when this product is heated during processing operations. In such case use local exhaust ventilation with a minimum capture velocity of 30 M/Min at the point of monomer evolution.

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

Product Information

Inhalation	Specific test data for substance/mixture not available
Eye Contact	Slight irritation
Skin Contact	Specific test data for substance/mixture not available
Ingestion	Specific test data for substance/mixture not available

Component Information:

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Weldbond	< 2,000 mg/Kg (oral/rat)	<5,000 mg/Kg (dermal/rabbit)	No data available.

Information on Toxicological Effects:

Symptoms None known

Delayed/Immediate/Chronic Effects from short and long term exposure:

Sensitization	None known
Mutagenic Effects	None known
Carcinogenicity	No ingredients listed as a carcinogen
Reproductive Toxicity	None known
STOT- Single Exposure	None known
STOT Repeated exposure	None known
Chronic Toxicity	None known
Target Organ Effects	None Known
Numerical Measures of Toxicity (based on GHS Chapter 3.1)	Not applicable

12. ECOLOGICAL INFORMATION

Ecotoxicity:	Not classified
Persistence and Degradability:	No information available
Bioaccumulative Potential:	No information available
Mobility in Soil:	No information available
Other Adverse Effects:	No information available
Other Information:	Avoid release to the environment.

13. DISPOSAL CONSIDERATIONS

Waste treatment Methods

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or

Disposal Methods otherwise comes in contact with a hazardous waste. If chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Contaminated Packaging:	appropriate state, regional, or local regulations for additional requirements. Dispose of contents/containers in accordance with Federal, State, Provincial and local regulations.
California Hazardous Waste Codes	None.
Ecology – Waste Materials:	Avoid release to the environment.

13. TRANSPORT INFORMATION

DOT:	Not Regulated
Proper Shipping Name	Not Regulated
Hazard Class	Not Applicable
TDG	Not Regulated
MEX	Not Regulated
ICAO	Not Regulated
IATA:	Not Regulated
Proper Shipping Name	Not Regulated
Hazard Class	Not Applicable
IMDG/IMO:	
Hazard Class	Not Applicable
RID	Not Regulated
ADR	Not Regulated
ADN	Not Regulated

15. REGULATORY INFORMATION

International Inventories:

TSCA	Complies
DSL	All components are listed either on the DSL or NDSL

TSCA – United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL – Canadian Domestic Substances List/Non-Domestic Substances List.

Canadian Regulations:

Canadian WHMIS Classification:	Not WHMIS regulated
Canadian DSL:	All components appear.

US Federal Regulations:

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories:

Acute Health Hazard	No
Chronic Health Hazard	No

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA–Reportable Qtys.	CWA–Toxic Pollutants	CWA–Priority Pollutants	CWA–Hazardous Substances
---------------	----------------------	----------------------	-------------------------	--------------------------

No chemical regulated under CWA.

CERCLA

This material, as supplied, does not contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
---------------	--------------------------	------------------------------------	----

None

US State Regulations:

California Proposition 65

This product does not contain any Proposition 65 Chemicals.

US State Right-To-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
---------------	------------	---------------	--------------	--------------	----------

No chemicals on the right to know state regulations.

	Health Hazard	Flammability	Instability	Physical Hazard	Physical and Chemical Hazards – Personal Protections
NFPA	1	0	0	n/a	X
HMIS	1	0	n/a	0	B

HMIS III Rating

Health: 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

Date November 13, 2024

SDS: Frank T Ross Ltd Weldbond Universal Adhesive.

Safety Data Sheet

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

16. OTHER INFORMATION

Prepared By: Technical Services
Frank T Ross & Sons

Issuing Date: February 17, 2023

Revision Date: None.

Revision Note: None.

Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

End of Safety Data Sheet

Date November 13, 2024

SDS: *Frank T Ross Ltd Weldbond Universal Adhesive.*

Page 9 of 9