

23971-4015  
23971-4019

## Safety Data Sheet

Material Name: Elmer's Color Changing Glue - Yellow

SDS ID: SDS-145

**Section 1 - PRODUCT AND COMPANY IDENTIFICATION****Material Name**

Elmer's Color Changing Glue – Yellow

**Synonyms**

2075351, 2078219, 2078219, 2083204

**Product Use**

Adhesive

**Restrictions on Use**

None known

**Details of the supplier of the safety data sheet**

Elmer's Products, Inc

460 Polaris Parkway, Suite 500

Westerville, OH 43082

USA

Phone: 1-888-435-6377

Fax: 1-800-741-6046

Email: comments@elmers.com

Emergency Phone Number:

Poison Control Center

1-888-516-2502

For additional product information, access our website at [www.elmers.com](http://www.elmers.com). To place an order, call 1-800-848-9400.

**Section 2 - HAZARDS IDENTIFICATION****Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

None needed according to classification criteria

**GHS Label Elements****Symbol(s)**

None needed according to classification criteria

**Signal Word**

None needed according to classification criteria

**Hazard Statement(s)**

None needed according to classification criteria.

**Precautionary Statement(s)****Prevention**

None needed according to classification criteria.

**Response**

None needed according to classification criteria.

**Storage**

None needed according to classification criteria.



## Safety Data Sheet

Material Name: Elmer's Color Changing Glue - Yellow

SDS ID: SDS-145

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other Hazards**

No data available

**Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS**

CAS	Component Name	Percent
Not available	Non-hazardous substance	100

**Section 4 - FIRST AID MEASURES****Inhalation**

If adverse effects occur, remove to uncontaminated area. If discomfort persists, contact a physician.

**Skin**

If on skin, wash immediately with plenty of soap and water. Get medical attention if irritation develops.

**Eyes**

Remove contact lenses, if present and easy to do. IMMEDIATELY wash with large amounts of warm water, occasionally lifting upper and lower lids, until no evidence of chemical remains (at least 15-20 minutes). Get medical attention immediately.

**Ingestion**

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious or convulsive person. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

**Most Important Symptoms/Effects****Acute**

No information on significant adverse effects.

**Delayed**

No information on significant adverse effects.

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically and supportively.

**Section 5 - FIRE FIGHTING MEASURES****Extinguishing Media****Suitable Extinguishing Media**

Use carbon dioxide, regular dry chemical, regular foam or water.

**Unsuitable Extinguishing Media**

None known.

**Special Hazards Arising from the Chemical**

Slight fire hazard.

**Hazardous Combustion Products**

oxides of carbon

**Advice for firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.



## Safety Data Sheet

**Material Name:** Elmer's Color Changing Glue - Yellow

**SDS ID:** SDS-145

### Fire Fighting Measures

Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

## Section 6 - ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

See Section 8 for Personal Protective Equipment recommendations.

### Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Small spills: Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

## Section 7 - HANDLING AND STORAGE

### Precautions for Safe Handling

Wash thoroughly after handling.

### Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store in accordance with all current regulations and standards. Keep separated from incompatible substances.

### Incompatible Materials

oxidizing materials

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

### EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

### ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

### Engineering Controls

Based on available information, additional ventilation is not required. Ensure compliance with applicable exposure limits.

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Eye protection not required under normal conditions.

#### Skin Protection

Protective clothing is not required under normal conditions.

#### Respiratory Protection

No respirator is required under normal conditions of use.

#### Glove Recommendations

Protective gloves are not required under normal conditions.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	Yellow to red liquid	<b>Physical State</b>	liquid
-------------------	----------------------	-----------------------	--------



## Safety Data Sheet

**Material Name: Elmer's Color Changing Glue - Yellow**
**SDS ID: SDS-145**

<b>Odor</b>	mild odor	<b>Color</b>	Yellow to red
<b>Odor Threshold</b>	Not available	<b>pH</b>	5.0 – 6.0
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	100 °C
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	0 °C
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Non-Flammable
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	None
<b>Lower Explosive Limit</b>	Not available	<b>Decomposition temperature</b>	Not available
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	Not applicable
<b>Vapor Density (air=1)</b>	Not applicable	<b>Specific Gravity (water=1)</b>	Not available
<b>Water Solubility</b>	Miscible	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	10000 – 15000 cps at 25°C	<b>Solubility (Other)</b>	Not available
<b>Density</b>	1.05 ±0.1 g/cm <sup>3</sup> at 25°C	<b>Physical Form</b>	liquid
<b>Molecular Weight</b>	Not available		

### Section 10 - STABILITY AND REACTIVITY

**Reactivity**

Not known to occur.

**Chemical Stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**Possibility of Hazardous Reactions**

No hazardous reaction when handled and stored per provisions.

**Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials.

**Incompatible Materials**

Strong oxidizing materials, strong reducing agents, alkali, acid.

**Hazardous decomposition products**

Does not decompose when used for intended uses.

### Section 11 - TOXICOLOGICAL INFORMATION

**Information on Likely Routes of Exposure**
**Inhalation**

No information on significant adverse effects.

**Skin Contact**

No information on significant adverse effects.



## Safety Data Sheet

**Material Name:** Elmer's Color Changing Glue - Yellow

**SDS ID:** SDS-145

**Eye Contact**

No information on significant adverse effects.

**Ingestion**

No information on significant adverse effects.

**Acute and Chronic Toxicity**

**Component Analysis - LD50/LC50**

The components of this material have been reviewed in various sources and no selected endpoints have been identified

**Product Toxicity Data**

**Acute Toxicity Estimate**

No data available.

**Immediate Effects**

No information on significant adverse effects.

**Delayed Effects**

No information on significant adverse effects.

**Irritation/Corrosivity Data**

No information on significant adverse effects.

**Respiratory Sensitization**

No data available.

**Dermal Sensitization**

No data available.

**Component Carcinogenicity**

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

**Germ Cell Mutagenicity**

No data available.

**Tumorigenic Data**

No data available

**Reproductive Toxicity**

No data available.

**Specific Target Organ Toxicity - Single Exposure**

No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

No data available.

**Aspiration hazard**

No data available.

**Medical Conditions Aggravated by Exposure**

None known.

### Section 12 - ECOLOGICAL INFORMATION

**Component Analysis - Aquatic Toxicity**

No LOLI ecotoxicity data are available for this product's components

### Section 13 - DISPOSAL CONSIDERATIONS

**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.



## Safety Data Sheet

**Material Name:** Elmer's Color Changing Glue - Yellow

**SDS ID:** SDS-145

### Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

UN/NA #: Not regulated

### IATA Information:

UN#: Not regulated

### TDG Information:

UN#: Not regulated

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

**SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories**

**Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No**

**SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories**

No hazard categories applicable.

### U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA

**Not listed under California Proposition 65**

### Canada Regulations

#### Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

### Component Analysis - Inventory

**Non-hazardous substance (Not available)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	Yes	Yes	Yes	Yes	No	No	No	No	No	Yes	Yes	Yes	No

## Section 16 - OTHER INFORMATION

### NFPA Ratings

Health: 1 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

### Summary of Changes

Updated SDS: 1/2/19

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -



## Safety Data Sheet

**Material Name:** Elmer's Color Changing Glue - Yellow

**SDS ID:** SDS-145

California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory; KECL - Korea Existing Chemicals List; KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

### Other Information

#### Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.