

24541-XXXX



## WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 09/01/2020 Supersedes: 11/05/2015 Version: 8.0

#### SECTION 1: Identification

##### 1.1. Identification

Product form : Article  
Product name : WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

##### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Artists', craft and hobby paints

##### 1.3. Supplier

**Other**  
Colart International Holdings LTD  
21 Evesham Street  
London, W11 4AJ - United Kingdom  
T 02084243200  
[r.enquiries@colart.co.uk](mailto:r.enquiries@colart.co.uk)

**Distributor**  
ColArt Americas Inc.  
2 Corporate Place South,  
Piscataway  
New Jersey, USA, NJ 08855  
T +1 888 422 7954

##### 1.4. Emergency telephone number

No additional information available

#### SECTION 2: Hazard(s) identification

##### 2.1. Classification of the substance or mixture

###### GHS US classification

Not classified

##### 2.2. GHS Label elements, including precautionary statements

###### GHS US labeling

No labeling applicable

##### 2.3. Other hazards which do not result in classification

No additional information available

##### 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### SECTION 3: Composition/Information on ingredients

##### 3.1. Substances

Not applicable

##### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
ETHANOL	(CAS-No.) 64-17-5	10 - 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319

Full text of hazard classes and H-statements : see section 16

#### SECTION 4: First-aid measures

##### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.

# WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and symptoms : Based on available data, the classification criteria are not met.  
Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Sand.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : No fire hazard.  
Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### ETHANOL (64-17-5)

Not applicable

Additional information : There exist no exposure limits for this material

### 8.2. Appropriate engineering controls

No additional information available

09/01/2020

EN (English US)

2/7

Item Numbers: 24541-1001, 24541-1002, 24541-1003, 24541-1004, 24541-1005, 24541-1006, 24541-1007, 24541-1008, 24541-1009, 24541-1010, 24541-1011, 24541-1012, 24541-1013, 24541-1014, 24541-1015, 24541-1016, 24541-1017, 24541-1018, 24541-1024, 24541-1029, 24541-1039, 24541-1040, 24541-1049, 24541-1059, 24541-1069, 24541-1079, 24541-1089, 24541-1096, 24541-1100, 24541-1124, 24541-1139, 24541-1160, 24541-1169, 24541-1200, 24541-1219, 24541-1229, 24541-1249, 24541-1269, 24541-1500, 24541-1510, 24541-1650, 24541-2001, 24541-2002, 24541-2020, 24541-2169, 24541-2249, 24541-2321, 24541-2322, 24541-2323, 24541-2324, 24541-2325, 24541-2369, 24541-2811, 24541-2822, 24541-2833, 24541-2844, 24541-2855, 24541-3001, 24541-3002, 24541-3003, 24541-3004, 24541-3005, 24541-3006, 24541-3010, 24541-3040, 24541-3100, 24541-3120, 24541-3140, 24541-3150, 24541-3160, 24541-3220, 24541-3240, 24541-3290, 24541-3340, 24541-3350, 24541-3370, 24541-3510, 24541-3590, 24541-3600, 24541-3620, 24541-3621, 24541-3700, 24541-3710, 24541-3711, 24541-3712, 24541-3713, 24541-3714, 24541-3720, 24541-3730, 24541-3740, 24541-3741, 24541-3742, 24541-3743, 24541-3750, 24541-3760, 24541-3770, 24541-4001, 24541-4002, 24541-4003, 24541-4004, 24541-4005, 24541-4006, 24541-4010, 24541-4060, 24541-4061, 24541-4110, 24541-4111, 24541-4170, 24541-4230, 24541-4260, 24541-4460, 24541-4510, 24541-4511, 24541-4550, 24541-4620, 24541-4680, 24541-4700, 24541-4850, 24541-4910, 24541-4911, 24541-4920, 24541-4930, 24541-4960, 24541-5001, 24541-5002, 24541-5003, 24541-5004, 24541-5005, 24541-5050, 24541-5070, 24541-5110, 24541-5120, 24541-5150, 24541-5180, 24541-5190, 24541-5200, 24541-5220, 24541-5280, 24541-5300, 24541-5310, 24541-5320, 24541-5440, 24541-5550, 24541-5590, 24541-5800, 24541-5910, 24541-5911, 24541-5912, 24541-5913, 24541-5914, 24541-5915, 24541-5920, 24541-5921, 24541-6000, 24541-6001, 24541-6002, 24541-6030, 24541-6040, 24541-6170, 24541-6310, 24541-6510, 24541-7010, 24541-7050, 24541-7070, 24541-7130, 24541-7150, 24541-7170, 24541-7230, 24541-7240, 24541-7250, 24541-7270, 24541-7370, 24541-7430, 24541-7510, 24541-7520, 24541-7910, 24541-7911, 24541-7912, 24541-8000, 24541-8010, 24541-8020, 24541-8050, 24541-8060, 24541-8070, 24541-8100, 24541-8130, 24541-8170, 24541-8230, 24541-8280, 24541-8281, 24541-8320, 24541-8340, 24541-8350, 24541-8360, 24541-8380, 24541-8440, 24541-8490, 24541-8530, 24541-8710, 24541-8730, 24541-8910, 24541-8911, 24541-8920, 24541-8930, 24541-9020, 24541-9320, 24541-1099, 24541-1109, 24541-1119, 24541-1149, 24541-1159, 24541-2029, 24541-2090, 24541-2320, 24541-2326, 24541-2327, 24541-2329, 24541-2800, 24541-2810, 24541-2866, 24541-2877, 24541-3019, 24541-4019, 24541-5000, 24541-5006, 24541-5007, 24541-5009, 24541-5549, 24541-6919, 24541-7019, 24541-7849

**WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)****Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**8.3. Individual protection measures/Personal protective equipment****Eye protection:**

Avoid contact with eyes

**Other information:**

Do not eat, drink or smoke during use. Ensure there is adequate ventilation.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state	: Liquid
	: Colorless
	: Mixture contains one or more component(s) which have the following odour:
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 23 °C (Closed cup)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

**9.2. Other information**

No additional information available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

The product is non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability**

Stable at ambient temperature and under normal conditions of use.

**10.3. Possibility of hazardous reactions**

None under normal use.

**10.4. Conditions to avoid**

Direct sunlight. Extremely high or low temperatures.

**10.5. Incompatible materials**

Strong acids. Strong bases.

**10.6. Hazardous decomposition products**

Carbon monoxide. Carbon dioxide.

**SECTION 11: Toxicological information****11.1. Information on toxicological effects**

09/01/2020

EN (English US)

3/7

Item Numbers: 24541-1001, 24541-1002, 24541-1003, 24541-1004, 24541-1005, 24541-1006, 24541-1007, 24541-1008, 24541-1009, 24541-1010, 24541-1011, 24541-1012, 24541-1013, 24541-1014, 24541-1015, 24541-1016, 24541-1017, 24541-1018, 24541-1024, 24541-1029, 24541-1039, 24541-1040, 24541-1049, 24541-1059, 24541-1069, 24541-1079, 24541-1089, 24541-1096, 24541-1100, 24541-1124, 24541-1139, 24541-1160, 24541-1169, 24541-1200, 24541-1219, 24541-1229, 24541-1249, 24541-1269, 24541-1500, 24541-1510, 24541-1650, 24541-2001, 24541-2002, 24541-2020, 24541-2169, 24541-2249, 24541-2321, 24541-2322, 24541-2323, 24541-2324, 24541-2325, 24541-2369, 24541-2811, 24541-2822, 24541-2833, 24541-2844, 24541-2855, 24541-3001, 24541-3002, 24541-3003, 24541-3004, 24541-3005, 24541-3006, 24541-3010, 24541-3040, 24541-3100, 24541-3120, 24541-3140, 24541-3150, 24541-3160, 24541-3220, 24541-3240, 24541-3290, 24541-3340, 24541-3350, 24541-3370, 24541-3510, 24541-3590, 24541-3600, 24541-3620, 24541-3621, 24541-3700, 24541-3710, 24541-3711, 24541-3712, 24541-3713, 24541-3714, 24541-3720, 24541-3730, 24541-3740, 24541-3741, 24541-3742, 24541-3743, 24541-3750, 24541-3760, 24541-3770, 24541-4001, 24541-4002, 24541-4003, 24541-4004, 24541-4005, 24541-4006, 24541-4010, 24541-4060, 24541-4061, 24541-4110, 24541-4111, 24541-4170, 24541-4230, 24541-4260, 24541-4460, 24541-4510, 24541-4511, 24541-4550, 24541-4620, 24541-4680, 24541-4700, 24541-4850, 24541-4910, 24541-4911, 24541-4920, 24541-4930, 24541-4960, 24541-5001, 24541-5002, 24541-5003, 24541-5004, 24541-5005, 24541-5050, 24541-5070, 24541-5110, 24541-5120, 24541-5150, 24541-5180, 24541-5190, 24541-5200, 24541-5220, 24541-5280, 24541-5300, 24541-5310, 24541-5320, 24541-5440, 24541-5550, 24541-5590, 24541-5800, 24541-5910, 24541-5911, 24541-5912, 24541-5913, 24541-5914, 24541-5915, 24541-5920, 24541-5921, 24541-6000, 24541-6001, 24541-6002, 24541-6030, 24541-6040, 24541-6170, 24541-6310, 24541-6510, 24541-7010, 24541-7050, 24541-7070, 24541-7130, 24541-7150, 24541-7170, 24541-7230, 24541-7240, 24541-7250, 24541-7270, 24541-7370, 24541-7430, 24541-7510, 24541-7520, 24541-7910, 24541-7911, 24541-7912, 24541-8000, 24541-8010, 24541-8020, 24541-8050, 24541-8060, 24541-8070, 24541-8100, 24541-8130, 24541-8170, 24541-8230, 24541-8280, 24541-8281, 24541-8320, 24541-8340, 24541-8350, 24541-8360, 24541-8380, 24541-8440, 24541-8490, 24541-8530, 24541-8710, 24541-8730, 24541-8910, 24541-8911, 24541-8920, 24541-8930, 24541-9020, 24541-9320, 24541-1099, 24541-1109, 24541-1119, 24541-1149, 24541-1159, 24541-2029, 24541-2090, 24541-2320, 24541-2326, 24541-2327, 24541-2329, 24541-2800, 24541-2810, 24541-2866, 24541-2877, 24541-3019, 24541-4019, 24541-5000, 24541-5006, 24541-5007, 24541-5009, 24541-5549, 24541-6919, 24541-7019, 24541-7849

## WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: No data available
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.

#### SECTION 12: Ecological information

##### 12.1. Toxicity

No additional information available

##### 12.2. Persistence and degradability

###### WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

Persistence and degradability	Not established.
-------------------------------	------------------

##### 12.3. Bioaccumulative potential

###### WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

Bioaccumulative potential	Not established.
---------------------------	------------------

##### 12.4. Mobility in soil

No additional information available

##### 12.5. Other adverse effects

Other information : Avoid release to the environment.

#### SECTION 13: Disposal considerations

##### 13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
 Ecology - waste materials : Avoid release to the environment.

#### SECTION 14: Transport information

##### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN3175 Solids containing flammable liquid, n.o.s. (CONTAINS), 4.1, II  
 UN-No.(DOT) : UN3175  
 Proper Shipping Name (DOT) : Solids containing flammable liquid, n.o.s.  
 CONTAINS  
 Class (DOT) : 4.1 - Class 4.1 - Flammable Solid 49 CFR 173.124  
 Packing group (DOT) : II - Medium Danger

09/01/2020

EN (English US)

4/7

Item Numbers: 24541-1001, 24541-1002, 24541-1003, 24541-1004, 24541-1005, 24541-1006, 24541-1007, 24541-1008, 24541-1009, 24541-1010, 24541-1011, 24541-1012, 24541-1013, 24541-1014, 24541-1015, 24541-1016, 24541-1017, 24541-1018, 24541-1024, 24541-1029, 24541-1039, 24541-1040, 24541-1049, 24541-1059, 24541-1069, 24541-1079, 24541-1089, 24541-1096, 24541-1100, 24541-1124, 24541-1139, 24541-1160, 24541-1169, 24541-1200, 24541-1219, 24541-1229, 24541-1249, 24541-1269, 24541-1500, 24541-1510, 24541-1650, 24541-2001, 24541-2002, 24541-2020, 24541-2169, 24541-2249, 24541-2321, 24541-2322, 24541-2323, 24541-2324, 24541-2325, 24541-2369, 24541-2811, 24541-2822, 24541-2833, 24541-2844, 24541-2855, 24541-3001, 24541-3002, 24541-3003, 24541-3004, 24541-3005, 24541-3006, 24541-3010, 24541-3040, 24541-3100, 24541-3120, 24541-3140, 24541-3150, 24541-3160, 24541-3220, 24541-3240, 24541-3290, 24541-3340, 24541-3350, 24541-3370, 24541-3510, 24541-3590, 24541-3600, 24541-3620, 24541-3621, 24541-3700, 24541-3710, 24541-3711, 24541-3712, 24541-3713, 24541-3714, 24541-3720, 24541-3730, 24541-3740, 24541-3741, 24541-3742, 24541-3743, 24541-3750, 24541-3760, 24541-3770, 24541-4001, 24541-4002, 24541-4003, 24541-4004, 24541-4005, 24541-4006, 24541-4010, 24541-4060, 24541-4061, 24541-4110, 24541-4111, 24541-4170, 24541-4230, 24541-4260, 24541-4460, 24541-4510, 24541-4511, 24541-4550, 24541-4620, 24541-4680, 24541-4700, 24541-4850, 24541-4910, 24541-4911, 24541-4920, 24541-4930, 24541-4960, 24541-5001, 24541-5002, 24541-5003, 24541-5004, 24541-5005, 24541-5050, 24541-5070, 24541-5110, 24541-5120, 24541-5150, 24541-5180, 24541-5190, 24541-5200, 24541-5220, 24541-5280, 24541-5300, 24541-5310, 24541-5320, 24541-5440, 24541-5550, 24541-5590, 24541-5800, 24541-5910, 24541-5911, 24541-5912, 24541-5913, 24541-5914, 24541-5915, 24541-5920, 24541-5921, 24541-6000, 24541-6001, 24541-6002, 24541-6030, 24541-6040, 24541-6170, 24541-6310, 24541-6510, 24541-7010, 24541-7050, 24541-7070, 24541-7130, 24541-7150, 24541-7170, 24541-7230, 24541-7240, 24541-7250, 24541-7270, 24541-7370, 24541-7430, 24541-7510, 24541-7520, 24541-7910, 24541-7911, 24541-7912, 24541-8000, 24541-8010, 24541-8020, 24541-8050, 24541-8060, 24541-8070, 24541-8100, 24541-8130, 24541-8170, 24541-8230, 24541-8280, 24541-8281, 24541-8320, 24541-8340, 24541-8350, 24541-8360, 24541-8380, 24541-8440, 24541-8490, 24541-8530, 24541-8710, 24541-8730, 24541-8910, 24541-8911, 24541-8920, 24541-8930, 24541-9020, 24541-9320, 24541-1099, 24541-1109, 24541-1119, 24541-1149, 24541-1159, 24541-2029, 24541-2090, 24541-2320, 24541-2326, 24541-2327, 24541-2329, 24541-2800, 24541-2810, 24541-2866, 24541-2877, 24541-3019, 24541-4019, 24541-5000, 24541-5006, 24541-5007, 24541-5009, 24541-5549, 24541-6919, 24541-7019, 24541-7849

# WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT) : 4.1 - Flammable solid



DOT Packaging Non Bulk (49 CFR 173.xxx) : 212  
 DOT Packaging Bulk (49 CFR 173.xxx) : 240  
 DOT Symbols : G - Identifies PSN requiring a technical name  
 DOT Special Provisions (49 CFR 172.102) : 47 - Mixtures of solids that are not subject to this subchapter and flammable liquids may be transported under this entry without first applying the classification criteria of Division 4.1, provided there is no free liquid visible at the time the material is loaded or at the time the packaging or transport unit is closed. Except when the liquids are fully absorbed in solid material contained in sealed bags, each packaging must correspond to a design type that has passed a leakproofness test at the Packing Group II level. Small inner packaging consisting of sealed packets containing less than 10 mL of a Class 3 liquid in Packing Group II or III absorbed into a solid material are not subject to this subchapter provided there is no free liquid in the packet.  
 IB6 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2). Additional Requirement: Composite IBCs 11HZ2 and 21HZ2 may not be used when the hazardous materials being transported may become liquid during transport.  
 IP2 - When IBCs other than metal or rigid plastics IBCs are used, they must be offered for transportation in a closed freight container or a closed transport vehicle.  
 T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2)  
 TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.  
 DOT Packaging Exceptions (49 CFR 173.xxx) : 151  
 DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 15 kg  
 DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 50 kg  
 DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.  
 Emergency Response Guide (ERG) Number : 133  
 Other information : No supplementary information available.

### Transportation of Dangerous Goods

Transport document description : UN3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (CONTAINS), 4.1, II  
 UN-No. (TDG) : UN3175  
 Proper Shipping Name (Transportation of Dangerous Goods) : SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.  
 TDG Primary Hazard Classes : 4.1 - Class 4.1 - Flammable Solids  
 Packing group : II - Medium Danger

09/01/2020

EN (English US)

5/7

Item Numbers: 24541-1001, 24541-1002, 24541-1003, 24541-1004, 24541-1005, 24541-1006, 24541-1007, 24541-1008, 24541-1009, 24541-1010, 24541-1011, 24541-1012, 24541-1013, 24541-1014, 24541-1015, 24541-1016, 24541-1017, 24541-1018, 24541-1024, 24541-1029, 24541-1039, 24541-1040, 24541-1049, 24541-1059, 24541-1069, 24541-1079, 24541-1089, 24541-1096, 24541-1100, 24541-1124, 24541-1139, 24541-1160, 24541-1169, 24541-1200, 24541-1219, 24541-1229, 24541-1249, 24541-1269, 24541-1500, 24541-1510, 24541-1650, 24541-2001, 24541-2002, 24541-2020, 24541-2169, 24541-2249, 24541-2321, 24541-2322, 24541-2323, 24541-2324, 24541-2325, 24541-2369, 24541-2811, 24541-2822, 24541-2833, 24541-2844, 24541-2855, 24541-3001, 24541-3002, 24541-3003, 24541-3004, 24541-3005, 24541-3006, 24541-3010, 24541-3040, 24541-3100, 24541-3120, 24541-3140, 24541-3150, 24541-3160, 24541-3220, 24541-3240, 24541-3290, 24541-3340, 24541-3350, 24541-3370, 24541-3510, 24541-3590, 24541-3600, 24541-3620, 24541-3621, 24541-3700, 24541-3710, 24541-3711, 24541-3712, 24541-3713, 24541-3714, 24541-3720, 24541-3730, 24541-3740, 24541-3741, 24541-3742, 24541-3743, 24541-3750, 24541-3760, 24541-3770, 24541-4001, 24541-4002, 24541-4003, 24541-4004, 24541-4005, 24541-4006, 24541-4010, 24541-4060, 24541-4061, 24541-4110, 24541-4111, 24541-4170, 24541-4230, 24541-4260, 24541-4460, 24541-4510, 24541-4511, 24541-4550, 24541-4620, 24541-4680, 24541-4700, 24541-4850, 24541-4910, 24541-4911, 24541-4920, 24541-4930, 24541-4960, 24541-5001, 24541-5002, 24541-5003, 24541-5004, 24541-5005, 24541-5050, 24541-5070, 24541-5110, 24541-5120, 24541-5150, 24541-5180, 24541-5190, 24541-5200, 24541-5220, 24541-5280, 24541-5300, 24541-5310, 24541-5320, 24541-5440, 24541-5550, 24541-5590, 24541-5800, 24541-5910, 24541-5911, 24541-5912, 24541-5913, 24541-5914, 24541-5915, 24541-5920, 24541-5921, 24541-6000, 24541-6001, 24541-6002, 24541-6030, 24541-6040, 24541-6170, 24541-6310, 24541-6510, 24541-7010, 24541-7050, 24541-7070, 24541-7130, 24541-7150, 24541-7170, 24541-7230, 24541-7240, 24541-7250, 24541-7270, 24541-7370, 24541-7430, 24541-7510, 24541-7520, 24541-7910, 24541-7911, 24541-7912, 24541-8000, 24541-8010, 24541-8020, 24541-8050, 24541-8060, 24541-8070, 24541-8100, 24541-8130, 24541-8170, 24541-8230, 24541-8280, 24541-8281, 24541-8320, 24541-8340, 24541-8350, 24541-8360, 24541-8380, 24541-8440, 24541-8490, 24541-8530, 24541-8710, 24541-8730, 24541-8910, 24541-8911, 24541-8920, 24541-8930, 24541-9020, 24541-9320, 24541-1099, 24541-1109, 24541-1119, 24541-1149, 24541-1159, 24541-2029, 24541-2090, 24541-2320, 24541-2326, 24541-2327, 24541-2329, 24541-2800, 24541-2810, 24541-2866, 24541-2877, 24541-3019, 24541-4019, 24541-5000, 24541-5006, 24541-5007, 24541-5009, 24541-5549, 24541-6919, 24541-7019, 24541-7849

# WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG Special Provisions	: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown, in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks). (2) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name: (a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S.; (b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S.; (c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S.; (d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.; or (e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S. (3) Despite subsection (1), the technical name for the following dangerous goods is not required to be shown on a small means of containment: (a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or (b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS, 56 - (1) When solids that are not dangerous goods, and liquids included in Class 3, Flammable Liquids, are in a mixture, the mixture may be handled, offered for transport or transported under this shipping name without the tests and criteria for including substances in Class 4.1, Flammable Solids, first being applied to them, if (a) there is no visible liquid at the time the mixture is loaded into a means of containment or at the time the means of containment is closed; and (b) each means of containment is leakproof. (2) These Regulations, except for Part 1 (Coming into Force, Repeal, Interpretation, General Provisions and Special Cases) and Part 2 (Classification), do not apply to a sealed packet or article containing less than 10 mL of dangerous goods included in Class 3, Flammable Liquids, packing group II or III, if there is no free liquid in the packet or article.
Explosive Limit and Limited Quantity Index	: 1 kg
Passenger Carrying Road Vehicle or Passenger Carrying Railway Vehicle Index	: 15 kg

### Transport by sea

Transport document description (IMDG)	: UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethyl Alcohol), 4.1, II
UN-No. (IMDG)	: 3175
Proper Shipping Name (IMDG)	: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.
Class (IMDG)	: 4.1 - Flammable solids, self-reactive substances and solid desensitized explosives
Packing group (IMDG)	: II - substances presenting medium danger

### Air transport

Transport document description (IATA)	: UN 3175 Solids containing flammable liquid, n.o.s. (CONTAINS), 4.1, II
UN-No. (IATA)	: 3175
Proper Shipping Name (IATA)	: Solids containing flammable liquid, n.o.s.
Class (IATA)	: 4.1 - Flammable solids
Packing group (IATA)	: II - Medium Danger

**WINSOR & NEWTON PROMARKERS (INCL. BRUSH MARKER)****Safety Data Sheet**


according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**SECTION 15: Regulatory information****15.1. US Federal regulations****US FEDERAL HAZARD CLASSIFICATION AND LABELLING FOR ART MATERIALS:**

All Colors have been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects.

All colours have been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the AP (Approved Product) Seal, meaning this bears no chronic or acute human health hazards.

**15.2. International regulations****CANADA**

No additional information available

**EU-Regulations**

No additional information available

**National regulations**

No additional information available

**15.3. US State regulations**

No additional information available

**SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

**US SDS LHAMA**

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*