

25311-0106



Safety Data Sheet

Issue Date: 09-Apr-2009

Revision Date: 10-Apr-2018

4008 Restorer Version 1

1. IDENTIFICATION

Product Identifier

Product Name 4008 Restorer

Other means of identification

SDS # 4008 Restorer

Recommended use of the chemical and restrictions on use

Recommended Use Adhesive remover, Paint remover, Graffiti Remover. Use as solvent to remove resins and paints.

Details of the supplier of the safety data sheet

Distributor Address

Color Craft, Ltd./Createx Colors
14 Airport Park Road
East Granby, Connecticut 06026

Emergency Telephone Number

Company Phone Number 800-243-2712
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless liquid

Physical State Liquid

Odor Sweet ether odor

Classification

Flammable Liquids

Category 4

Signal Word

Warning

Hazard Statements

Combustible liquid

Precautionary Statements - Prevention

Keep away from heat/sparks/open flames/hot surfaces. — No smoking
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

4008 Restorer

Revision Date: 10-APR-2018

Unknown Acute Toxicity

94% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|---------------|-----------|----------|
| Ethyl Alcohol | 64-17-5 | 1-10 |
| Water | 7732-18-5 | 90 |

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

| | |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye Contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Skin Contact | Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician. |
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Artificial respiration and/or oxygen may be necessary. Get medical attention immediately. |
| Ingestion | If conscious, give 1 glass of water to dilute. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention. |

Most important symptoms and effects

| | |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Symptoms | Direct contact with eyes will cause irritation. Direct contact with skin can cause irritation or redness. Ingestion may cause nausea, vomiting, dizziness, and headache. |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Notes to Physician | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**Dry chemical. Carbon dioxide (CO₂). Water spray (fog). Foam.

| | |
|-------------------|------------------------------------------------|
| Small Fire | Dry chemical or CO ₂ . Water spray. |
|-------------------|------------------------------------------------|

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Combustible material. Closed containers may explode due to buildup of pressure when exposed to extreme heat.

Hazardous Combustion Products Carbon oxides.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool containers to prevent pressure buildup.

4008 Restorer

Revision Date: 10-APR-2018

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal Precautions | Wear protective clothing as described in Section 8 of this safety data sheet. Evacuate personnel to safe areas. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate affected area. |
| Environmental Precautions | Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. See Section 12 for additional Ecological Information. |

Methods and material for containment and cleaning up

| | |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Methods for Containment | Prevent further leakage or spillage if safe to do so. |
| Methods for Clean-Up | Flush spill area with water, collect rinse water in containers for proper disposal. Small spills may be permitted to be flushed to a sanitary sewer. Check with local authorities before proceeding. |

7. HANDLING AND STORAGE

Precautions for safe handling

| | |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Advice on Safe Handling | Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Conditions for safe storage, including any incompatibilities

| | |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage Conditions | Keep container tightly closed and store in a cool, dry and well-ventilated place. Store in original labeled container. Keep out of the reach of children. |
| Incompatible Materials | Strong acids. Strong oxidizing agents. |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--------------------------|----------------|------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|
| Ethyl Alcohol 64-17-5 | STEL: 1000 ppm | TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³ | IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³ |

Appropriate engineering controls

| | |
|-----------------------------|------------------------------------------------------------------------------------------------------|
| Engineering Controls | Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers. |
|-----------------------------|------------------------------------------------------------------------------------------------------|

Individual protection measures, such as personal protective equipment

| | |
|----------------------------|-----------------------------------------------------|
| Eye/Face Protection | Wear safety glasses with side shields (or goggles). |
|----------------------------|-----------------------------------------------------|

4008 Restorer

Revision Date: 10-APR-2018

| | |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin and Body Protection | Neoprene or rubber gloves with cuffs. |
| Respiratory Protection | Ensure adequate ventilation, especially in confined areas. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available. |

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-------------------------------------|-----------------------------|--------------------------------|------------------|
| Physical State | Liquid | Odor | Sweet ether odor |
| Appearance | Colorless liquid | Odor Threshold | Not determined |
| Color | Colorless | | |
| Property | Values | Remarks • Method | |
| pH | Not applicable | | |
| Melting Point/Freezing Point | Not determined | | |
| Boiling Point/Boiling Range | 208.9 °C / 408 °F | | |
| Flash Point | 80 °C / 176 °F | | |
| Evaporation Rate | < 1 | CC (closed cup) (Water = 1) | |
| Flammability (Solid, Gas) | Liquid-not applicable | | |
| Upper Flammability Limits | 5.35% | | |
| Lower Flammability Limit | 1.21% | | |
| Vapor Pressure | <0.1 mm Hg | | |
| Vapor Density | 6.6 | (Air=1) | |
| Specific Gravity | 0.972 | @ 20°C (68°F) (1=Water) | |
| Water Solubility | 20% | | |
| Solubility in other solvents | Not determined | | |
| Partition Coefficient | Not determined | | |
| Auto-ignition Temperature | Not determined | | |
| Decomposition Temperature | Not determined | | |
| Kinematic Viscosity | Not determined | | |
| Dynamic Viscosity | Approximately that of water | | |
| Explosive Properties | Not determined | | |
| Oxidizing Properties | Not determined | | |

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Reactive with oxidizing materials and strong acids.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Extreme temperatures.

Incompatible Materials

Strong acids. Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂).

4008 Restorer

Revision Date: 10-APR-2018

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

| | |
|---------------------|----------------------------------|
| Eye Contact | Avoid contact with eyes. |
| Skin Contact | Avoid long term skin contact. |
| Inhalation | Avoid breathing vapors or mists. |
| Ingestion | Do not taste or swallow. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------|----------------------|-------------|--------------------------|
| Water 7732-18-5 | > 90 mL/kg (Rat) | - | - |
| Ethyl Alcohol 64-17-5 | = 7060 mg/kg (Rat) | - | = 124.7 mg/L (Rat) 4 h |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------|-------|---------|-------|------|
| Ethyl Alcohol 64-17-5 | A3 | Group 1 | Known | X |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 94% of the mixture consists of ingredient(s) of unknown toxicity.

4008 Restorer

Revision Date: 10-APR-2018

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|--------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Ethyl Alcohol 64-17-5 | | 12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through | EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min | 9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|--------------------------|-----------------------|
| Ethyl Alcohol 64-17-5 | -0.32 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

| Chemical Name | California Hazardous Waste Status |
|--------------------------|-----------------------------------|
| Ethyl Alcohol 64-17-5 | Toxic Ignitable |

4008 Restorer

Revision Date: 10-APR-2018

14. TRANSPORT INFORMATION

| | |
|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Note | Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. According to 49 CFR §173.150(f)(1), this material should be reclassified as "NA1993, Combustible Liquid, N.O.S." if it is shipped in bulk. |
| DOT | Not regulated |
| IATA | Not regulated |
| IMDG | |
| Marine Pollutant | This material may meet the definition of a marine pollutant |

15. REGULATORY INFORMATION**International Inventories**

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

This material, as supplied, does not contain any substances subject to the requirements of SARA Sections 311/312 (40 CFR 370)

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

| Chemical Name | California Proposition 65 |
|-------------------------|-----------------------------|
| Ethyl Alcohol - 64-17-5 | Carcinogen Developmental |

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------|------------|---------------|--------------|
| Ethyl Alcohol 64-17-5 | X | X | X |

4008 Restorer

Revision Date: 10-APR-2018

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

2

0

C

Issue Date: 09-Apr-2009
Revision Date: 10-Apr-2018 Formula
Revision Note: Confirmation

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet