

25792-1149



Safety Data Sheet

Issue Date: 09-Apr-2009

Revision Date: 10-Apr-2018

4008 Restorer Version 1

1. IDENTIFICATION

Product Identifier**Product Name** 4008 Restorer**Other means of identification****SDS #** 4008 Restorer**Recommended use of the chemical and restrictions on use****Recommended Use** Adhesive remover, Paint remover, Graffiti Remover. Use as solvent to remove resins and paints.**Details of the supplier of the safety data sheet****Distributor Address**Color Craft, Ltd./Createx Colors
14 Airport Park Road
East Granby, Connecticut 06026**Emergency Telephone Number****Company Phone Number** 800-243-2712
Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)
1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Colorless liquid**Physical State** Liquid**Odor** Sweet ether odor**Classification**

Flammable Liquids

Category 4

Signal Word

Warning

Hazard Statements

Combustible liquid

Precautionary Statements - PreventionKeep away from heat/sparks/open flames/hot surfaces. — No smoking
Wear protective gloves/protective clothing/eye protection/face protection**Precautionary Statements - Response**

IN CASE OF FIRE: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other Hazards

Toxic to aquatic life with long lasting effects

4008 Restorer

Revision Date: 10-APR-2018

Unknown Acute Toxicity

94% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethyl Alcohol	64-17-5	1-10
Water	7732-18-5	90

If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. FIRST-AID MEASURES**First Aid Measures**

Eye Contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin Contact	Wash with soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation persists, call a physician.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Artificial respiration and/or oxygen may be necessary. Get medical attention immediately.
Ingestion	If conscious, give 1 glass of water to dilute. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention.

Most important symptoms and effects

Symptoms	Direct contact with eyes will cause irritation. Direct contact with skin can cause irritation or redness. Ingestion may cause nausea, vomiting, dizziness, and headache.
-----------------	--

Indication of any immediate medical attention and special treatment needed

Notes to Physician	Treat symptomatically.
---------------------------	------------------------

5. FIRE-FIGHTING MEASURES**Suitable Extinguishing Media**

Dry chemical. Carbon dioxide (CO2). Water spray (fog). Foam.

Small Fire	Dry chemical or CO2. Water spray.
-------------------	-----------------------------------

Unsuitable Extinguishing Media Not determined.**Specific Hazards Arising from the Chemical**

Combustible material. Closed containers may explode due to buildup of pressure when exposed to extreme heat.

Hazardous Combustion Products Carbon oxides.**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water may be used to cool containers to prevent pressure build up.

4008 Restorer

Revision Date: 10-APR-2018

6. ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures**

- Personal Precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Evacuate personnel to safe areas. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate affected area.
- Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

- Methods for Containment** Prevent further leakage or spillage if safe to do so.
- Methods for Clean-Up** Flush spill area with water, collect rinse water in containers for proper disposal. Small spills may be permitted to be flushed to a sanitary sewer. Check with local authorities before proceeding.

7. HANDLING AND STORAGE**Precautions for safe handling**

- Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

Conditions for safe storage, including any incompatibilities

- Storage Conditions** Keep container tightly closed and store in a cool, dry and well-ventilated place. Store in original labeled container. Keep out of the reach of children.
- Incompatible Materials** Strong acids. Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

- Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Eyewash stations. Showers.

Individual protection measures, such as personal protective equipment

- Eye/Face Protection** Wear safety glasses with side shields (or goggles).

4008 Restorer

Revision Date: 10-APR-2018

Skin and Body Protection Neoprene or rubber gloves with cuffs.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. For emergencies, a NIOSH/MSHA approved positive pressure breathing apparatus should be readily available.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State	Liquid	Odor	Sweet ether odor
Appearance	Colorless liquid	Odor Threshold	Not determined
Color	Colorless		
Property	Values	Remarks • Method	
pH	Not applicable		
Melting Point/Freezing Point	Not determined		
Boiling Point/Boiling Range	208.9 °C / 408 °F		
Flash Point	80 °C / 176 °F		
Evaporation Rate	< 1	CC (closed cup) (Water = 1)	
Flammability (Solid, Gas)	Liquid-not applicable		
Upper Flammability Limits	5.35%		
Lower Flammability Limit	1.21%		
Vapor Pressure	<0.1 mm Hg		
Vapor Density	6.6	(Air=1)	
Specific Gravity	0.972	@ 20°C (68°F) (1=Water)	
Water Solubility	20%		
Solubility in other solvents	Not determined		
Partition Coefficient	Not determined		
Auto-ignition Temperature	Not determined		
Decomposition Temperature	Not determined		
Kinematic Viscosity	Not determined		
Dynamic Viscosity	Approximately that of water		
Explosive Properties	Not determined		
Oxidizing Properties	Not determined		

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

Reactive with oxidizing materials and strong acids.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Extreme temperatures.

Incompatible Materials

Strong acids. Strong oxidizing agents.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO₂).

4008 Restorer

Revision Date: 10-APR-2018

11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure****Product Information**

Eye Contact Avoid contact with eyes.

Skin Contact Avoid long term skin contact.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen. However, the product as a whole has not been tested. Ethanol has been shown to be carcinogenic in long-term studies only when consumed as an alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol 64-17-5	A3	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity

Not determined

Unknown Acute Toxicity 94% of the mixture consists of ingredient(s) of unknown toxicity.

4008 Restorer

Revision Date: 10-APR-2018

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Toxic to aquatic life with long lasting effects.

Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethyl Alcohol 64-17-5		12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

Chemical Name	Partition Coefficient
Ethyl Alcohol 64-17-5	-0.32

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS**Waste Treatment Methods****Disposal of Wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations.

California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Ethyl Alcohol 64-17-5	Toxic Ignitable

4008 Restorer

Revision Date: 10-APR-2018

14. TRANSPORT INFORMATION**Note**

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. According to 49 CFR §173.150(f)(1), this material should be reclassified as "NA1993, Combustible Liquid, N.O.S." if it is shipped in bulk.

DOT

Not regulated

IATA

Not regulated

IMDG**Marine Pollutant**

This material may meet the definition of a marine pollutant

15. REGULATORY INFORMATION**International Inventories****TSCA**

All ingredients are listed or exempt from listing on Chemical Substance Inventory

Legend:*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List**EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances**ENCS - Japan Existing and New Chemical Substances**IECSC - China Inventory of Existing Chemical Substances**KECL - Korean Existing and Evaluated Chemical Substances**PICCS - Philippines Inventory of Chemicals and Chemical Substances***US Federal Regulations****CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

SARA 311/312 Hazard Categories

This material, as supplied, does not contain any substances subject to the requirements of SARA Sections 311/312 (40 CFR 370)

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations**California Proposition 65**

Ethyl alcohol is only considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

Chemical Name	California Proposition 65
Ethyl Alcohol - 64-17-5	Carcinogen Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethyl Alcohol 64-17-5	X	X	X

4008 Restorer

Revision Date: 10-APR-2018

16. OTHER INFORMATION**NFPA****Health Hazards****Flammability****Instability****Special Hazards****HMIS****Health Hazards****Flammability****Physical Hazards****Personal Protection**

1

2

0

C

Issue Date:

09-Apr-2009

Revision Date:

10-Apr-2018 Formula

Revision Note:

Confirmation

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

**SAFETY DATA SHEET****4012**

Project Code: CRX2019-4012

Date: 3/21/2019

Page 1 of 6

1. Identification of the Preparation and of The Company

Product Name and/or code: 4012
 Effective Date: March 21, 2019
 Manufacturer: Color Craft Ltd / Createx Colors
 14 Airport Park Road, PO Box 120
 East Granby, CT 06026
 Information Contact: 860-653-5505
 Emergency Contact: 860-653-5505
 Chemtrec (24 hours): Contact your local Poison Control Center.
 Product Use: Art Material – Consumer Product

2. Hazards Identification**Emergency Overview****CAUTION! EYE IRRITANT.***Classification of the Product:*

Hazardous product.

Label Elements

Conforms to ASTM D-4236

Pictograms



Signal Word

CAUTION!

Hazard Statement

EYE IRRITANT.

Precaution Statement:

Avoid contact with eyes, skin and clothing. Do not eat, drink or smoke when using this product. Avoid release to the environment.

First Aid Statement

In case of eye contact, flush immediately with plenty of water for at least 15 minutes and get medical attention immediately. Seek medical assistance if irritation persists after exposure. If inhaled, remove to fresh air. If swallowed, do not induce vomiting. Get medical attention immediately.

Children's Statement

KEEP OUT OF REACH OF CHILDREN.

NFPA

Health: 1

Flammability: 0

Reactivity : 0

HMIS

Health : 1

Flammability: 0

Physical Hazard: 0

Regulation (EC) No. 1272/2008

Eye irritant. (H319)

3. Composition/Information on Ingredients:**Substances:**

**SAFETY DATA SHEET****4012**

Project Code: CRX2019-4012

Date: 3/21/2019

Page 2 of 6

Mixture of the following chemicals:

2-Butoxyethanol (CAS No. 111-76-2) ---- 5.00-15.00%
Ethylene glycol (CAS No. 107-21-1) ----- Less than 0.1%
The remainder of the formulation is composed of non hazardous ingredients.

Risk and Safety Phrases:

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.

4. First Aid Measures

Inhalation	If affected, remove to fresh air.
Skin Contact	Wash the affected area thoroughly with plenty of soap and water.
Eye Contact	Carefully flush with water for 15 minutes. If irritation occurs, contact a physician.
Ingestion	Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

5. Firefighting Measures

Extinguishing Media	Water, foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards	This product is not known to present any fire hazard.
Flashpoint/Flammability	Not flammable

6. Accidental Release Measures

Environmental precautions	None known.
Methods and Materials for Containment and Cleaning up	Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

Safe Handling	Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.
Storage	Store between 50-100 deg. F., ideally 70 deg. F.

8. Exposure Controls/Personal Protection



SAFETY DATA SHEET

4012

Project Code: CRX2019-4012

Date: 3/21/2019

Page 3 of 6

Personal Protective Equipment

Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.

Exposure Limits

Not established for product as a mixture.

Exposure limits for **2-Butoxyethanol** below:

OSHA PEL for 2 -Butoxyethanol is a 50 ppm TWA (240 mg/m³).

Per ACGIH, the value is 20 ppm TWA, and per NIOSH is 700 ppm IDLH.

Exposure limits for **Ethylene Glycol** below:

OSHA ceiling limit 50 ppm (approximately 125 mg/m³).

Respiratory and Ventilation

Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection

Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection

Wear goggles where spills or splashing may occur.

9. Physical and Chemical Properties

Appearance	Clear liquid
Physical State	Liquid
VOC Content	36.1 g/L Regulatory
Solids Percentage	0.13
Color	Colorless
Odor	Ether-like odor
Boiling Point	Not determined
Freezing Point	Not determined
State (pH)	No data available
Specific Gravity	No data available
Viscosity	No data available
Flashpoint	Not determined
Vapor Pressure	Not determined
Vapor Density	Not determined
Solubility in water	Miscible

10. Stability and Reactivity

Reactivity	No dangerous reaction known under conditions of normal use.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Avoid all sources of ignition.
Incompatible materials	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds.



SAFETY DATA SHEET

4012

Project Code: CRX2019-4012

Date: 3/21/2019

Page 4 of 6

Hazardous Decomposition Products

Carbon monoxide, carbon dioxide.

11. Toxicological Information

Health Effects	Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients only.
Eye Effects	Eye Irritant.
Skin Effects	Not a skin irritant.
Sensitization	Not a sensitizer.
Additional toxicological information:	Not acutely toxic.

12. Ecological Information

Toxicity:	Toxic to aquatic life with long lasting effects.
Aquatic toxicity	No information available.
Persistence and degradability	No information available.
Bio accumulative potential	No information available.
Mobility in soil	No information available.
Additional ecological information	No information available.

13. Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations.

14. Transport Information

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT Non-Bulk

Shipping Name	Not regulated
Technical Shipping Name	Not regulated
Hazard Class	Not regulated
UN Number	Not regulated
Packing Group	Not regulated

IMDG

Shipping Name	Not regulated
Technical Shipping Name	Not regulated
Hazard Class	Not regulated
UN Number	Not regulated
Packing Group	Not regulated
EmS Number	Not regulated
Marine Pollutant	Not regulated

ICAO/IATA

Shipping Name	Not regulated
Technical Shipping Name	Not regulated
Hazard Class	Not regulated
UN Number	Not regulated
Packing Group	Not regulated
Marine Pollutant	Not regulated

**SAFETY DATA SHEET****4012**

Project Code: CRX2019-4012

Date: 3/21/2019

Page 5 of 6

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA	Not applicable to this mixture.
Section 355 (extremely hazardous substances)	Not applicable to this mixture.
Section 313 (Specific toxic chemical listing)	Not applicable to this mixture.
TSCA (Toxic Substance Control Act)	All ingredients are listed.
California Proposition 65	As of 3/21/2019 this product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at concentrations which would require a warning under the statute.

Carcinogenicity categories

EPA (Environmental Protection Agency)	Not applicable to this mixture.
TLV (Threshold Limit Value established by ACGIH)	Not applicable to this mixture.
MAK (German Maximum Workplace Concentration)	Not applicable to this mixture.
NIOSH (National Institute for Occupational Safety & Health)	Not applicable to this mixture.
OSHA (Occupational Safety & Health Administration)	Not applicable to this mixture.

16. Other Information

Supersedes MSDS	5/31/2016
Reason for Issue:	Updated information.
Prepared by:	Rudolph J. Jaeger, Ph.D., DABT, ERT (UK) Chief Toxicologist and President ENVIRONMENTAL MEDICINE, INC. 778 Carver Ave Westwood, NJ 07675 jaegerr@envmed.com 201-666-7929 x13

**SAFETY DATA SHEET****4012**

Project Code: CRX2019-4012

Date: 3/21/2019

Page 6 of 6

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations and acronyms:**H Statements**

H319 – Causes serious eye irritation.

NFPA (SCALE 0-4) National Fire Protection Association (USA)

Health: 1 - Caution. May be irritating.

Fire: 0 - Not combustible.

Reactivity: 0 - Stable. Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials Identification System (USA)

Health: 1 - Slight hazard: Irritation or minor reversible injury possible.

Fire: 0 - Minimal hazard: Materials that will not burn.

Reactivity: 0 - Minimal hazard: This material is normally stable, even under fire conditions and will not react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Exposure Limits

TWA - Time Weighted Average (8 hr.)

STEL - Short Time Exposure Limit (15 min.)

REL - Recommended Exposure Limit

PEL - Permissible Exposure Limit

IDLH - Immediately Dangerous to Life or Health

ACGIH - Association Advancing Occupational and Environmental Health

EPA - Environmental Protection Agency



COL2015-266



SAFETY DATA SHEET
4030 BALANCING CLEAR
(AUTO AIR COLORS/WICKED COLORS/CREATEX COLORS)



December 8, 2015
 Page 1 of 6

1. Identification of the Preparation and of The Company

Product Name and/or code:	4030 BALANCING CLEAR (AUTO AIR COLORS/WICKED COLORS/CREATEX COLORS)
Effective Date:	12/8/2015
Manufacturer:	Color Craft Ltd/ Createx Colors/ Auto-Air Colors/ Wicked Colors 14 Airport Park Road, PO Box 120 East Granby, CT 06026
Information Contact:	860-563-5505 860-563-5505
Emergency Contact:	Contact your local Poison Control Center or 1-800-222-1222
Product Use:	ART MATERIAL - Consumer Product

2. Hazards Identification

Information pertaining to particular dangers for man and environment.	This product has been classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200) Emergency Overview
---	--

WARNING! IRRITANT.

Label Elements

Pictograms

Conforms to ASTM D-4236



GHS 07

WARNING!

Hazard Statement	Causes eye and skin irritation. May cause respiratory tract irritation. May cause an allergic skin reaction.
Precaution Statement	Avoid contact with eyes. Do not eat, drink or smoke when using this product. Avoid release to the environment. Not a food. Do not use on food.
Children's Statement	KEEP OUT OF REACH OF CHILDREN. <i>Classification of the Product:</i>
NFPA	Health 2 - Warning! May be harmful if inhaled or absorbed. Flammability 0 - Not Combustible Reactivity 0 - Stable
HMIS	Health 2 - Moderate Hazard Flammability 0 - Minimal Hazard Physical Hazard 0 - Minimal Hazard
Regulation (EC) No. 1272/2008	<u>Triethylamine (CAS No.: 121-44-8)</u> - Less than 1.00% - Flam.Liq. 2; H225 Acute Tox. 4; H302 Acute Tox. 3; H311 Acute Tox. 3; H331 Skin Corr. 1A; H335 Eye Dam. 1; H318



COL2015-266



SAFETY DATA SHEET
4030 BALANCING CLEAR
(AUTO AIR COLORS/WICKED COLORS/CREATEX COLORS)



December 8, 2015
 Page 2 of 6

1,2 - benzisothiazol-3(2H)-one (BIT) (CAS No.: 2634-33-5) - Less than 0.01% -
 Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317
 Aquatic Acute 1; H400

Dipropylene Glycol Monobutyl Ether (DPnB) (CAS No.: 29911-28-2) - Less than
 10.00% - Eye Irrit. 2 H319; Eye Dam. 1 H318; Acute Tox. 4 H312

Propylene Glycol Methyl Ether (PGME) (CAS No.: 107-98-2) - Less than 5.00 % -
 Flam. Liq. 3 H226; STOT SE 3 H336

Export and Import of Dangerous
 Chemicals Regulation (EC)No. 649/2012

This product and its ingredients are listed in the Annex I of the regulation.

Directive 67/548/EEC &
 Directive 1999/45/EC

R36/R37/R38 (Eyes, Respiratory Tract, Skin Irritant) ; R43 (May cause
 sensitization by skin contact.)

3. Composition/Information on Ingredients:

Substances:

Dipropylene Glycol Monobutyl Ether (DPnB) (CAS No.: 29911-28-2) - Less than
 10.00%

Propylene Glycol Methyl Ether (PGME) (CAS No.: 107-98-2) - Less than 5.00 %

Triethylamine (CAS No.: 121-44-8) - Less than 1.00%

1,2 - benzisothiazol-3(2H)-one (BIT) (CAS No.: 2634-33-5) - Less than 0.01%

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous
 Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) These ingredients are
 regarded as trade secrets.

4. First Aid Measures

Inhalation	If inhaled, remove to fresh air.
Skin Contact	Wash thoroughly with soap and water. Seek medical assistance if irritation persists after exposure.
Eye Contact	Flush immediately with plenty of water for at least 15 minutes and get medical attention immediately.
Ingestion	Drink water or milk to dilute. Do not induce vomiting. Contact a physician.

5. Firefighting Measures

Extinguishing Media	Water, foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards	Not available
Flashpoint/Flammability	Greater than 200 °F. Not Flammable

6. Accidental Release Measures

Environmental precautions	No product should be released to the environment without due care.
---------------------------	--



COL2015-266

SAFETY DATA SHEET
4030 BALANCING CLEAR
(AUTO AIR COLORS/WICKED COLORS/CREATEX COLORS)

December 8, 2015

Page 3 of 6

Methods and Materials for Containment
and Cleaning up

Contain spill. Recover as much as possible with sand, soil or similar product. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

Safe Handling

Use under ventilated conditions. Avoid eye contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use.

Storage

Keep the sample in a cool dry ventilated area.

8. Exposure Controls/Personal Protection

Personal Protective Equipment

Wear safety goggles and protective gloves to avoid dust contact.

Exposure Limits

Not applicable to this mixture.

Respiratory and Ventilation

Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection

Handle with non-porous nitrile gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full Contact Material: Nitrile rubber

Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Eye Protection

Safety glasses conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

9. Physical and Chemical Properties

Appearance

Clear

Physical State

Liquid

VOC Content

67 g/L Regulatory

Color

Clear

Odor

Slight ammonia odor



COL2015-266

SAFETY DATA SHEET
4030 BALANCING CLEAR
(AUTO AIR COLORS/WICKED COLORS/CREATEX COLORS)

December 8, 2015
 Page 4 of 6

Boiling Point	Not determined
Freezing Point	Not determined
State (pH)	7.5-8.5
Specific Gravity	1.0 - 2.0
Viscosity	25 mPas
Flashpoint	Greater than 200 °F
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Solubility in water	Miscible

10. Stability and Reactivity

Reactivity:	Reaction with strong oxidizing agents.
Chemical Stability	Stable
Conditions to Avoid	All sources of ignition. Avoid heat.
Incompatible materials	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds.
Hazardous Decomposition Products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological Information

Health Effects	Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients.
Oral	Expected to be greater than 2,000 mg/kg (rats)
Ingestion	Nausea, vomiting and abdominal pain.
Inhalation	This product poses no inhalation risk.
Dermal	May cause allergic skin reaction.
Eye Effects	Causes eye irritation

12. Ecological Information

Toxicity:	No information available.
Aquatic toxicity	No information available.
Persistence and degradability	A mixture of biodegradable and non biodegradable ingredients. No other information is available.
Bio accumulative potential	Not expected to bioaccumulate significantly.
Mobility in soil	No information available.
Additional ecological information	No information available.

13. Disposal Considerations

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.



COL2015-266



SAFETY DATA SHEET
4030 BALANCING CLEAR
(AUTO AIR COLORS/WICKED COLORS/CREATEX COLORS)



December 8, 2015
 Page 5 of 6

14. Transport Information

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT Non-Bulk

Shipping Name	Not regulated
Technical Shipping Name	Not regulated
Hazard Class	Not regulated
UN Number	Not regulated
Packing Group	Not regulated

IMDG

Shipping Name	Not regulated
Technical Shipping Name	Not regulated
Hazard Class	Not regulated
UN Number	Not regulated
Packing Group	Not regulated
EmS Number	Not regulated
Marine Pollutant	Not regulated

ICAO/IATA

Shipping Name	Not regulated
Technical Shipping Name	Not regulated
Hazard Class	Not regulated
UN Number	Not regulated
Packing Group	Not regulated
Marine Pollutant	Not regulated

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA	Not applicable
Section 355 (extremely hazardous substances)	Not applicable
Section 313 (Specific toxic chemical listing)	Not applicable
TSCA (Toxic Substance Control Act) <i>The Safe Drinking Water and Toxic Enforcement Act of 1986 - California Proposition 65</i>	All ingredients are listed. WARNING: Cancer - www.P65Warnings.ca.gov

Chemicals known to cause cancer	Trace amounts of Benzyl Chloride (CAS No. : 100-44-7); 1,4-Dioxane (CAS No.: 123-91-1)
Chemicals known to cause reproductive toxicity for females	None of the ingredients are listed as of 12/08/2015



COL2015-266

**SAFETY DATA SHEET
4030 BALANCING CLEAR
(AUTO AIR COLORS/WICKED COLORS/CREATEX COLORS)**

December 8, 2015
Page 6 of 6

Chemicals known to cause reproductive toxicity for males

None of the ingredients are listed as of 12/08/2015

Chemicals known to cause developmental toxicity

None of the ingredients are listed as of 12/08/2015

Carcinogenicity categories

EPA (Environmental Protection Agency)

Not applicable to this mixture.

TLV (Threshold Limit Value established by ACGIH)

Not applicable to this mixture.

MAK (German Maximum Workplace Concentration)

Not applicable to this mixture.

NOISH-Ca (National Institute for Occupational Safety & Health)

Not applicable to this mixture.

OSHA-Ca (Occupational Safety & Health Administration)

Not applicable to this mixture.

16. Other Information

Supersedes MSDS

12/8/2015

Reason for Issue:

GHS Format

Prepared by:

Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)
Chief Toxicologist and President
ENVIRONMENTAL MEDICINE, INC.
263 CENTER AVENUE
WESTWOOD, NJ 07675
jaegerr@envmed.com
201-666-7929 x13

H- STATEMENTS

H225 Highly flammable liquid and vapor.

H318 Causes serious eye damage.

H226 Flammable liquid and vapor.

H319 Causes serious eye irritation

H302 Harmful if swallowed.

H331 Toxic if inhaled.

H311 Toxic in contact with skin

H335 May cause respiratory irritation.

H312 Harmful in contact with skin.

H336 May cause drowsiness or dizziness.

H315 Causes skin irritation.

H400 Very toxic to aquatic life.

H317 May cause an allergic skin reaction.

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.



SAFETY DATA SHEET AUTO AIR COLORS 4020

Original Date: April 27, 2015
Revision Date: August 22, 2016

Manufacturer or Distributor: Color Craft, Ltd./Createx Colors
14 Airport Park Road
East Granby, Connecticut 06026
Phone: 800-509-6563
Fax: 1-860-653-0643

Information Telephone Number: 800-243-2712

Emergency Telephone Number: 800-255-3924
813-248-0573

Emergency Response Service: ChemTel Inc.
1305 North Florida Avenue
Tampa, FL 33602 USA
813-248-0573
www.chemtelinc.com

Contract Number: MIS4120068

Within the United States, Canada, Puerto Rico,
and the U.S. Virgin Islands: 1-800-255-3924

Outside the United States, Canada, Puerto Rico,
and the U.S. Virgin Islands:
+01-813-248-0585
China: 400-120-0751
Brazil: 0-800-591-6042
India: 000-800-100-4086
Mexico: 01-800-099-0731

For Health Emergencies: Poison Control Center: 1-888-516-2502

SECTION I – PRODUCT IDENTIFICATION

Product Name: Auto Air Colors 4020

Product Number: 4020

Product Sizes: 4 Oz, 8 Oz, 16 Oz, & 32 Oz

Brand Name: Auto Air Colors 4020

SECTION II – HAZARDS IDENTIFICATION

Emergency Overview

**WARNING! EXTREMELY FLAMMABLE LIQUID AND VAPOR. VAPORS MAY CAUSE FLASH FIRE.
VAPOR HARMFUL. IRRITANT. HARMFUL IF SWALLOWED.**

Classification of the Product:

Hazardous product

Pictograms:



GHS02



GHS07



SAFETY DATA SHEET AUTO AIR COLORS 4020

Original Date: April 27, 2015
Revision Date: August 22, 2016

Signal Word Code(s):	WARNING!
Hazard Statement:	MAY AFFECT THE BRAIN OR NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA.
Precaution Statement:	VAPORS MAY IGNITE EXPLOSIVELY. USE ADEQUATE VENTILATION. Keep from heat, sparks and flame. Do not smoke. Extinguish all flames, pilot lights and other sources of ignition during use and until all vapors are gone. Prevent build-up of vapors. Do not breathe vapors.
Children Statement:	KEEP OUT OF REACH OF CHILDREN.
NFPA Rating:	Health 2 – May be harmful if inhaled or absorbed. Flammability 3 – Flammable liquid flash point below 100 F Reactivity 0 – Stable
HMIS Rating:	Health 2 – Moderate Hazard Flammability 3 – Serious Hazard Physical Hazard 0 – Minimal Hazard
Regulation (EC) No. 1272/2008:	Skin Irritant 2 (H315); Eye Irritant 2 (H319); Flammable Liquid (H225)
Directive 67/548/EEC & Directive 1999/45/EC:	(Glycol Ether) Xn: R20/21/22; Xi: R36/38, (Acetone) F: R11, Xi R36, R66, R67

SECTION III – COMPOSITION / INFORMATION ON INGREDIENTS

Substances:	
Mixture of the following chemicals:	Acetone (CAS No. 67-64-1) ----10.0-15.0 % 2-Butoxyethanol (CAS No. 111-76-2) ----10.00-15.00% Ethylene glycol (CAS 107-21-1) ----- Less than 1% The remainder of the formulation is composed of non hazardous ingredients.
Risk and Safety Phrases:	Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)). These ingredients are regarded as trade secrets.

SECTION IV – FIRST AID MEASURES

Inhalation:	If affected, remove to fresh air.
Skin Contact:	Wash thoroughly with soap and water, call a physician if symptoms persist.
Eye Contact:	Carefully flush with water for 15 minutes, call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting, call a physician.

SECTION V – FIRE FIGHTING MEASURES

Extinguishing Media:	Water, foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards:	Flash back possible over considerable distance.
Flashpoint/Flammability:	70° F



SAFETY DATA SHEET AUTO AIR COLORS 4020

Original Date: April 27, 2015
Revision Date: August 22, 2016

SECTION VI – ACCIDENTAL RELEASE MEASURES

Environmental precautions:

This product should not be released in the environment.

Methods and Materials for Containment
and Cleaning up:

Contain spill. Recover as much as possible. Absorb remainder with an inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

SECTION VII – HANDLING AND STORAGE

Safe Handling:

Use under ventilated conditions. Avoid eye and skin contact. Do not eat, drink or smoke when and after use. After use, always wash hands thoroughly with soap and water. Keep container closed when not in use. Keep container upright to prevent leakage.

Storage:

Store containers in a cool, dry, well ventilated area. Keep away from heat and other sources of ignition.

SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective Equipment:

Wear goggles where spills or splashing may occur. Wear water resistant impervious gloves if handling bulk amounts.

Exposure Limits:

Not established for product as a whole. Below please find information for the individual hazardous ingredients. Please see legend on Section 16.

Respiratory and Ventilation:

Wear approved NIOSH/MSHA respirator if exposure to mist or vapor exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be used to prevent routine inhalation.

Skin Protection:

Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection:

Wear goggles where spills or splashing may occur.

Occupational Exposure Limits:

Component	Source	Type	Value
Acetone	US (ACGIH)	TWA	500 ppm
		STEL	750 ppm
	US(NIOSH)	REL	250 ppm (590 mg/m ³)
	US (OSHA)	PEL	1,000 ppm (2,400 mg/m ³)
	US (OSHA)	TWA	750 ppm (1,800 mg/m ³)
	US(OSHA)	STEL	1,000 ppm (2,400 mg/m ³)
	EU indicative Exposure and Directive	TWA	500 ppm (1,210 mg/m ³)
2-Butoxyethanol	US (ACGIH)	TWA	20 ppm
	US (OSHA)	TWA	50 ppm (240 mg/m ³)
	US (NIOSH)	IDLH	700 ppm
Ethylene Glycol	US (ACGIH)	CEILING	100 mg/m ³ aerosol only

**SAFETY DATA SHEET
AUTO AIR COLORS 4020**

Original Date: April 27, 2015
Revision Date: August 22, 2016

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear liquid
Physical State:	Liquid
VOC Content:	11.3 g/L Regulatory
Solids percentage:	0.17
Color:	Colorless
Odor:	Strong smell. (Pungent, ether - like)
Boiling Point:	Not determined (Glycol Ether- 169 °C, Acetone - 56.2 °C)
Freezing Point:	Not determined (Glycol Ether = -70 °C, Acetone = -95.35 °C)
State (pH):	No data available
Specific Gravity:	No data available
Viscosity:	No data available
Flashpoint:	70 °F
Vapor Pressure:	Not determined
Vapor Density:	Not determined
Solubility in water:	Miscible

SECTION X – STABILITY AND REACTIVITY

Chemical Stability:	Stable
Conditions to Avoid:	Avoid all sources of ignition.
Incompatible materials:	Strong oxidizing agents, strong acids, strong bases, amines, ammonia, halogenated compounds.
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide.

SECTION XI – TOXICOLOGICAL INFORMATION

Health Effects:	Studies have not been performed on this particular mixture. The information below is based on data on the individual ingredients only.
Oral:	LD50 > 5,000 mg/kg (rats)
Inhalation:	No data
Dermal:	Not a skin sensitizer
Eye Irritation:	Eye irritant
Skin Irritation:	Skin irritant



SAFETY DATA SHEET AUTO AIR COLORS 4020

Original Date: April 27, 2015
Revision Date: August 22, 2016

SECTION XII – ECOLOGICAL INFORMATION

Aquatic toxicity:	Toxic to aquatic life with long lasting effects.
Persistence and degradability:	No information available.
Bio accumulative potential:	No information available.
Mobility in soil:	No information available.
Additional ecological information:	No information available.

SECTION XIII – DISPOSAL CONSIDERATIONS

RCRA Hazard Class (40 CFR 261):	This product is classified as a hazardous waste.
Waste Disposal Method:	Dispose of in accordance with all applicable federal, state and local regulations.

SECTION XIV – TRANSPORTATION INFORMATION

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT Non-Bulk:	This regulation does not apply to the non-bulk material.
Shipping Name:	Not regulated.
Technical Shipping Name:	Not regulated.
Hazard Class:	Not regulated.
UN Number:	Not regulated.
Packing Group:	Not regulated.
ICAO	UN-No. UN1993 Proper Shipping Name Flammable liquid, n.o.s. Hazard Class 3 Packing Group II Description UN1993, Flammable liquid, n.o.s. (Acetone), 3, II
IATA	UN-No. UN1993 Proper Shipping Name Flammable liquid, n.o.s. Hazard Class 3 Packing Group II Description UN1993, Flammable liquid, n.o.s. (Acetone), 3, II
IMDG/IMO	UN-No. UN1993 Proper Shipping Name Flammable liquid, n.o.s. Hazard Class 3 Packing Group II EmS No. F-E, S-E Description UN1993, Flammable liquid, n.o.s. (Acetone), 3, II, (21°C c.c.)

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

**SAFETY DATA SHEET
AUTO AIR COLORS 4020**

Original Date: April 27, 2015
Revision Date: August 22, 2016

SECTION XV – REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA:	Not applicable
Section 355 (extremely hazardous substances):	Not applicable
Section 313 (Specific toxic chemical listing):	2-Butoxyethanol (Reporting Threshold 1%)
TSCA (Toxic Substance Control Act) Proposition 65:	All ingredients are listed. As of April 27, 2015 this product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.
Chemicals known to cause cancer:	None of the ingredients are listed
Chemicals known to cause reproductive toxicity for females:	None of the ingredients are listed
Chemicals known to cause reproductive toxicity for males:	None of the ingredients are listed
Chemicals known to cause developmental toxicity:	None of the ingredients are listed
Carcinogenicity categories EPA (Environmental Protection Agency):	None
TLV (Threshold Limit Value established by ACGIH):	None
MAK (German Maximum Workplace Concentration):	None
NOISH-Ca (National Institute for Occupational Safety & Health):	None
OSHA-Ca (Occupational Safety & Health Administration):	None

SECTION XVI – OTHER INFORMATION

Last Revision Date:	4/27/2015
Reason for Issue:	Emergency Contact Phone Numbers ChemTel Inc. 1305 North Florida Avenue Tampa, FL 33602 USA 813-248-0573 www.chemtelinc.com
Reason for Issue:	GHS Format
Prepared by:	Rudolph J. Jaeger, Ph.D., DABT, ERT (UK) Chief Toxicologist and President ENVIRONMENTAL MEDICINE, INC. 263 CENTER AVENUE WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13



SAFETY DATA SHEET AUTO AIR COLORS 4020

Original Date: April 27, 2015
Revision Date: August 22, 2016

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Color Craft Ltd./ Createx Color. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Color Craft Ltd./ Createx Color. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

Abbreviations Legend:

H Statements:

H225 - Highly flammable vapor and liquid.
H315 - Causes skin irritation.
H319 - Causes serious eye irritation.

R Phrases:

R11 - Highly Flammable
R20 - Harmful by inhalation.
R21 - Harmful if contact with skin.
R22 - Harmful if swallowed.
R36 - Irritating to eyes.
R38 - Irritating to skin.
R66 - Repeated exposure may cause skin dryness or cracking.
R67 - Vapors may cause drowsiness and dizziness.

Exposure Limits:

TWA - Time Weighted Average (8 hr.)
PEL - Permissible Exposure Limit
STEL - Short Time Exposure Limit (15 min.)
IDLH - Immediately Dangerous to Life or Health
REL - Recommended Exposure Limit

Brand Names

This SDS applies to the following brand names:

Auto Air Colors 4020