**SAFETY DATA SHEET** 

### 30417-4294



Revision Number 1

Revision date 26-Mar-2024

1. Identification			
Product identifier			
Product Name	LUG-61 Bright Yellow		
Other means of identification			
Product Code(s)	FG00462		
UN number or ID number	UN3082		
Synonyms	41163M, 41193E		
Recommended use of the chemical	and restrictions on use		
Recommended use			
Restrictions on use			
Details of the supplier of the safety	data sheet		
Manufacturer Address American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com			
Emergency telephone number			
Emergency Telephone	U.S. Poison Control 1-800-222-1222		
2. Hazard(s) identification			
<u>Classification</u>			


Acute toxicity - Oral	Category 4
Skin sensitization	Category 1
Specific target organ toxicity (repeated exposure)	Category 2

Hazards not otherwise classified (HNOC) Not applicable

## Label elements

Page 1/12

#### Hazard statements Warning



#### Physical state Liquid

Precautionary Statements - Prevention Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Contaminated work clothing must not be allowed out of the workplace Wear protective gloves Do not breathe dust/fume/gas/mist/vapors/spray

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label) Get medical advice/attention if you feel unwell IF ON SKIN: Wash with plenty of water and soap If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell Rinse mouth

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Unknown acute toxicity

34.967 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

#### Other information

Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

#### 3. Composition/information on ingredients

Not applicable.

#### Mixture

Chemical name	CAS No	Weight-%
C.I. Pigment Yellow 159	68187-15-5	10 - 20
Quartz	14808-60-7	5 - <10
Kaolin	1332-58-7	5 - <10
Frits, chemicals	65997-18-4	3 - <5
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

#### 4. First-aid measures

#### Description of first aid measures

Revision date 26-Mar-2024

# Page 2 of 12

FG00462 - LUG-61 Bright Yelle	DwRevision date26-Mar-2024		
General advice	Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air.		
Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.		
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Call a physician.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Itching. Rashes. Hives.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.		
5. Fire-fighting measures			

Suitable Extinguishing Media Large Fire	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. CAUTION: Use of water spray when fighting fire may be inefficient.		
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.		
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.		
Explosion data Sensitivity to mechanical impact None.			
Sensitivity to static discharge	None.		
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.		

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.	
Other information	Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Pick up and transfer to properly labeled containers.	

## 7. Handling and storage

# FG00462 - LUG-61 Bright YellowRevision date26-Mar-2024

Precautions for safe handling		
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.	

## 8. Exposure controls/personal protection

#### Control parameters

#### **Exposure Limits**

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
C.I. Pigment Yellow 159	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 25 mg/m <sup>3</sup> Zr
68187-15-5	TWA: 5 mg/m <sup>3</sup> Zr	(vacated) TWA: 5 mg/m <sup>3</sup> Zr	TWA: 5 mg/m <sup>3</sup> except Zirconium
		(vacated) STEL: 10 mg/m <sup>3</sup> Zr	tetrachloride Zr
			STEL: 10 mg/m <sup>3</sup> Zr
Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 μg/m³	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
		TWA respirable fraction	
Kaolin	TWA: 2 mg/m <sup>3</sup> particulate	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m <sup>3</sup> respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
		respirable fraction	
Frits, chemicals	STEL: 10 mg/m <sup>3</sup> Zr	TWA: 10 µg/m <sup>3</sup> As	IDLH: 5 mg/m <sup>3</sup> As
65997-18-4	TWA: 0.01 mg/m <sup>3</sup> As	TWA: 50 µg/m <sup>3</sup> Pb	IDLH: 9 mg/m <sup>3</sup> Cd dust and
	TWA: 0.05 mg/m <sup>3</sup> Pb	TWA: 0.5 mg/m <sup>3</sup> Sb	fume
	TWA: 0.01 mg/m <sup>3</sup> Cd	TWA: 5 mg/m <sup>3</sup> Zr	IDLH: 50 mg/m <sup>3</sup> Sb
	TWA: 0.002 mg/m <sup>3</sup> Cd	(vacated) TWA: 0.5 mg/m <sup>3</sup> Sb	IDLH: 100 mg/m <sup>3</sup> Cu dust and
	respirable particulate matter	(vacated) TWA: 5 mg/m <sup>3</sup> Zr	mist
	TWA: 0.5 mg/m <sup>3</sup> Sb	(vacated) STEL: 10 mg/m <sup>3</sup> Zr	IDLH: 500 mg/m <sup>3</sup> Mn
	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	(vacated) Ceiling: 5 mg/m <sup>3</sup>	IDLH: 25 mg/m <sup>3</sup> Zr
	TWA: 3 mg/m <sup>3</sup> W respirable	Ceiling: 5 mg/m <sup>3</sup> Mn	IDLH: 100 mg/m <sup>3</sup> Pb
	particulate matter in the absence		IDLH: 10 mg/m <sup>3</sup> Ni
	of cobalt		Ceiling: 0.002 mg/m <sup>3</sup> As 15 min
	TWA: 5 mg/m <sup>3</sup> Zr		Ceiling: 0.05 mg/m <sup>3</sup> V dust and
	TWA: 0.02 mg/m <sup>3</sup> Mn respirable		fume 15 min
	particulate matter		TWA: 0.5 mg/m <sup>3</sup> Sb
	TWA: 0.1 mg/m <sup>3</sup> Mn inhalable		TWA: 1 mg/m <sup>3</sup> Cu dust and
	particulate matter		mist
			TWA: 1 mg/m <sup>3</sup> Mn
			TWA: 5 mg/m <sup>3</sup> except Zirconium
			tetrachloride Zr
			TWA: 0.050 mg/m <sup>3</sup> Pb TWA: 0.015 mg/m <sup>3</sup> except
			Nickel carbonyl Ni
		1	

Item Numbers: 30417-4294, 30417-4296

Page 4 of 12

#### Revision date 26-Mar-2024

	STEL: 3 mg/m <sup>3</sup> Mn
	STEL: 10 mg/m <sup>3</sup> Zr

#### **Biological occupational exposure limits**

Chemical name	ACGIH
Frits, chemicals	200 μg/L - blood (Lead) - not critical
65997-18-4	5 μg/g creatinine - urine (Cadmium) - not critical
	5 µg/L - blood (Cadmium) - not critical

#### Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.		
Individual protection measures, such as personal protective equipment			
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Hand protection	Wear suitable gloves.		
Skin and body protection	Wear suitable protective clothing.		
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.		
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.		

### 9. Physical and chemical properties

Information on basic physical and chemical properties Physical state Liquid Appearance Color Odor Odor threshold

Property	Values	Remarks • Method
pH	No data available	None known
Melting point / freezing point	No data available	None known
Initial boiling point and boiling rang	<b>je</b> No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Other information Explosive properties Oxidizing properties VOC Content (%)	No information available No information available No information available	
10. Stability and reactivity		
Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	None known based on information supplied.	
Incompatible materials	None known based on information supplied.	
Hazardous decomposition products None known based on information supplied.		

## 11. Toxicological information

#### Information on likely routes of exposure

Product Information	
Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components).
Ingestion	Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

#### Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

Itching. Rashes. Hives.

Acute toxicity

Numerical measures of toxicity No information available

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	1,417.00 mg/kg
ATEmix (dermal)	15,517.30 mg/kg
ATEmix (inhalation-dust/mist)	18.80 mg/l

#### Unknown acute toxicity

34.967 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
C.I. Pigment Yellow 159	-	-	> 5.5 mg/L (Rat)4 h
68187-15-5			
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			
Frits, chemicals	> 2000 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
65997-18-4			
1,3,5-Triazine-1,3,5(2H,4H,6H)-t	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat)4 h
riethanol			= 0.338 mg/L (Rat)4 h

Item Numbers: 30417-4294, 30417-4296

## Revision date 26-Mar-2024

#### Revision date 26-Mar-2024

4719-04-4	
Delayed and immediate effects as	ell as chronic effects from short and long-term exposure
Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause sensitization by skin contact.
Germ cell mutagenicity	No information available.
<b>Carcinogenicity</b> The table below indicates whether e	No information available. ch agency has listed any ingredient as a carcinogen.

Chemical name ACGIH IARC OSHA NTP Quartz A2 Group 1 Known Х 14808-60-7 Х Known Frits, chemicals A1 Group 1 Group 2B 65997-18-4 AЗ **Reasonably Anticipated** A2 Group 2A

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP (National Toxicology Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present **Reproductive toxicity** No information available. STOT - single exposure No information available. STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure. Liver, Kidney, Respiratory system, Eyes, Skin, Central nervous system, Blood, Central **Target organ effects** Vascular System (CVS), Lungs, Nasal Cavities, Lymphatic System, prostate, Gastrointestinal tract (GI).

No information available.

Other adverse effects

Interactive effects

Aspiration hazard

12. Ecological information

#### Revision date 26-Mar-2024

Ecotoxicity

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
1,3,5-Triazine-1,3,5(2H,4 H,6H)-triethanol 4719-04-4	-	LC50: =16.07mg/L (96h, Danio rerio)	-	-

Persistence and degradability

Bioaccumulation	There is no data for this product.
Other adverse effects	No information available.

13. Disposal consideration	S
Disposal methods	
Waste from residues/unused products	Dispose of waste in accordance with environmental legislation. Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.
California Hazardous Waste Status	This product contains one or more substances that are listed with the State of California as a hazardous waste.
14. Transport information	
DOT	

DOT	
UN number or ID number	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III
Special Provisions	8, 146, 173, 335, IB3, T4, TP1, TP29
DOT Marine Pollutant	PP
Marine pollutant	Frits, chemicals
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III,
	Marine pollutant
Emergency Response Guide	171
Number	
TDG	
UN number or ID number	UN3082
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	111
Special Provisions	16, 99
Marine pollutant name	Frits, chemicals.
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
MEX	UN3082
UN number or ID number	••••••
UN proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Transport hazard class(es)	9
Packing group	III. E-Maria da Antonia da
Technical Name	Frits, chemicals
Description	UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
Special Provisions	274, 331, 335

Item Numbers: 30417-4294, 30417-4296

Page 8 of 12

Page 9 of 12

ICAO (air) UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197, A215
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Technical Name Description Special Provisions ERG Code	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III A97, A158, A197 9L
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant Marine Pollutant Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III F-A, S-F 274, 335, 969 P Frits, chemicals UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, Marine pollutant
<u>RID</u> UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III
ADR UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Tunnel restriction code Special Provisions Description	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 (-) 274, 335, 601, 375 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III, (-)
ADN UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code Special Provisions Description Equipment Requirements	UN3082 Environmentally hazardous substance, liquid, n.o.s. 9 III M6 274, 335, 375, 601 UN3082, Environmentally hazardous substance, liquid, n.o.s. (Frits, chemicals), 9, III PP
15. Regulatory information	n

#### International Inventories

TSCA

Contact supplier for inventory compliance status.

#### Revision date 26-Mar-2024

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
C.I. Pigment Yellow 159	68187-15-5	Present	Active
Feldspar	68476-25-5	Present	Active
Kaolin	1332-58-7	Present	Active
Quartz	14808-60-7	Present	Active
Frits, chemicals	65997-18-4	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Ethanolamine	141-43-5	Present	Active

DSL/NDSL	Contact supplier for inventory compliance status.
EINECS/ELINCS	Contact supplier for inventory compliance status.
ENCS	Contact supplier for inventory compliance status.
IECSC	Contact supplier for inventory compliance status.
KECL	Contact supplier for inventory compliance status.
PICCS	Contact supplier for inventory compliance status.
AIIC	Contact supplier for inventory compliance status.
NZIoC	Contact supplier for inventory compliance status.

Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances **PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Frits, chemicals - 65997-18-4	0.1	
	1.0	

SARA 311/312 Hazard Categories Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Frits, chemicals 65997-18-4	-	Х	-	-

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and

Revision date 26-Mar-2024

Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### US State Regulations

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water	-	-	Х
7732-18-5			
Feldspar	X	-	Х
68476-25-5			
Kaolin	X	X	X
1332-58-7			
Quartz	X	X	X
14808-60-7			
Frits, chemicals	Х	-	Х
65997-18-4			
Ethanolamine	Х	X	Х
141-43-5			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information							
NFPA HMIS	Health hazards 2 Health hazards 2 *	Flammability 0 Flammability 0	Instability 0 Physical hazards 0	Special hazards  - Personal protection   X			
Key or legend to abbreviations and acronyms used in the safety data sheetLegend Section 8: Exposure controls/personal protectionSTELTWATWA (time-weighted average)STELCeilingMaximum limit value*Skin designation							
Revision date Revision Note <u>Disclaimer</u>	26-Mar-20	24					

Item Numbers: 30417-4294, 30417-4296

Revision date 26-Mar-2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet