## SAFETY DATA SHEET

30495-1226



**Revision Number** 1

Revision date 02-Feb-2023

## 1. Identification

Product identifier

Product Name SH-22 Acai Matte

Other means of identification

Product Code(s) FG00502

UN number or ID number UN3082

Synonyms 39704D

Recommended use of the chemical and restrictions on use

Recommended use

Restrictions on use

Details of the supplier of the safety data sheet

## **Manufacturer Address**

American Art Clay Co Inc 6060 Guion Road Indianapolis, IN 46254-1222 USA Toll Free: 1-800-999-5456 CustomerCare@Amaco.com

Emergency telephone number

Emergency Telephone U.S. Poison Control 1-800-222-1222

## 2. Hazard(s) identification

## Classification

Skin sensitization	Category 1
Carcinogenicity	Category 1B

## Hazards not otherwise classified (HNOC)

Not applicable

## Label elements

Revision date 02-Feb-2023

## Hazard statements

Danger

H317 - May cause an allergic skin reaction

H350 - May cause cancer



## Physical state Liquid

## **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/clothing and eye/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing must not be allowed out of the workplace

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see .? on this label)

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

## **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Other information

No information available.

## 3. Composition/information on ingredients

Not applicable.

## <u>Mixture</u>

Chemical name	CAS No	Weight-%
Quartz	14808-60-7	10 - 20
Limestone	1317-65-3	10 - 20
Kaolin	1332-58-7	3 - <5
C.I. Pigment Blue 73	68187-40-6	1 - <3
Tin oxide (SnO2)	18282-10-5	1 - <3
Aluminum oxide (Al2O3)	1344-28-1	1 - <3
Iron oxide (Fe2O3)	1309-37-1	1 - <3
1,3,5-Triazine-1,3,5(2H,4H,6H)-triethanol	4719-04-4	0.1 - 1

## 4. First-aid measures

## **Description of first aid measures**

**General advice** 

Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

Item Numbers: 30495-1226 Page 2 of 12

Revision date 02-Feb-2023

medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Rinse mouth.

## Most important symptoms and effects, both acute and delayed

**Symptoms** Itching. Rashes. Hives.

#### Indication of any immediate medical attention and special treatment needed

May cause sensitization in susceptible persons. Treat symptomatically. Note to physicians

## 5. Fire-fighting measures

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Large Fire CAUTION: Use of water spray when fighting fire may be inefficient.

Unsuitable extinguishing media Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

#### **Explosion data**

Sensitivity to mechanical impact None.

Sensitivity to static discharge None

Special protective equipment and

precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

## 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so. Methods for cleaning up Pick up and transfer to properly labeled containers.

## 7. Handling and storage

## Precautions for safe handling

Page 3 of 12 Item Numbers: 30495-1226

Revision date 02-Feb-2023

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep containers tightly closed in a dry, cool and well-ventilated place.

## 8. Exposure controls/personal protection

## Control parameters

**Exposure Limits** 

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Quartz	TWA: 0.025 mg/m³ respirable	TWA: 50 μg/m³	IDLH: 50 mg/m³ respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m³ respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf	
		TWA respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup>	
		TWA respirable fraction	
Limestone	-	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1317-65-3		TWA: 5 mg/m³ respirable	TWA: 5 mg/m <sup>3</sup> respirable dust
		fraction	
		(vacated) TWA: 15 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m³	
17 11	T14/4 0 / 0 / 1	respirable fraction	T1444 40 4 0 4 4 4 4 4 4 4
Kaolin	TWA: 2 mg/m³ particulate	TWA: 15 mg/m³ total dust	TWA: 10 mg/m³ total dust
1332-58-7	matter containing no asbestos	TWA: 5 mg/m³ respirable	TWA: 5 mg/m³ respirable dust
	and <1% crystalline silica,	fraction	
	respirable particulate matter	(vacated) TWA: 10 mg/m³ total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup>	
0.1. Diament Blue 70	TMA 0.00/ O	respirable fraction	
C.I. Pigment Blue 73	TWA: 0.02 mg/m <sup>3</sup> Co inhalable	-	-
68187-40-6	particulate matter	TIMA 0	IDI II 400/2 O.
Tin oxide (SnO2)	TWA: 2 mg/m³ Sn	TWA: 2 mg/m³ Sn except	IDLH: 100 mg/m³ Sn
18282-10-5	TWA: 2 mg/m <sup>3</sup> Sn inhalable	oxides	TWA: 2 mg/m³ Sn
	particulate matter excluding tin	(vacated) TWA: 2 mg/m³ Sn	
Al	hydride and indium tin oxide	except oxides	
Aluminum oxide (Al2O3)	TWA: 1 mg/m³ respirable	TWA: 15 mg/m³ total dust	-
1344-28-1	particulate matter	TWA: 5 mg/m³ respirable fraction	
		(vacated) TWA: 10 mg/m³ total	
		(vacated) TVVA. 10 mg/m <sup>3</sup> total	
		(vacated) TWA: 5 mg/m³	
		respirable fraction	
Iron oxide (Fe2O3)	TWA: 5 mg/m³ respirable	TWA: 10 mg/m <sup>3</sup> fume	IDLH: 2500 mg/m³ Fe dust and
1309-37-1	particulate matter	TWA: 10 mg/m <sup>3</sup> total dust	fume
1509-57-1	particulate matter	TWA: 13 mg/m³ respirable	TWA: 5 mg/m³ Fe dust and
		fraction	fume
		(vacated) TWA: 10 mg/m <sup>3</sup> fume	
		and total dust Iron oxide	
		(vacated) TWA: 5 mg/m <sup>3</sup>	

Item Numbers: 30495-1226 Page 4 of 12

Revision date 02-Feb-2023

respirable fraction regulated under Rouge
---

## **Biological occupational exposure limits**

Chemical name	ACGIH
C.I. Pigment Blue 73	15 μg/L - urine (Cobalt) - end of shift at end of workweek
68187-40-6	

## **Appropriate engineering controls**

**Engineering controls** Showers

Eyewash stations Ventilation systems.

## Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Wear suitable gloves. **Hand protection** 

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

Do not eat, drink or smoke when using this product. Wash hands before breaks and General hygiene considerations

immediately after handling the product.

## 9. Physical and chemical properties

Information on basic physical and chemical properties

**Physical state** Liquid

**Appearance** Color

Odor

**Odor threshold** 

Property pH Melting point / freezing point Initial boiling point and boiling rang Flash point Evaporation rate Flammability Flammability Limit in Air	Values No data available No data available eNo data available No data available	Remarks • Method None known
Upper flammability or explosive limits	No data available	None known
Lower flammability or explosive limits	No data available	
Vapor pressure	No data available	None known
Relative vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature		None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

Page 5 of 12 Item Numbers: 30495-1226

Revision date 02-Feb-2023

Other information
Explosive properties
Oxidizing properties

VOC Content (%)

No information available No information available No information available

## 10. Stability and reactivity

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

None known based on information supplied.

Incompatible materials

None known based on information supplied.

Hazardous decomposition products

None known based on information supplied.

## 11. Toxicological information

## Information on likely routes of exposure

## **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Itching. Rashes. Hives.

Acute toxicity

**Numerical measures of toxicity** 

No information available

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 15,170.20 mg/kg

 ATEmix (dermal)
 71,727.10 mg/kg

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Kaolin	> 5000 mg/kg (Rat)	> 5000 mg/kg (Rat)	-
1332-58-7			
C.I. Pigment Blue 73	-	-	= 5.3 mg/L (Rat) 4 h
68187-40-6			> 5.3 mg/L (Rat)4 h
Tin oxide (SnO2)	= 700 mg/kg (Rat)	-	> 2.04 mg/L (Rat) 4 h
18282-10-5			
Aluminum oxide (Al2O3)	> 5000 mg/kg (Rat)	-	-
1344-28-1			
Iron oxide (Fe2O3)	> 10000 mg/kg (Rat)	-	-
1309-37-1			
1,3,5-Triazine-1,3,5(2H,4H,6H)-t	= 763 mg/kg (Rat)	> 4000 mg/kg (Rat)	= 0.4 mg/L (Rat) 4 h

Item Numbers: 30495-1226 Page 6 of 12

Revision date 02-Feb-2023

riethanol		= 0.338 mg/L (Rat) 4 h
4719-04-4		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**No information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity Contains a known or suspected carcinogen. Classification based on data available for

ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Quartz 14808-60-7	A2	Group 1	Known	Х
C.I. Pigment Blue 73 68187-40-6	A3	Group 2B	Reasonably Anticipated	Х
Iron oxide (Fe2O3) 1309-37-1	-	Group 3	-	-

#### Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

**STOT - repeated exposure** No information available.

Target organ effects Respiratory system, Eyes, Skin, Lungs, Gastrointestinal tract (GI).

Aspiration hazard No information available.

Other adverse effects

Interactive effects

## 12. Ecological information

Item Numbers: 30495-1226 Page 7 of 12

Revision date 02-Feb-2023

#### **Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Tin oxide (SnO2)	-	LC50: >100mg/L (96h,	=	-
18282-10-5		Oncorhynchus mykiss)		
Iron oxide (Fe2O3)	-	LC50: =100000mg/L (96h,	=	-
1309-37-1		Danio rerio)		
1,3,5-Triazine-1,3,5(2H,4	-	LC50: =16.07mg/L (96h,	-	-
H,6H)-triethanol		Danio rerio)		
4719-04-4				

#### Persistence and degradability

Bioaccumulation There is no data for this product.

Other adverse effects No information available

## 13. Disposal considerations

#### **Disposal methods**

Waste from residues/unused

products

Dispose of waste in accordance with environmental legislation. Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as

a hazardous waste.

## 14. Transport information

## DOT

Notes

**UN number or ID number** Proper shipping name

Transport hazard class(es)

Packing group

Special Provisions

**DOT Marine Pollutant** 

Description

**Emergency Response Guide** 

Number

## No components found suitable for Technical Name.

Environmentally hazardous substance, liquid, n.o.s.

Ш

8, 146, 173, 335, IB3, T4, TP1, TP29

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, Marine pollutant

171

## <u>TDG</u>

## **Notes**

**UN** number or ID number **UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s.

Transport hazard class(es)

Packing group **Special Provisions** 

Description

No components found suitable for Technical Name. UN3082

Ш

16.99

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

## MEX

**UN** number or ID number UN proper shipping name No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s.

Page 8 of 12 Item Numbers: 30495-1226

Revision date 02-Feb-2023

Transport hazard class(es)
Packing group
UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III
Special Provisions
UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

## ICAO (air)

#### Notes

UN number or ID number UN proper shipping name Transport hazard class(es) Packing group

Description
Special Provisions

#### <u>IATA</u>

#### **Notes**

UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Description Special Provisions ERG Code

#### IMDG

#### Notes

UN number or ID number UN proper shipping name Transport hazard class(es) Packing group EmS-No Special Provisions Marine pollutant

# RID Notes

#### UN number or ID number UN proper shipping name Transport hazard class(es)

Packing group Classification code Special Provisions

Description

Description

## ADR

Notes
UN number or ID number
UN proper shipping name
Transport hazard class(es)

Packing group Classification code Tunnel restriction code Special Provisions

Description

#### ADN

## Notes

UN number or ID number UN proper shipping name Transport hazard class(es) Packing group Classification code

Special Provisions

Description

#### No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s.

III

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III A97, A158, A197, A215

#### No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s.

9

Ш

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

A97, A158, A197

9L

## No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s.

9 III F-A, S-F

274, 335, 969

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, Marine pollutant

## No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s. 9

III M6

274, 335, 375, 601

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

#### No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s.

III M6

274, 335, 601, 375

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III, (-)

## No components found suitable for Technical Name.

UN3082

Environmentally hazardous substance, liquid, n.o.s.

9 III M6

274, 335, 375, 601

UN3082, Environmentally hazardous substance, liquid, n.o.s., 9, III

Item Numbers: 30495-1226 Page 9 of 12

Revision date 02-Feb-2023

Equipment Requirements PP

## 15. Regulatory information

## International Inventories

TSCA

Contact supplier for inventory compliance status.

Chemical name	CAS No	US TSCA Inventory listing	US TSCA inactive/active designation
Water	7732-18-5	Present	Active
Spodumene (AlLi(SiO3)2)	1302-37-0	Present	Active
Quartz	14808-60-7	Present	Active
Limestone	1317-65-3	Present	Active
Kaolin	1332-58-7	Present	Active
C.I. Pigment Blue 73	68187-40-6	Present	Active
Tin oxide (SnO2)	18282-10-5	Present	Active
Aluminum oxide (Al2O3)	1344-28-1	Present	Active
Iron oxide (Fe2O3)	1309-37-1	Present	Active
Smectite-group minerals	12199-37-0	Present	Active
Sodium carboxymethyl cellulose	9004-32-4	Present	Active
D-gluco-Heptonic acid, monosodium salt, (2.xi.)-	31138-65-5	Present	Active
1,3,5-Triazine-1,3,5(2H,4H,6H)-trietha nol	4719-04-4	Present	Active
Ethanolamine	141-43-5	Present	Active

DSL/NDSL Contact supplier for inventory compliance status. **EINECS/ELINCS** Contact supplier for inventory compliance status. **ENCS** Contact supplier for inventory compliance status. **IECSC** Contact supplier for inventory compliance status. **KECL** Contact supplier for inventory compliance status. **PICCS** Contact supplier for inventory compliance status. AIIC Contact supplier for inventory compliance status. NZIoC Contact supplier for inventory compliance status.

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

## **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
C.I. Pigment Blue 73 - 68187-40-6	0.1
Aluminum oxide (Al2O3) - 1344-28-1	1.0

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

Item Numbers: 30495-1226 Page 10 of 12

Revision date 02-Feb-2023

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### **US State Regulations**

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Quartz 14808-60-7	Х	Х	Х
Limestone 1317-65-3	Х	Х	Х
Kaolin 1332-58-7	Х	Х	Х
C.I. Pigment Blue 73 68187-40-6	X	-	Х
Tin oxide (SnO2) 18282-10-5	X	Х	-
Aluminum oxide (Al2O3) 1344-28-1	Х	Х	Х
Iron oxide (Fe2O3) 1309-37-1	Х	Х	Х
Ethanolamine 141-43-5	X	Х	Х

## U.S. EPA Label Information

## EPA Pesticide Registration Number Not applicable

## 16. Other information

NFPAHealth hazards2Flammability0Instability0Special hazards-HMISHealth hazards2 \*Flammability0Physical hazards0Personal protectionX

Chronic Hazard Star Legend \*= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Item Numbers: 30495-1226 Page 11 of 12

Revision date 02-Feb-2023

National Institute of Technology and Evaluation (NITE)

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Revision date

02-Feb-2023

Revision Note Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet** 

Item Numbers: 30495-1226 Page 12 of 12