40409-XXXX 40402-XXXX

SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION

Manufacturer: Company: Street Address: City / State / Zip: Phone:

LUMBERG

Blumberg Company 65 Walnut Street Peabody, MA 01960 (978) 465-0409

Emergency Contact Information Call CHEMTREC 800-424-9300

Product Name:Blick E-Z Cut BlocksSynonyms:Part Number(s):Recommended use:PrintmakingRestrictions on use:Use only as recommended.

SECTION 2 – HAZARD(S) IDENTIFICATION

This material is NOT considered hazardous per the US OSHA Hazard Communication Standard (29CFR1910.1200). Hazards Not Otherwise Classified: None.

General Advice:

Not suitable for children under 3 years. Small parts might be swallowed or inhaled.

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Nature of product: Mixture				
Ingredient Name:	CAS Number	%		GHS Classification
Printmaking Block	Mixture	100	None	
If CAC # is "supervised and "supervised upon" 8/ \A/sight 0/ is listed as a reason the specific sharehold identity and/or				

If CAS # is "proprietary" or "mixture" &/ Weight-% is listed as a range: the specific chemical identity and/or percentage of composition has been withheld as a trade secret or percentage of composition is due to batch variation. There are no additional ingredients present which, to the best knowledge of the manufacturer, are classified and contribute to the classification of the substance and therefore require reporting.

SECTION 4 – FIRST-AID MEASURES

General Advice	Provide this SDS to any medical personnel responding to a call for help.
Eye contact	Protect unharmed eye. Rinse immediately with plenty of water, including under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation develops or persists, seek medical attention.
Skin contact	Based on known data does not cause skin irritation.
Inhalation	Seek medical attention.
Ingestion	Do NOT induce vomiting. Seek medical attention.
Most Important Symptoms, Acute & Delayed	Irritation of the eye, including stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention or special treatment:	None especially noted.

SECTION 5 – FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:Water, water mist, water fog, foam, carbon dioxide, dry chemical powder, sand.
Use media appropriate for surrounding fire.Unsuitable Extinguishing Media:High-pressure water-jet may spread burning material. High-pressure water-jet
will scatter material and may create an explosive dust hazard.
Heating may generate explosive vapor/air mixtures. Heating may generate
pressure within closed containers. Combustible dust. Combustion may result
in hazardous combustion products including Carbon monoxide, and Carbon
dioxide. Do not allow run-off from firefighting to enter drains or water courses.

SDS: Blick E-Z Cut Blocks Item Numbers: 40409-1001 Revision Date: 14 August 2024

Page 1 of 4 Page 1 of 14



SAFETY DATA SHEET

Special precautions for
fire-fighters:Do not breathe fumes. Move containers from fire area if you can do so without
risk. Use water to cool surrounding containers. Treat as an oil fire. Do not
produce clouds of dust; use water mist to keep dust down. Wear SCBA if
fighting fire close-in.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Methods and materials for
containment and clean-up:Collect in container for reuse (preferred) or disposal in accordance with
local legislation.

SECTION 7 – HANDLING AND STORAGE

Precautions for safe handling:	No special precautions required.
Conditions for safe storage:	Keep in a dry place. To maintain product quality, do not store in heat or direct sunlight.
Materials incompatible with product:	No data available.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Given the form of the product, the product is not expected to contribute to airborne concentration limits. Contains no substances with occupational exposure limit values.

Individual protection measures: When handling observe the usual precautionary measures for toys.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

Appearance:	White rubbery solid	Lower flammability (or explosive) limits:	No data available
Odor:	Characteristic	Upper flammability (or explosive) limits:	No data available
Odor threshold:	No data available	Vapor Pressure:	N/A
pH:	No data available	Vapor Density:	N/A
Melting / Freezing Point:	No data available	Relative Density:	1.57 ± 0.02 g/cm ³
Initial Boiling Point:	No data available	Solubility:	Not soluble
Boiling Range:	No data available	Partition Coefficient: n-Octane / Water	No data available
Flash Point:	No data available	Auto-ignition Temperature:	No data available
Evaporation Rate:	N/A	Decomposition Temperature:	No data available
Flammability (solid, gas):	No data available	Viscosity:	N/A

NOTE: the physical data presented above are typical values and should not be construed as a specification.

SECTION 10 – STABILITY & REACTIVITY

Reactivity:	Not reactive under typical conditions.
Chemical stability:	Stable under typical storage conditions.
Possibility of hazardous reactions:	The product is stable and non-reactive under typical conditions of storage, transport, and use.
Conditions to avoid:	Exceptionally high temperatures and ignition sources.
Incompatible materials:	No data available
Hazardous decomposition products:	Will not decompose under typical conditions.

SDS: Blick E-Z Cut Blocks Item Numbers: 40409-1001 Revision Date: 14 August 2024

Page 2 of 4 Page 2 of 14



SAFETY DATA SHEET

SECTION 11 – TOXICOLOGICAL INFORMATION

	Eye and skin contact are the most likely route of exposure.
Likely routes of exposure:	Exposure by ingestion is possible.
	Given the nature of the product, exposure by inhalation or injection is unlikely.
Symptoms and effects:	None especially noted.
Chronic effects:	No data available
Numerical measure of toxicity:	No data available

	Neither this product, nor those components present in concentrations of $\geq 0.1\%$,
Carcinogenicity:	appear on the NTP list, the IARC list, or the OSHA list of known or potential
	carcinogens.

SECTION 12 – ECOLOGICAL INFORMATION

Aquatic toxicity:	No data available
Terrestrial toxicity:	No data available
Persistence and degradability:	No data available
Bioaccumulative potential:	No data available
Mobility in soil:	No data available
Other adverse effects:	No data available

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal method: Dispose of unused and/or contaminated material in accordance with local, state, and federal regulations.

SECTION 14 – TRANSPORTATION INFORMATION

US DOT Highway & Rail:	Not Regulated.
Marine Pollutant:	No data available
IMO / IMDG Water Transport:	Consult IMDG regulations.
Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC / IGC Code:	Consult IMO regulations before transporting in bulk by ocean transport.
ICAO / IATA Air Transport:	Consult IATA regulations.
Transport within user's premises:	Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

SECTION 15 – REGULATORY INFORMATION

Chemical Inventory Compliance

This product complies with the national inventories of the US TSCA following countries: **OSHA Hazard Communication Standard** This material is NOT considered hazardous by the OSHA (as regulated by US 29CFR1910.1200):

SDS: Blick E-Z Cut Blocks Item Numbers: 40409-1001

HazCom 2012 Standard (29CFR1910.1200).



SAFETY DATA SHEET

CERCLA This product, as supplied, contains the following hazardous substances with a Comprehensive Environmental Response Compensation and Liability Act Reportable Quantity (CERCLA RQ) as regulated by US 40CFR302 (a release equal to or greater than the RQ requires reporting to the National Response Center (800-424-8802), the SERC, and the LEPC):	None.
EPCRA Sections 301-303 & 304 This product, as supplied, contains the following Extremely Hazardous Substances (EHS) subject to a Threshold Planning Quantity (TPQ) and Reportable Quantity (RQ) as regulated by US 40CFR355 (a release equal to or greater than the RQ requires reporting to the SERC and LEPC):	None.
EPCRA Section 311 & 312 (as regulated by US 40CFR370 for Tier II Reporting):	Refer to Sections 2 and 3 of this SDS for information.
EPCRA Section 313 (as regulated by US 40CFR372 for TRI Reporting):	No components listed above de minimus threshold concentrations.
US CWA This product, as supplied, contains the following substances regulated as pollutants pursuant to the Clean Water Act as regulated by US 40CFR116 & 117:	No data available
US CAA HAPs This product, as supplied, contains the following substances regulated as Hazardous Air Pollutants under the Clean Air Act Section 112:	No data available
State RTK:	

SECTION 16 – OTHER INFORMATION

Revision Date: August 14, 2024

NFPA Rating:	Health / Blue: 0	Flammability / Red: 0	Instability / Yellow: 0	Specific Hazard / White:	<blank></blank>
--------------	----------------------------	--------------------------	----------------------------	-----------------------------	-----------------

Disclaimer: This Safety Data Sheet (SDS) was prepared to comply with the US OHSA Hazard Communication Standard (29 CFR 1910.1200; aka HazCom 2012). This SDS supersedes any previous SDS. The information and recommendations described in this SDS are provided in good faith and based upon data believed to be correct. However, the information provided in this SDS is provided without any warranty, express or implied, regarding its correctness or accuracy. The information provided applies only to the product as shipped. The information is offered for the end user's information, consideration, and further investigation. The information contained in this document is not to be construed as absolute or complete since additional information may be necessary or desirable when particular / exceptional conditions / circumstances exist; or, because of applicable laws or government regulations. Since the actual conditions for the use of the product are beyond the manufacturer's control, no guarantee (express or implied) is made as to the effects of such use or the results to be obtained. The sole responsibility to determine appropriate conditions for the use of this product and the assumption of liability for any loss, damage, or expense arising from the product's use rests with the end user. The end user is encouraged to read the SDS and understand any associated hazards associated with the product thoroughly before using. It is the end user's responsibility to ensure that use, handling, storage, and disposal of the product complies with all federal, state, provincial, and local laws.

Revision Date: 14 August 2024

40305-XXXX

Water-Soluble Block Printing Ink

SAFETY DATA SHEET (SDS) Version: 03 Date of Issue: September 22, 2023 According to: Regulation

According to: Regulation (EC) No. 1272/2008 Regulation (EC) No. 1907/2006

Section 1 - Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name:	Water-Soluble Block Printing Ink (Black, Red, Blue, White, Green,
	Yellow, Brown, Orange, Violet, Turquoise, Magenta, Light Red, Dark Yellow, Gold
	Silver, Pewter, Copper, Platinum White, Fluorescent Lime Green, Fluorescent Hot
	Pink, Fluorescent Orange, Fluorescent Magenta, Fluorescent Yellow, Fluorescent
	Blue, Process Cyan, Process Magenta, Process Yellow, Pearlescent Base,
	Retarder, Extender, Cornsilk, Leaf Green, Bluestone)
Product sizes:	37 mL (1.25 fl. oz.), 75 mL (2.5 fl. oz.), 148 mL (5 fl. oz.), 237 mL (8 fl. Oz)
Other Means of Identification:	None known
Product Description:	Coloured liquid ink formulations intended for arts and crafts purposes.

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified use(s): The product is intended for general (adults) arts and crafts purposes.

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Business Phone: Email:

1.4 Emergency telephone number

Emergency Telephone: Transportation emergencies only: Infotrac 1-352-323-3500

Section 2 - Hazard(s) Identification

2.1. Classification of the substance or mixture

	Health	Environment	Physical
Classification according to Regulation (EC) No 1272/2008 [CLP]	Not classified	Not classified	Not classified
SCL and/or M-factor	N/A.	N/A	N/A
Classification Procedure	N/A	N/A	N/A

2.2. Label elements

2.2. Label elements Label Pictogram: None Signal Word: None Hazard Statement: None Precautionary Statement: None Supplemental Hazard Information: None

Page 1 of 10

2.3. Other hazards

- · This product is not expected to be endocrine disrupting.
- This product is not expected to meet the criteria for vPvB or PBT in accordance with Regulation (EC) No. 1907/2006, Annex XIII.
- Mechanical irritation of the eyes and respiratory system may occur following exposure dusts.

Section 3 - Composition / Information on Ingredients

3.1 Substances

The product is a mixture and not a substance.

3.2 Mixture

Chemical Name	CAS No.	EC No.	% Concentration	GHS Hazards	
Titanium dioxide	13463-67-7	236675-5	up to 26.85%	H351: Carcinogenicity (Category 2) (inhalation)	
Styrene acrylic resin solution	Proprietary	-	up to 4.63%	H320: Eye irritation (Category 2B)	
Talca	14807-96-6	238-877-9	up to 2.33%	-	
Sodium nitrate	7631-99-4	231-554-3	up to 2.03%	H319: Eye irritation (Category 2)	
Distillates petroleum hydrotreated light	64742-47-8	265-149-8	up to 1.32%	H304: Aspiration toxicity (Category 1)	
Crystalline silica	14808-60-7	238-878-4	up to 0.72%	H350: Carcinogenicity (Category 1) (Inhalation); H372: Specific target organ toxicity (repeated exposure, Category 1, lung	
Propylidynetrimethanol	77-99-6	201-074-9	up to 0.22%	H361: Reproductive toxicity (Category 2); (Suspected of damaging fertility or unborn child)	

Assessment of the product, was based on the assumption that the talc used in the product contains <0.1% asbestos fibers. If this is not the case, reassessment of the product is required.

The other ingredients in the product are either considered non-hazardous or are below their respective GHS cut-off values/concentration limits in the final product and were therefore not disclosed in the SDS.

It should be noted that the product may contain titanium dioxide (CAS No. 13463-67-7), crystalline silica (CAS No.14808-60-7), and carbon black (CAS No. 1333-86-4) which may be hazardous when inhaled. Given the nature and physical form of the product (*i.e.*, liquid ink), airborne respirable particles would not likely be released from the product and therefore the hazard is not relevant to the product.

	Specific Concentration Limit	Multiplying-Factor	Acute Toxicity Estimate
Speedball Water-Soluble Block Printing Ink	N/A	1	>2000 mg/kg (oral/dermal) >20 mg/L (inhalation)

Section 4 - First Aid Measures

4.1 Description of first aid measures

Eye contact: No specific first aid measures are required. As a precaution, remove contact lenses, if worn, and immediately flush eyes with water. Seek medical attention if in doubt.

Skin contact: No specific first aid measures are required. If irritation occurs, wash with plenty of water and soap. Take off contaminated clothing. If skin irritation persists: Get medical advice/attention.

Inhalation: No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air, move the exposed person to fresh air. Seek medical attention if in doubt.

Page 2 of 10

Ingestion: No specific first aid measures are required. Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.

4.2 Most important symptoms and effects, both acute and delayed • Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Not required.

Section 5 - Fire Fighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media: Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, foam, dry chemical or carbon dioxide).

Unsuitable Extinguishing Media: None known.

5.2 Special hazards arising from the substance or mixture

- Hazardous combustion products:
 - Irritating vapours or fumes may form if product is involved in fire:
- Also see Section 10 Stability and Reactivity.

5.3 Advice for firefighters

· Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment (PPE) and emergency procedures

Personal Precautions: Ventilate area if spilled in confined space or other poorly ventilated areas. Observe PPE advice in Section 8 – Exposure Controls/Personal Protection.

Emergency Procedures: Not available.

6.2 Environmental precautions:

 Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures: Contain spill if safe to do so. Collect recoverable product and place in a designated container for recycle and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations.

6.4 Reference to other sections

Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7- Handling and Storage

7.1 Precautions for safe handling

- · Wash hands thoroughly after handling.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to Section 8 Exposure Controls/Personal Protection.

Page 3 of 10

7.2 Conditions for safe storage, including any incompatibilities

- Keep container tightly closed to avoid spills.
- Keep in a cool dry place.

7.3 Specific end use(s)

Refer to Section 1.2 - Relevant identified uses.

Section 8- Exposure Controls / Personal Protection

8.1 Control Parameters:

Occupational exposure limits: Only vapours were considered to be foreseeable under conditions of normal use. Airborne particles, such as dust, are not foreseeable under conditions of normal use.

Chemical Name	CAS No.	ACGIH TLV TWA	OSHA PEL TWA	NIOSH REL TWA	DFG MAK
Talc	14807-96-6	2 mg/m ³	2 mg/m ³	2 mg/m ³ and <1% quartz	-
Titanium dioxide	13463-67-7	10 mg/m ³	15 mg/m ³	-	0.3 mg/m ³
Carbon black	1333-86-4	3.5 mg/m ³	3.5 mg/m ³	3.5 mg/m ³	1000
Crystalline silica	14808-60-7	0.025 mg/m ³	0.05 mg/m ³	0.05 mg/m ³	-

8.2 Exposure Controls:

Appropriate engineering controls

No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation
or local exhaust ventilation may be required.

8.3 Personal Protective Equipment

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

Respiratory:	Under normal conditions of use, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.
Eyes/Face:	If contact is likely, safety glasses with side shields are recommended.
Hands:	Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur, wear chemically protective gloves.
Body/Skin:	Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material.
Thermal Hazards:	None known.
Environmental Exposure Controls:	Not available.
Hygiene measures:	Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the product do not eat, drink or smoke.

Page 4 of 10

Section 9 - Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Note: The data below are typical values and do not constitute a specification.

Appearance:			
Physical state:	Liquid	Partition Coefficient	
Colour:	See Section 1.1	n-octanol/water:	Not available
Odour/Odour threshold:	Not available	Auto-ignition temperature:	Not available
pH (as supplied):	7 - 8	Decomposition temperature:	Not available
Melting/freezing point:	Not available	Dynamic viscosity:	Not available
Boiling point/range:	Not available	Molecular weight:	Not available
Flash point:	Not available	Taste:	Not available
Evaporation rate:	Not available	Explosive properties:	Not available
Flammability:	Not available	Oxidizing properties:	Not available
Upper/lower explosive limits:	Not available	Surface tension:	Not available
Vapor pressure:	Not available	Volatile component:	Not available
Water solubility:	Not available	Gas group:	Not available
Vapor density (Air = 1):	Not available	pH (as solution):	Not available
Specific gravity (Water = 1):	1.21 - 1.45	VOC:	Not available
Relative density:	Not available	Particle size range:	Not available

9.2.1 Information with Regard to Physical Hazard Classes

Explosives	Not available
Flammable gases	Not available
Aerosols	Not available
Oxidising gases	Not available
Gases under pressure	Not available
Flammable liquids	Not available
Flammable solids	Not available
Self-reactive substances and mixtures	Not available
Pyrophoric liquids	Not available
Pyrophoric solids	Not available
Self-heating substances and mixtures	Not available
Substances and mixtures, which emit flammable gases in contact with water	Not available
Oxidising liquids	Not available
Oxidizing solids	Not available
Organic peroxides	Not available
Corrosive to metals	Not available
Desensitised explosives	Not available

Page 5 of 10

9.2.2 Other Safety Characteristics

Mechanical sensitivity	Not available
Self-accelerating polymerisation temperature	Not available
Formation of explosible dust/air mixtures	Not available
Acid/alkaline reserve; (e) evaporation rate	Not available
Miscibility	Not available
Conductivity	Not available
Corrosiveness	Not available
Gas group	Not available
Redox potential	Not available
Radical formation potential	Not available
Photocatalytic properties	Not available

Section 10 – Stability and Reactivity

10.1 Reactivity

This material is not considered to be reactive under normal handling and storage conditions.

10.2 Chemical stability

This material is considered stable under normal handling and storage conditions.

10.3 Possibility of hazardous reactions

Not expected to occur under normal handling and storage conditions.

10.4 Conditions to avoid

- Exposure to high temperatures
- Strong acids
- Strong bases
- Strong oxidisers

10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidisers
- Strong reducing agents.

10.6 Hazardous decomposition products

Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other
products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or
decomposition of dry solids.

Page 6 of 10

Section 11 - Toxicological Information

Likely routes of exposure: Skin contact.

Potential signs and symptoms: None expected under conditions of normal use.

Acute oral toxicity:	The product is practically non-toxic based on available animal and human use data. ATE >2000 mg/kg
Acute dermal toxicity:	The product is practically non-toxic based on available animal and human use data. ATE >2000 mg/kg
Acute inhalation toxicity:	The product is practically nontoxic based on available animal and human use data.
Skin corrosion/irritation:	The components >1% of this product are not skin irritants based on human and/or animal studies.
Serious eye damage/irritation:	Sodium nitrate (CAS No. 631-99-4) and styrene acrylic resin solution (proprietary) have been classified for eye irritation. The other components of this product >1% are not eye irritants based on human and/or animal studies.
Respiratory or skin sensitization:	The components in this product >0.1% are not sensitizing to the skin based on human and/or animal studies.
Mutagenicity:	The components in the product >0.1% are not mutagenic based on animal studies or no data identified for the components in this product.
Carcinogenicity:	Respirable titanium dioxide (CAS No. 13463-67-7) (airborne, unbound particles of respirable size) is listed in Group 2B by IARC. Respirable crystalline silica (CAS No. 14808-60-7) (listed as silica dust, crystalline, in the form of quartz or cristobalite) is listed in Group 1 by IARC. Titanium dioxide and crystalline silica are also listed as carcinogens by NTP and ACGIH. The other components in the product >0.1% are not carcinogenic based on animal studies or no data identified for the components in this product.
Reproductive Toxicity:	Propylidynetrimethanol (CAS No. 77-99-6) is classified for reproductive toxicity. The other components in the product >0.1% are not reproductive toxicants based on animal studies or no data identified for the components in this product.
Specific target organ toxicity (single exposure):	The components in the product >1% are not specific target organ toxicity (single exposure) toxicants based on animal studies or no data identified for the components in this product.
Specific target organ toxicity (repeated exposure):	The components in the product >1% are not specific target organ toxicity (repeated exposure) toxicants based on animal studies or no data identified for the components in this product.
Aspiration hazard:	Distillates petroleum hydrotreated light (CAS No. 64742-47-8) is classified for aspiration toxicity. The other components in the product >1% are not aspiration hazards based on animal studies or no data identified for the components in this product.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

This product is not expected to be endocrine disrupting.

11.2.2 Information on other hazards

No other hazards to note.

Page 7 of 10

References:

ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. <u>https://echa.europa.eu/search-for-chemicals</u> IARC (International Agency for Research on Cancer). 2023. Agents Classified by the IARC Monographs, Volumes 1– 129. <u>https://monographs.iar.who.int/list-of-classifications/</u> NTP (National Toxicology Program). 2023. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <u>https://ntp.niehs.nih.gov/go/roc14</u>

Section 12 - Ecological Information

12.1 Toxicity

This product is not expected to be harmful or toxic to aquatic life.

12.2 Persistence and degradability

- · No data available for the other components of the product.
- 12.3 Bioaccumulative potential

No data available.

12.4 Mobility in Soil

No data available.

12.5 Results of PBT and vPvB assessment

No data available.

12.6 Other adverse effects

No further data available.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Preparing wastes for disposal: Use product for its intended purpose or recycle if possible. Dispose of waste in accordance with local, regional, national, and/or international regulations. The empty container has residues which may exhibit hazards of the product.

Contaminated Packaging: Container packaging is not expected to exhibit hazards.

Section 14 - Transport Information

Note: This product is not regulated as dangerous goods for transport.

14.1 UN number	Not applicable	
14.2 UN proper shipping name	Not applicable	
14.3 Transport hazard class(es):	Not applicable	
14.4 Packing group	Not applicable	
14.5 Environmental hazards	None	
14.6 Special precautions for user	None	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable	

Page 8 of 10

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

European Union

Seveso Directive (2012/18/EU): Ammonia (CAS No. 7664-41-7), ethylene oxide (CAS No. 75-21-8), propylene oxide (CAS No. 75-56-9), arsenic (CAS No. 7440-38-2), beryllium (CAS No. 7440-41-7), and nickel (CAS No. 7440-47-3) are listed. Formaldehyde (CAS No. 50-00-0) (listed as formaldehyde, concentration ≥ 90%) is listed; however, does not meet concentration requirement and therefore this listing does not apply. No other components in this product are listed. Regulation (EC) No. 1005/2009, Annex I and II: No components in this product are listed.

Regulation (EC) No. 689/2008, Annex I, Parts I-III: Ethylene oxide (Oxirane) (CAS No. 75-21-8), hexachlorobenzene (CAS No. 118-74-1), arsenic (CAS No. 7440-38-2), cadmium (CAS No. 7440-43-9), and mercury (CAS No. 7439-97-5) are listed. No other components in this product are listed.

Regulation (EU) No. 2019/1021, Annex I: No components in this product are listed.

Germany:

Wassergefährdungsklasse (water hazard class): WGK 1 - Schwach wassergefährdend.

International:

IARC: Crystalline silica (particles of respirable size) (CAS No.14808-60-7), is listed as Group 1, carcinogenic to humans. Carbon black (CAS No. 1333-86-4) and titanium dioxide (CAS No. 13463-67-7) are listed as Group 2B, possibly carcinogenic to humans. Product classification is not warranted based on the nature of the product. Talc (CAS No. 14807-96-6), ethylene oxide (CAS No. 75-21-8), formaldehyde (CAS No. 50-00-0), arsenic (CAS No. 7440-38-2), beryllium (CAS No. 7440-41-7), cadmium (CAS No. 7440-43-9), and chromium (CAS No.7440-47-3) are listed as Group 1, carcinogenic to humans. Styrene (CAS No. 100-42-5) and 2 methoxyaniline (CAS No. 123-91-1), ethyl acrylate (CAS No. 140-88-5), acetaldehyde (CAS No. 75-07-0), hexachlorobenzene (CAS No. 118-74-1), 3,3'- dichlorobenzidin (CAS No. 91-94-1), antimony (CAS No. 1314-62-1), and methyl isobutyl ketone (CAS No. 7440-47-3), vanadium (CAS No. 1314-62-1), and methyl isobutyl ketone (CAS No. 7440-47-3), vanadium (CAS No. 1314-62-1), and methyl isobutyl ketone (CAS No. 7440-47-3), vanadium (CAS No. 1314-62-1), and methyl isobutyl ketone (CAS No. 108-10-1) are listed as Group 2B, possibly carcinogenic to humans. Red iron oxide (CAS No.1309-37-1), 2-butoxyethanol (CAS No. 111-76-2), talc not containing asbestos or asbestiform fibers (CAS No. 14807-96-6), basic Red 1 (CAS No. 989-38-8), C.I. Basic Violet 10 (CAS No.81-88-9), and mercury (CAS No. 7439-97-5) are classified as Group 3, not classifiable as to its carcinogenicity to humans. No other components in this product are classified with respect to carcinogenicity.

15.2 Chemical Safety Assessment

- None available for the components in this product.
- Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.

Page 9 of 10

Section 16 - Other Information

List of acronyms and abbreviations:

ACGIH: American conference of Governmental Hygienists	OSHA: Occupational Safety and Health Administration
ATE: Acute Toxicity Estimate	PBT: Persistent, Bioaccumulative and Toxic
CAS: Chemical Abstract Service Number	PEL: Permissible Exposure Level
CLP: Classification, Labelling and Packaging Regulation (EC) No 1272/2008	PPE: Personal Protective Equipment
DFG MAK: Deutsche Forschungsgemeinschaf Maximale Arbeitsplatz-Konzentration	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
EC: European Commission	REL: Recommended exposure level
ECHA: European Chemicals Agency	SDS: Safety Data Sheet
GHS: Global Harmonized System	TLV: Threshold limit value
HEPA: High Efficiency Particulate Air	TWA: Time-weighted average
IARC: International Agency for Research on Cancer	UN: United Nations
IBC: International Bulk Chemical	vPvB: very Persistent, very Bioaccumulative
MARPOL: Maritime Pollution	WGK: Wassergefährdungsklasse
NIOSH: National Institute for Occupational Safety & Health	

References:

- ECHA (European Chemicals Agency). 2023. REACH Registered Substances Database. <u>https://echa.europa.eu/search-for-chemicals</u> IARC (International Agency for Research on Cancer). 2023. Agents Classified by the IARC Monographs, Volumes 1– 129. <u>https://monographs.iarc.who.int/list-of-classifications/</u> NTP (National Toxicology Program). 2023. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC:
- U.S. Department of Health and Human Services, Public Health Service. https://ntp.niehs.nih.gov/go/roc14

Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Revision Indicator: This is a 2nd revision Safety Data Sheet. Creation Date: February 11, 2022 Revision Date: September 22, 2023

Page 10 of 10

Item Numbers: 40409-1001