
Safety Data Sheet

For Compliance with OSHA 29 CFR 1910.1200 and ANSI Z400.1-2004



2. Hazards Identification

 Emergency Overview

 This product is essentially non-toxic and non-allergenic in normal use. Follow procedures for good industrial hygiene. Product is unlikely to cause skin or eye irritation. Melt processing releases vapors which may cause eye, skin and respiratory tract irritation.

 Routes of Exposure
 Signs and Symptoms
 Single, Repeated, or Lifetime
 Severity (Mild, Moderate, Severe)
 Acute & Chronic Health Effects
 Target Organ(s)

 Eye
 X (dust)
 Irritation
 Single
 Mild
 None

X (dust)	Irritation	Single	Mild	None	
Skin					
Inhalation					
Ingestion					
Other					
Medical Conditions Aggrav	vated by Exposure				•
None Known					
Carcinogenicity (OSHA, IARC, NTP)					
There is no chemical present in this product at a concentration of 0.1% or more classified as a					

carcinogen by IARC, NTP or OSHA

3. Composition/Information on Ingredients					
Hazardous Components	C.A.S. Number	Exposure Limits	% by wt.		
Product does not contain any Hazardous					
Components.					
OSHA Regulatory Status					

This product is not considered to be a hazardous material according to the U.S. Occupational Safety and Health Act definitions and regulations, including the Hazard Communication Standard 29 CFR 1910.1200.

Page 1 of 4

Item Numbers: 57319-1010, 57319-1020, 57319-1030, 57319-1040, 57319-2010, 57319-2020, 57319-2030, 57319-2040



VELCRO® Brand Hook 88 and Loop 1000-0135

Routes of Exposure	First Aid Instructions	Immediate Medical Attention	Delayed Effects
Eye X	Follow established first aid procedures for flushing foreign material from eye.		
Skin X	Wash hands with soap and water.		
Inhalation X	Move to fresh air and if symptoms persist, call a Physician.		
Ingestion X	Follow established first aid procedures for ingestion of foreign material.		
Other			

	5. Fire Fighting Measures						
Flashpoint & Method	°F		Flammable (Explosive) Li N/A	Imits in Air (LEL & UEL) Autoignition Temp. °F		°F	Other
Flame Propagation or Burning Rate (for solids) Not Tested		ate (for solids)	Properties Contributing to Fire Intensity None	Flammability Classification			
Extinguishing Media Water, Foam, CO², or Dry Chem			², or Dry	Extinguishing Media to Avoid			Reactions to Extinguishing Media N/A
Frie-fighters and others who may be exposed to products of combustion should wear full protective clothing including self-contained breathing apparatus.							

Unusual Fire and Explosion Hazards

Combustible thermoplastic material: may melt and drip and produce heavy smoke. Products of combustion can include: oxides of carbon, sulfur and nitrogen; traces of hydrogen cyanide and unknown hydrocarbons.

6. Accidental Release Measures

•	cisona	recautions	

Environmental Precautions

Containment Techniques

Spill/Leak Clean-Up Procedures and Equipment

Material is safe to handle. If processing generates fibers or dust, sweep and dispose in normal trash receptacle. Evacuation Procedures None

Special Instructions

None Reporting Requirement

None

7. Handling and Storage

Handling Practices and Warnings This material does not require special handling.

Storage Practices and Warnings Store in cool, dry place, away from excessive heat.

8. Exposure Control/Personal Protection					
Ventilation	Other Engineering Controls				
None Required					
Routes of Entry	Personal Protective Equipment (PPE) for Normal Use	PPE for Emergencies			
Eye/Face					
Skin					
Inhalation					
General Hygiene Consideration and Work Practices					
Protective Measures During Repair and Maintenance of Contaminated Equipment					
Other Protective Measures and Equipment					

9. Physical and Chemical Properties				
Appearance			Odor	
Textile Fastener with adhesive b	acking		Essentia	ally odorless
Normal Physical State	Boiling Point	Boiling Point Melting Point Freezing Point		Freezing Point
Solid	N/A	>400°F - >227°C N/A		N/A
Specific Gravity or Density $(H_2O) = 1$)	Solubility in Water		Ph	•
> 1.0	Insoluble		N/A	
Vapor Pressure	Vapor Density (AIR = 1)		Evaporation R	ate (Butyl Acetate = 1)
N/A	N/A		N/A	
Other				

	and Reactivity
Incompatibility (Materials to Avoid)	
Strong Acids, oxidizing agents and bases.	
Hazardous Products Produced During Decomposition	
Molten vapors or fumes may cause irritation to the respiratory tract. Combustible thermoplastics material	
may melt and drip, contact with hot molten tape will cause thermal burns.	
Hazardous Polymerization	Conditions to Avoid
🗌 May Occur 🛛 Will Not Occur	Excessive heat and ignition sources
Stability	Conditions to Avoid
🛛 Stable 🗌 Unstable	

11. Toxicological Information

Toxicity Data, Epidemiology Studies, Carcinogenicity, Neurological Effects, Genetic Effects, Reproductive Effects, or Structure Activity Data

Finished article not tested. See section 2 for available information on potential health effects.

12. Ecological Information Toxicity, Environmental Fate, Physical/Chemical Data, or Other Supporting Environmental Hazard Statements

Finished article not tested. Please refer to section 6 for information regarding accidental releases and section 15 for regulatory reporting information.

Page 3 of 4

Item Numbers: 57319-1010, 57319-1020, 57319-1030, 57319-1040, 57319-2010, 57319-2020, 57319-2030, 57319-2040

VELCRO® Brand Hook 88 and Loop 1000-0135

13. Disposal Considerations

Regulations
Properties (Physical/Chemical) Affecting Disposal
Treat as normal solid waste. Reuse or recycle if possible.
NOTE: State or local requirements may differ from federal regulations. Processing or using this product may make the information here inappropriate. Waste generators are responsible for waste classification, transport, and disposal.

	14. I ransport Information	
Regulated for Shipping?	Proper Shipping Name	Packing Group
🗌 🗌 Yes 🖾 No		
Do changes in quantity, packaging, or	Hazard Class	Identification Number
shipment method change product		
classification?		
🗌 Yes 🖾 No		

15. Regulatory Information
Federal Regulations (OSHA, TSCA, CERCLA, FIFRA, EPCRA, CAA, SWA, SDWA, CPSA, DEA, FDA/USDA, etc.) Consumer Product Safety Act (CPSIA)
This VELCRO ® Brand product does not contain Lead.
This VELCRO ® Brand product does not contain Phthalates.
State Regulations
International Regulations
EU Directive 2002/95/EC – Restriction of Hazardous Substances (RoHS) "banned substances" along
with EU Directive 2002/96/EC – Waste from Electrical and Electronic Equipment (WEEE)
VELCRO® Brand products do not exceed the amount of allowable levels concerning: Cadmium (Cd); Hexavalent
Chromium (CrVI); Mercury (Hg); Lead (Pb); Polybrominated Biphenyls (PBB's) as bromide; Polybrominated Diphenyl Ethers (PBDEs) as bromide, decaBDE
Registration, Evaluation and Authorization of Chemicals (EU - REACH) & Substances of Very High
Concern (SVHC)
VELCRO I Brand product shipped into the EU are considered "Articles". REACH Article 3(3) defines Article as: "an object which during production is given a special shape, surface or design which determines its function to a greater degree than its chemical composition".
This VELCRO® Brand Product does not contain substances on the SVHC list as of December 15, 2015.
Other Ozone-Depleting Substances (ODS)
VELCRO® Brand products do not contain Ozone-Depleting substances nor are Ozone-Depleting Substances used in our
manufacturing process. e.g. Chlorofluorocarbons (CFCs); Halons; Carbon Tetrachloride; Methyl Chloroform; Methyl
Bromide; Hydro Bromofluorcarbon (HFBCs); and Hydro Chlorofluorocarbon (HCFCs)
Natural Latex
VELCRO ® Brand products do not contain natural rubber latex.
16. Other Information

The information supplied herein is presented in good faith and believed to be accurate to the best knowledge of Velcro USA Inc. However, since conditions of use are beyond our control, we make no expressed or implied warranties as to the use of this information, the fitness of this product for a particular purpose, or the merchantability of this product. This information is offered solely for your consideration and interpretation.

Page 4 of 4

Item Numbers: 57319-1010, 57319-1020, 57319-1030, 57319-1040, 57319-2010, 57319-2020, 57319-2030, 57319-2040

Label Text, Hazard Rating Systems, Key Legend, or Other