FOSS® Performance Materials, LLC.

Safety Data Sheet

60893-XXXX

Section I - Identification					
Corduroy Felt All Colors except Red		This material is an "Article" and is considered non-hazardous by OSHA Hazard Communication Standard 29 CFR 1910.1200			
Manufacturer's Name	Emerge	ency Telephone Numb	er		
Foss Performance Materials, LLC.	(60:	3) 929-6000			
Address (Number, Street, State and Zip Code) 11 Merrill Industrial Drive		Telephone Number for Information (603) 929-6000			
HAMPTON, NH 03842	Prepare				
	A.Plu				
Section II - Hazards					
None per CFR 1910.1200					
Section III - Components					
•	CAS #	OSHA PEL	ACGIH TLV	Others	
Polyester (PET) Fiber	25038-59-9	NA	NA	NA	
Miscellaneous Pigments and Additives	NA	NA	NA	NA	
Miscellaneous Pigments and Additives Section IV - First Aid	NA	NA	NA	NA	
Section IV - First Aid Flush eyes with water for at least 10 mi	inutes. Contact wit	th molten materi	al should k		a
Section IV - First Aid	inutes. Contact wit	th molten materi	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f	inutes. Contact wit or all burns, partic	th molten materi	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures	inutes. Contact wit or all burns, partic	th molten materi	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media	inutes. Contact wit or all burns, partic	th molten materi	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC)	inutes. Contact wit or all burns, partic	th molten materi	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures	inutes. Contact wit or all burns, partic	th molten materi ularly if in the fa	al should k		а
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH a	inutes. Contact wit or all burns, partic	th molten materi ularly if in the fa	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH a Unusual Fire and/or Explosion Hazards	inutes. Contact wit for all burns, partice s approved breathing	th molten materi ularly if in the fa	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH a	inutes. Contact wit for all burns, partice s approved breathing	th molten materi ularly if in the fa	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH a Unusual Fire and/or Explosion Hazards	inutes. Contact wir or all burns, partice s approved breathing ith low smoke dens	th molten materi ularly if in the fa	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH at Unusual Fire and/or Explosion Hazards Treat as a solid that burns generally wi Section V I- Accidental Release Me	inutes. Contact wir or all burns, partice approved breathing ith low smoke dens	th molten materi ularly if in the fa	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH at Unusual Fire and/or Explosion Hazards Treat as a solid that burns generally wi	inutes. Contact with for all burns, partices. approved breathing ith low smoke dense casures	th molten materi ularly if in the fac apparatus	al should k		a
Section IV - First Aid Flush eyes with water for at least 10 mi thermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH a Unusual Fire and/or Explosion Hazards Treat as a solid that burns generally wi Section V I- Accidental Release Me Steps to Be Taken in Case Material Is Released or Spil Shovel, sweep or vacuum. Avoid gene	inutes. Contact with for all burns, partices. approved breathing ith low smoke dense easures	th molten materi ularly if in the fa apparatus sity	al should k	pe treated as	a
Section IV - First Aid Flush eyes with water for at least 10 mithermal burn. Seek medical attention f Section V - Fire Fighting Measures Extinguishing Media Water fog, foam dry (ABC) Special Fire Fighting Procedures Use full bunker gear including NIOSH attention of the company of the com	inutes. Contact with for all burns, partices. approved breathing ith low smoke dense easures	th molten materi ularly if in the fa apparatus sity	al should k	pe treated as	a

Section VII - Precautions	for Safe Handling	and Storage		
Precautions to Be Taken in Handling ar	nd Storing			
Treat as a solid that can bu	ırn			
Other Precautions				
Store away from oxidizing	agents			
Section VIII Dersonal D	rataatian			
Section VIII - Personal P Health Hazards (Acute and Chronic)	rotection			
None known	Product fines d	lust may cause mechanical i	rritation	
Respiratory Protection (Specify Type)	i roddot iiiloo, d	naet may cause meenamear i		
	ate dust mask can be u	used if product dust is prese	nt	
Ventilation Local Exhaust		Special N/A		
Mechanical (General)	Recommended	Other N/A		
Protective Gloves Not required		Eye Protection	s recommended	
Other Protective Clothing or Equipment	<u> </u>	ANSI Z87 safety glasse	s recommended	
Not required	•			
Work/Hygienic Practices				
Use good industrial hygien	e practices and proce	dures		
Section IX - Physical and				
Boiling Point	Not applicable	Specific Gravity (H ₂ 0 = 1)	Not applicable	
\/P/	Not applicable	Marking Daint	258°C	
Vapor Pressure (mm Hg)	Not applicable	Melting Point	258°C	
Vapor Density (AIR = 1) Not applicable		Evaporation Rate	Not applicable	
		(Butyl Acetate = 1)		
Solubility in Water				
Insoluble				
Appearance and Odor	Solid . No distinct	t Odor		
Flash Point (Method Used)	Not applicable	Flammable Limits	LEL UEL	
Tidon't oint (Metrica Osea)	тот аррисавіс	Tarrinable Elimis	N/A N/A	
			<u> </u>	
Section X - Stability and	Reactivity			
Unstable Conditions	to Avoid			
	known			
Incompatibility (Materials to Avoid)				
Strong oxidizing agents				
CO, CO ₂ , and small amount		matic hydrocarbons		
Hazardous May Occur				
Polymerization Will Not Oo		known		
Section XI - Toxicologica	al Information			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?	
	N/A	N/A	N/A	
Section XII - Ecological I	nformation			
No Data available				
Section XIII - Disposal				
Material as supplied is non-histate and federal regulations.		ay be recyclable in certain ar	eas. Comply with local ,	

Item Numbers: 60893-8913 Page 2 of 3

Section XIV - Transport Not Regulated

Section XV - Regulatory Information

Not Regulated
Complies with the requirements of Caifornia Proposition 65 , REACH and ROHS

Section XVI - Other Information