

FOSS[®] Performance Materials, LLC.

Safety Data Sheet

60894-3013

Section I - Identification

Glitterfelt™ Red		<i>This material is an "Article" and is considered non-hazardous by OSHA Hazard Communication Standard 29 CFR 1910.1200</i>	
Also sold as: Glittered Friendlyfelt™, Printzfelt™, Coordinates™			
Manufacturer's Name Foss Performance Materials, LLC.		Emergency Telephone Number (603) 929-6000	
Address (Number, Street, State and Zip Code) 11 Merrill Industrial Drive		Telephone Number for Information (603) 929-6000	
HAMPTON, NH 03842		Date Prepared 06/06/18	
		Preparer A.Plue	

Section II - Hazards

None per CFR 1910.1200

Section III - Components

	CAS #	OSHA PEL	ACGIH TLV	Others
Recycled Polyester (PET) Fiber	25038-59-9	NA	NA	NA
Acrylic Fiber	NA	NA	NA	NA
Acrylic Flock, Glitter or Colors	NA	NA	NA	NA
Miscellaneous Pigments and Additives	NA	NA	NA	NA

Section IV - First Aid

Flush eyes with water for at least 10 minutes. Contact with molten material should be treated as a thermal burn. Seek medical attention for all burns, particularly if in the facial area.

Section V - Fire Fighting Measures

Extinguishing Media

Water fog, foam dry (ABC)

Special Fire Fighting Procedures

Use full bunker gear including NIOSH approved breathing apparatus

Unusual Fire and/or Explosion Hazards

Treat as a solid that burns generally with low smoke density

Section V I- Accidental Release Measures

Steps to Be Taken in Case Material Is Released or Spilled

Shovel, sweep or vacuum. Avoid generating dust clouds.

Waste Disposal Method

Place in an appropriate container and dispose of in compliance with all federal, state and local ordinances.

Section VII - Precautions for Safe Handling and Storage

Precautions to Be Taken in Handling and Storing

Treat as a solid that can burn

Other Precautions

Store away from oxidizing agents**Section VIII - Personal Protection**Health Hazards (*Acute and Chronic*)**None known****Product fines, dust may cause mechanical irritation**Respiratory Protection (*Specify Type*)**Not required, but appropriate dust mask can be used if product dust is present**

Ventilation	Local Exhaust	Special	N/A
	Mechanical (<i>General</i>)	Other	N/A
Protective Gloves	Eye Protection		
Not required	ANSI Z87 safety glasses recommended		

Other Protective Clothing or Equipment

Not required

Work/Hygienic Practices

Use good industrial hygiene practices and procedures**Section IX - Physical and Chemical Properties**

Boiling Point	Not applicable	Specific Gravity (H ₂ O = 1)	Not applicable
Vapor Pressure (mm Hg)	Not applicable	Melting Point	258°C
Vapor Density (AIR = 1)	Not applicable	Evaporation Rate (Butyl Acetate = 1)	Not applicable
Solubility in Water	Insoluble		
Appearance and Odor	Solid . No distinct Odor		
Flash Point (Method Used)	Not applicable	Flammable Limits	LEL N/A UEL N/A

Section X - Stability and Reactivity

Unstable	Conditions to Avoid		
Stable	XXX	None known	
Incompatibility (<i>Materials to Avoid</i>)			
Strong oxidizing agents			
Hazardous Decomposition or Byproducts			
CO, CO₂, and small amounts of aliphatic and aromatic hydrocarbons			
Hazardous Polymerization	May Occur	Conditions to Avoid	
	Will Not Occur	XXX	None known

Section XI - Toxicological Information

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	N/A	N/A	N/A

Section XII - Ecological Information**No Data available****Section XIII - Disposal****Material as supplied is non-hazardous . Material may be recyclable in certain areas. Comply with local , state and federal regulations..****Section XIV - Transport**

Not Regulated

Section XV - Regulatory Information

Not Regulated

Complies with the requirements of California Proposition 65 , REACH and ROHS

Section XVI - Other Information
