

63449-0001

Angelus Shoe Polish Co.
Santa Fe Springs, Ca. 90670

Product: Angelus No. 600 Acrylic Finisher
Date Prepared: 02/01/13

Section 1 Product Identification
Product Name: Angelus Acrylic Finisher
General or Generic ID: A proprietary resin emulsion product

Hazard Rating: Health 1 Scale: 0 Minimal 1 Slight 2 Moderate 3 Serious 4 Severe
Fire 0
Reactivity 0

Emergency Phone Number 562-941-4242

Emergency Phone for Transportation only: 1-800-535-5053 INFOTRAC

Section 2 Composition/Information of Ingredients

Ingredient (s)	CAS Number	% (by volume)
Acrylic Polymer/wax emulsion blend		<9

Section 3 Hazards Identification Potential Health Effects

Eye: Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin: May cause irritation of skin with prolonged use. No problem is expected with normal use.

Swallowing/Ingestion: May cause nausea. Vomiting may be induced at the discretion of a physician.

Inhalation: None, No adverse effect expected with normal use and adequate ventilation.

Symptoms of Exposure: None. No adverse effect expect with normal use..

Target Organ Effects: Not Determined

Developmental Info: Not Determined

Cancer Information: Based on the available information, this material cannot be classified with regard to carcinogenicity.

Primary Route of entry: Inhalation, Skin contact, Eye contact, Ingestion.

Other Health Effects: No Data

Section 4 First Aid Measures

Eyes: Flush eyes gently with water for at least 15 minutes .Seek medical attention if irritation persists.

Skin: Wash affected skin areas thoroughly with soap and water. Consult physician if irritation persists.

Swallowing/Ingestion: If swallowed give 2 glasses of water. Consult a physician. Never give anything by mouth to an unconscious person.

Inhalation: Move subject to fresh air. If symptoms persist consult a physician.

Page One Continued on next page

Angelus Shoe Polish No. 600 Acrylic Finisher Page 2 02/01/13

Section 5 Fire Fighting Measures

Flash Point: Noncombustible

Explosive Limit: Not Applicable

Autoignition Temp: Not Applicable

Hazardous products
from Combustion: Not measured

Fire & Explosion Haz: Material may splatter above 212F/100C. Polymer film can burn.

Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

Fire Fighting Instructions: Wear a self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protection equipment.

NFPA Rating: Health—1, Flammability---0, Reactivity--0

Section 6 Accidental Release Measures

Spill: Absorb liquid on vermiculite, floor absorbent, or other absorbent material and place in an approved container. Follow all regulations concerning disposal.

Section 7 Handling and Storage

Handling: Keep product from freezing..

Section 8 Exposure Controls / Personal Protection

Eye Protection: Under normal conditions eye protection is not necessary. It is however good practice to always wear protective glasses when using any product.

Skin Protection: Under normal conditions protections is not necessary. It is good practice to always avoid contact with skin.

Respiratory Protection: With normal ventilation respiratory protection is not necessary.

Exposure Guidelines: OSHA VPEL ACGIH TLV
Non Hazardous

Section 9 Physical and Chemical Properties

Boiling Point: 212F / 100C

Vapor Pressure Not measured

Specific Vapor Density: AIR=1 <1 water

Page 2 Continued on next page

