81523-1006





Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Version: 2.1 Date of issue: 06/12/2017 Revision date: 10/17/2018 Supersedes: 06/12/2017

SECTION 1: Identification 1.1. Identification Product form : Substance Substance name : Lime : 8008-26-2 CAS-No. :: 57877 Product code Imme : 8008-26-2 1.2. Recommended use and restrictions on use No additional information available Imme : 8008-26-2 1.3. Supplier Candiowic Transmitted information available 1.3. Supplier Candiowic and information available Imme : 8008-26-2 1.4. Emergency telephone number Ernergency number : Chemtrec - USA: 800-424-9300 SECTION 2: Hazard(S) Identification Planmable liquid and vapour Classification of the substance or mixture OHS-US classification Flammable liquid and vapour Cause as an allergic in machine aniways 2.2. OHS Label olements, including proceautionary statements GHS-US labeling : Emergency Hazard pictograms (GHS-US) : Emergency Signal word (GHS-US) : Danger Hazard statements (GHS-US) : Danger Hazard statements (GHS-US) : Remm	511. 2. 1
1.1. Identification Product form is Substance name is CAS-No. is 70duct rode is 1.2. Recommended use and restrictions on use No additional information available is 1.3. Supplier Candlewic is Sold Easton Rd Doylestown, PA 18902 Tr: 215-230-3601 F: 215-230-3606 is 1.4. Emergency tolephone number Emergency number is Classification of the substance or mixture GBS-US classification Flarmable liquids Category 2 Skin corrosofrititition Category 1 Skin corrosofrititition Category 1 Skin advalation, GGHS-US Category 1 Skin advalation of the substance or mixture GHS-US labeling Hazard pictograms (GHS-US) Hazard pictograms (GHS-US) E Dager Hazard statements (GHS-US) is Flarmable liquid and vapour May be fatal if swallowed and enters ainways Signal word (GHS-US) is Hazard statements (GHS-U	
Product form : Substance name : Substance : Lime : 8008-26-2 CAS-No. : 57877 Product code : : : : : : : : : : : : : : : : : : :	
Substance name : Lime: 8008-26-2: CAS-No. : 57877 Product code : . 12. Recommended use and restrictions on use . No additional information available . . 13. Suppler . Candlewic . . . Sylestown, PA 18902 . . . Division Red Streegency number : Chemtrec - USA: 800-424-9300 . . Streegency number : Chemtrec - USA: 800-424-9300 . . Streegency number : Chemtrec - USA: 800-424-9300 . . . Streegency number : Chemtrec - USA: 800-424-9300 . <td></td>	
CAS-No. : : 57877 Product code 1.2. Recommended use and restrictions on use No additional information available 1.3. Supplier Candiewic 3765 Old Easton Rd Doylestown, PA 18902 T: 215-230-3806 1.4. Emergency telephone number Emergency number : : Chemtrec - USA: 800-424-9300 SECTION 2: Hazard(S) Identification 2.1. Classification of the substance or mixture GHS-US classification Sikin sensitization, Category 3 Skin corosion/irritation Category 3 Skin sensitization, Category 1 Aspiration hazard Category 1 Aspiration hazard Category 1 Energency telephone number Energency sensitive telephone number E.2. GHS Label elements, including precautionary statements GHS-US Labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Figure telephone site in the substance or mixture Figure telephone number Energency statements (GHS-US) Figure telephone number Energency number Energency telephone number Energency number Energency telephone number Energency number Energency telephone number Energency telephone number Energency number Energency number Energency telephone number Energency number Energency number Energency telephone number Energency number Energency telephone number Energency number Energency telephone number Energency number Energency telephone number Energency	
Product code 1.2. Recommended use and restrictions on use No additional information available 1.3. Supplier Candlewic 3765 Old Easton Rd Doylestown, PA 15902 T; 215-230-3606 1.4. Emergency telephone number Emergency number Emergency number Emergency number E. Chemtrec - USA: 800-424-9300 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mature GH5-US classification Causes skin irritation Aspiration hazard Category 3 Skin sensitization, Category 1 Aspiration hazard Category 1 Signal word (GHS-US) Hazard pictograms (GHS-US) Flazard statements (GHS-US) Flazard statements (GHS-US) Flazard statements (GHS-US) Fleesuutionary statement	
1.2. Recommended use and restrictions on use No additional information available 1.3. Supplier Candlewic 3765 Old Easton Rd Doylestown, PA 18902 715 2016 States of H : 215-230-3606 1.4. Emergency telephone number Emergency number : Chemtrec - USA: 800-424-9300 SECTION 2: Hazard(s) identification Plammable liquids Category 3 Skin sensitization, Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1 Babeling Hazard pictograms (GHS-US) : Danger : Danger : Flammable liquid and vapour May be fatal if swallowed and enters alrways Causes skin initiation May cause an allergic skin reaction Precoautionary statements (GHS-US) : Danger : Resp away from heat, hot surfaces, sparks, open flames and other ignition sources sricking. Precoautionary statements (GHS-US) : Ke	
No additional information available 1.3. Supplier Candlewic 3765 Old Easton Rd Doylestown, PA 18902 T: 215-230-3601 F: 215-230-3606 1.4. Emergency telephone number Emergency number Emergency telephone number SECTION 2: Hazard(S) identification 21. Classification of the substance or mixture GHS-US classification Flammable liquid Category 3 Skin corrosion/iritation Category 1 Aspriaton hazard Category 1 Aspriaton hazard Category 1 Skin sensitization, Category 1 Aspriaton hazard Category 1 Skin corrosion/iritation Category 2 Skin corrosion/iritation	
1.3. Supplier Candlewic 3765 Old Easton Rd Doylestown, PA 18902 T: 215-230-3601 F: 215-230-3606 1.4. Emergency telephone number Emergency number Emergency number Classification of the substance or mixture GHS-US classification Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin corrosion/irritation Category 1 Aspiration hazard Category 1 Aspiration hazard Category 1 GHS-US Label elements, including precautionary statements GHS-US labeling Hazard pictograms (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Take precautionary statements (GHS-US) Precautionary statements (GHS-US) Precautionary statements (GHS-US) Precautionary statements (GHS-US) Take precautionary statements (GHS-US) Precautionary statements (GHS-US) Way be fatal if swallowed and enters airways course skin intritation May cause an allergic skin reaction May cause an a	
Candlowic 3765 Old Easton Rd Doylestown, PA 18902 T: 215-230-3601 T: 215-230-3605 1.4. Emergency telephone number Emergency number : Chemtrec - USA: 800-424-9300 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Aspiration hazard Category 3 Skin sensitization, Category 1 Aspiration hazard Category 1 Aspiration hazard Category 1 Signal word (GHS-US) Hazard statements (GHS-US) Filammable liquid and vapour May be fatal if swallowed and enters airways CHS-US labeling Hazard statements (GHS-US) Filammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May be fatal if swallowed and enters airways Causes and infri difference GHS-US labeling Hazard statements (GHS-US) Filammable liquid and vapour May be fatal if swallowed and enters airways Causes skin retraints Signal word (GHS-US) Filammable liquid and vapour May be fatal if swallowed and enters airways Causes skin retraints Filammable liquid and vapour May be fatal if swallowed and enters airways Causes skin retraints Precautionary statements (GHS-US) Filammable liquid and vapour May cause an allergic skin reaction May cause and	
3765 Old Easton Rd Doylestown, PA 18902 T: 215-230-3601 F: 215-230-3606 1.4. Emergency telephone number Emergency number : Chemtrec - USA: 800-424-9300 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Flammable liquids Category 3 Skin sensitization, Category 1 Aspiration hazard Category 1 BH3-US labeling Hazard pictograms (GHS-US) : Danger : Danger : Danger : Flammable liquid and vapour May cause an allergic skin reaction Precautionary statements (GHS-US) : E Flammable liquid and vapour May cause an allergic skin reaction May cause an allergic skin reaction May cause an allergic skin reaction	
Emergency number : Chemtrec - USA: 800-424-9300 SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Flammable liquids Category 3 Skin sensitization, Category 1 Aspiration hazard Category 1 Signal word (GHS-US) Hazard pictograms (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US) Precautionary statements (GHS-US) Flammable liquid and vapour May be fatail if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) Flammable liquid and vapour May be fatail if swallowed and renters airways Causes an allergic skin reaction Precautionary statements (GHS-US) Steep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lightling equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gax/mist/vapors/spray. Wash hands, forearms and face thoroughly after handing.	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture GHS-US classification Flammable liquids Category 3 Skin scorrosion/irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1 Hazard pictograms (GHS-US) Hazard pictograms (GHS-US) Hazard statements (GHS-US) Hazard statements (GHS-US) Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) Flearements (GHS-US) Keep container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/tume/gas/mistv/apo	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture Flammable liquids Category 3 Skin sensitization, Category 1 Flammable liquid and vapour Causes skin irritation Aspiration hazard Category 1 May cause an allergic skin reaction May be fatal if swallowed and enters airways 2.2. GHS Label elements, including precautionary statements GHS-US labeling Hazard pictograms (GHS-US) : Hazard pictograms (GHS-US) : Hazard statements (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : Precautionary statements (GHS-US) : Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) : Flammable liquid and vapour May cause an allergic skin reaction Precautionary statements (GHS-US) : Keep container tighty closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use englosion-proof electrical/ventilating/lighting equipment Use englosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid	
2.1. Classification of the substance or mixture GHS-US classification Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1 Classes skin irritation May cause an allergic skin reaction May be fatal if swallowed and enters airways 2.2. CHS Label elements, including precautionary statements GHS-US labeling Hazard pictograms (GHS-US) : Vience (GHS-US) Hazard statements (GHS-US) : Hazard statements (GHS-US) : Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) : : : : : : : : : : : : : : : : : : <	
2.1. Classification of the substance or mixture GHS-US classification Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin sensitization, Category 1 Aspiration hazard Category 1 CHS-US label elements, including precautionary statements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) Hazard statements (GHS-US) F Flammable liquid and vapour Causes an allergic skin reaction May be fatal if swallowed and enters airways Signal word (GHS-US) Hazard statements (GHS-US) F Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) F Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) F Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge	
GHS-US classification Flammable liquids Category 3 Skin corrosion/irritation Category 2 Skin reaction Skin sensitization, Category 1 May cause an allergic skin reaction Aspiration hazard Category 1 May cause an allergic skin reaction Aspiration hazard Category 1 May be fatal if swallowed and enters airways 2.2. GHS Label elements, including precautionary statements GHS-US labeling Hazard pictograms (GHS-US) : Signal word (GHS-US) : Hazard statements (GHS-US) : Precautionary statements (GHS-US) : Response on allergic skin reaction : </td <td></td>	
Flammable liquids Category 3 Flammable liquid and vapour Skin corrosion/irritation Category 1 Causes skin irritation Aspiration hazard Category 1 May cause an allergic skin reaction Aspiration hazard Category 1 May cause an allergic skin reaction Aspiration hazard Category 1 May cause an allergic skin reaction GHS-US labeling Image: Comparison of the statements Hazard pictograms (GHS-US) : Image: Comparison of the statements Signal word (GHS-US) : Danger Hazard statements (GHS-US) : Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation Precautionary statements (GHS-US) : Danger Hazard statements (GHS-US) : Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use entylenor/spary. Wash hands, forearms and face thoroughly after handling. Take precautionary measures against static discharge.	
Skin corrosion/irritation Category 1 Causes skin irritation May cause an allergic skin reaction May cause an allergic skin reaction Aspiration hazard Category 1 May be fatal if swallowed and enters airways 2.2. GHS Label elements, including precautionary statements GHS-US labeling Hazard pictograms (GHS-US) : Image: Cause skin irritation GHS-US labeling : Image: Cause skin irritation Hazard pictograms (GHS-US) : Image: Cause skin irritation GHS02 GHS07 GHS08 Signal word (GHS-US) : Danger Hazard statements (GHS-US) : Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation Precautionary statements (GHS-US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dus/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.	
Skin sensitization, Category 1 May cause an allergic skin reaction May be fatal if swallowed and enters airways 2.2. GHS Label elements, including precautionary statements GHS-US labeling Image: Comparison of the state of	
Aspiration hazard Category 1 May be fatal if swallowed and enters airways 2.2. GHS Label elements, including precautionary statements GHS-US labeling Hazard pictograms (GHS-US) :	
GHS-US labeling Hazard pictograms (GHS-US) :	
GHS-US labeling Hazard pictograms (GHS-US) :	
Hazard pictograms (GHS-US) : Image: Construction of the second of t	
Signal word (GHS-US) : Danger Hazard statements (GHS-US) : Flammable liquid and vapour May be fatal if swallowed and enters airways Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.	
Causes skin irritation May cause an allergic skin reaction Precautionary statements (GHS-US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.	
Precautionary statements (GHS-US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash hands, forearms and face thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Immediately call a poison center or doctor If on skin: Wash with plenty of water If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Specific treatment (see supplemental first aid instruction on this label) Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.	. No
03/18/2019 EN (English US)	Page 1

Item Numbers: 81523-1006

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	Take off contaminated clot Wash contaminated clothir In case of fire: Use media of Store in a well-ventilated pl Store locked up.	hing and wash it before r ig before reuse. other than water to exting lace. Keep cool. ner to hazardous or spec	guish. sial waste	collection point, in accordance
2.3. Other hazards which do not result in	classification			
No additional information available				
2.4. Unknown acute toxicity (GHS US)				
Not applicable				
SECTION 3: Composition/Information	n on ingredients			
3.1. Substances				
Name		Product identifier	%	GHS-US classification
LIME OIL		(CAS-No.) 8008-26-2	100	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Full text of hazard classes and H-statements : se	e section 16	•		
3.2. Mixtures				
Not applicable				
SECTION 4: First-aid measures				
4.1. Description of first aid measures				
First-aid measures general	: Call a physician immediate	ly.		
First-aid measures after inhalation	: Remove person to fresh air	r and keep comfortable f	or breathir	ng.
First-aid measures after skin contact	: Rinse skin with water/show irritation or rash occurs: Ge			all contaminated clothing. If skin
First-aid measures after eye contact	: Rinse eyes with water as a	precaution.		
First-aid measures after ingestion	: Do not induce vomiting. Ca	all a physician immediate	ly.	
4.2. Most important symptoms and effect	ts (acute and delayed)			
Symptoms/effects after skin contact	: Irritation. May cause an alle	ergic skin reaction.		
Symptoms/effects after ingestion	: Risk of lung edema.			
4.3. Immediate medical attention and spe	ecial treatment, if necessary			
Treat symptomatically.				
SECTION 5: Fire-fighting measures				
5.1. Suitable (and unsuitable) extinguish	ing media			
Suitable extinguishing media	: Water spray. Dry powder. I	Foam. Carbon dioxide.		
5.2. Specific hazards arising from the ch	emical			
Fire hazard	: Flammable liquid and vapo	our.		
Reactivity	: Flammable liquid and vapo	our.		
5.3. Special protective equipment and pr	ecautions for fire-fighters			
Protection during firefighting	: Do not attempt to take action apparatus. Complete prote		ctive equip	oment. Self-contained breathing
SECTION 6: Accidental release meas	sures			
6.1. Personal precautions, protective equ	uipment and emergency proc	cedures		
6.1.1. For non-emergency personnel				
Emergency procedures	: Ventilate spillage area. No and eyes. Avoid breathing			noking. Avoid contact with skin
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action refer to section 8: "Exposure			oment. For further information
03/18/2019	EN (English US)			2/6
Item Numbers: 81523-1006				Page 2 o

Safety Data Sheet

ccording to Federal Register / Vol. 77, No. 58 / M	onday, March 26, 2012 / Rules and Regulations
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for conta	ainment and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters	
LIME OIL (8008-26-2)	
Not applicable	
9.2 Appropriate opgingering contr	
8.2. Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
·	(Demonstration and internet)
-	s/Personal protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suita	
respiratory equipment	
SECTION 9: Physical and chemi	cal properties
9.1. Information on basic physical	and chemical properties
Physical state	: Liquid
Color	: PLAE YELLOW/AMBER TO GREEN - GREENISH-BROWN/AMBER
Odor	: FRESH, CITRUS, REMINISCENT OF LIME JUICE
Odor threshold	: No data available
pH	: No data available

: Not applicable

EN (English US)

Melting point

03/18/2019

3/6 Page 3 of 6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

03/18/2019	EN (English US) 4/6
	· · · · · · · · · · · · · · · · · · ·
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Aspiration hazard	: May be fatal if swallowed and enters airways.
Specific target organ toxicity – repeated exposure	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Reproductive toxicity	: Not classified
Carcinogenicity	: Not classified
Germ cell mutagenicity	: Not classified
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Serious eye damage/irritation	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Acute toxicity	: Not classified
11.1. Information on toxicological effects	
SECTION 11: Toxicological informat	ion
	zardous decomposition products should not be produced.
10.6. Hazardous decomposition products	
No additional information available	
10.5. Incompatible materials	
Avoid contact with hot surfaces. Heat. No flames	s, no sparks. Eliminate all sources of ignition.
10.4. Conditions to avoid	
No dangerous reactions known under normal co	nditions of use.
10.3. Possibility of hazardous reactions	
Stable under normal conditions.	
10.2. Chemical stability	
Flammable liquid and vapour.	
SECTION 10: Stability and reactivity	
Refractive index	: 1.484 (1.470 - 1.490)
VOC content	: 68 %
9.2. Other information	
Oxidizing properties	: No data available
Explosive properties	: No data available
Explosion limits	: No data available
Viscosity, kinematic Viscosity, dynamic	: No data available
Decomposition temperature Viscosity, kinematic	: No data available : No data available
Auto-ignition temperature	: No data available
	: No data available
Solubility	: Insoluble.
Relative density	: 0.8641 (0.850 - 0.885)
Relative vapor density at 20 °C	: No data available
Vapor pressure	: No data available
Flammability (solid, gas)	: Not applicable.
Relative evaporation rate (butyl acetate=1)	: No data available
3oiling point Flash point	: No data available : 46 °C
ailing point	

Item Numbers: 81523-1006

Page 4 of 6

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Symptoms/effects after ingestion : Risk of lung edema. **SECTION 12: Ecological information** 12.1. Toxicity The product is not considered harmful to aquatic organisms or to cause long-term adverse Ecology - general effects in the environment. 12.2. Persistence and degradability No additional information available 12.3. **Bioaccumulative potential** No additional information available 12.4. Mobility in soil No additional information available 12.5. **Other adverse effects** No additional information available SECTION 13: Disposal considerations **Disposal methods** 13.1. Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Additional information : Flammable vapors may accumulate in the container. **SECTION 14: Transport information Department of Transportation (DOT)** In accordance with DOT Not regulated **Transportation of Dangerous Goods** Not applicable Transport by sea : UN 1266 PERFUMERY PRODUCTS, 3, III Transport document description (IMDG) UN-No. (IMDG) : 1266 Proper Shipping Name (IMDG) : PERFUMERY PRODUCTS Class (IMDG) : 3 - Flammable liquids Packing group (IMDG) : III - substances presenting low danger Limited quantities (IMDG) : 5 L Air transport : UN 1266 Perfumery products, 3, III Transport document description (IATA) UN-No. (IATA) : 1266 Proper Shipping Name (IATA) : Perfumery products Class (IATA) : 3 - Flammable Liquids Packing group (IATA) : III - Minor Danger **SECTION 15: Regulatory information** 15.1. US Federal regulations LIME OIL (8008-26-2) Listed on the United States TSCA (Toxic Substances Control Act) inventory 15.2. International regulations CANADA

03/18/2019

EN (English US)

Item Numbers: 81523-1006

5/6 Page 5 of 6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LIME OIL (8008-26-2)	
	Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations No additional information available

National regulations

No additional information available

15.3. US State regulations

A WARNING:

This product can expose you to myrcene, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SEC	TION 16: Other information			
Revis	ion date	: 10/17/2018		
Full te	Full text of H-phrases:			
	H226	Flammable liquid and vapour		
	H304	May be fatal if swallowed and enters airways		
	H315	Causes skin irritation		
	H317	May cause an allergic skin reaction		

SDS US (GHS HazCom 2012) - Candlewic

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

EN (English US)

Item Numbers: 81523-1006