1. Identification

Product identifier Williamsburg Flake White, Lead Oil Ground, Silver White

Other means of identificationNot available.Recommended useArtist paintRecommended restrictionsNone known.

Manufacturer / Importer / Supplier / Distributor information

Company name
Golden Artist Colors, Inc.

Address
188 Bell Rd., New Berlin

NY 13411

US

Telephone 607-847-6154

E-mail gavett@goldenpaints.com

Contact person Ben Gavett
Emergency phone number 607-847-6154

2. Hazard(s) identification

Physical hazards Not classified. Acute

 Health hazards
 toxicity, oral
 Category 4

 Carcinogenicity
 Category 1A

 Reproductive toxicity
 Category 1A

Specific target organ toxicity, repeated Category 2 (Central Nervous System, Kidney,

exposure Blood)

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer. May damage fertility or the unborn child. May cause damage to organs

(Central Nervous System, Kidney, Blood) through prolonged or repeated exposure. Harmful if

swallowed.

Precautionary statement

Prevention

Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Wash thoroughly

aner nandling.

Not classified.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If inhaled: Remove

person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel

unwell.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

Environmental hazards

classified (HNOC)

Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

Supplemental information

Hazard symbol



Hazard statement Very toxic to aquatic life with long lasting effects.

Response

Collect spillage

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Lead carbonate hydroxide	1319-46-6	40 - 60
Linseed oil	8001-26-1	25 - 35
Limestone	1317-65-3	10 - 40
Barium sulphate	7727-43-7	0 - 10
Quartz	14808-60-7	0.1-<1.0

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

Not likely, due to the form of the product. If inhaled, remove to fresh air. Do not use mouth-to-mouth method if victim inhaled the substance. Get medical attention.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. Wash clothing separately before reuse. Get medical attention if irritation develops and persists.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth thoroughly. Never give anything by mouth to a victim who is unconscious or is having convulsions. If swallowed, induce vomiting immediately as directed by medical personnel. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention.

Most important symptoms/effects, acute and delayed Symptoms include itching, burning, redness and tearing. Symptoms may be delayed.

Indication of immediate medical attention and special treatment needed

Lead - To avoid further damage, those with kidney, neurological or blood disease should avoid exposure. Exposure during pregnancy should be avoided.

General information

Keep victim warm. Keep victim under observation.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Water spray, foam, dry powder or carbon dioxide. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

By heating and fire, toxic vapors/gases may be formed.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire

Fire-fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Avoid contact with skin and eyes. Ventilate well. Avoid breathing mist. Wear suitable protective clothing.

Methods and materials for containment and cleaning up Environmental precautions Spill clean-up restrictions apply. Absorb spillage with suitable absorbent material. For waste disposal, see Section 13 of the SDS.

Do not discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Read label before use. Do not handle until all safety precautions have been read and understood. Pregnant women should not work with the product, if there is the least risk of exposure. Avoid contact with skin and eyes. Wear personal protective equipment. Wash thoroughly after handling. Avoid breathing mist.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Туре	Value	
Lead carbonate hydroxide	TWA	0.05 mg/m3	_
(CAS 1319-46-6)			

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Barium sulphate (CAS 7727-43-7)	PEL	5 mg/m3	Respirable fraction.
·		15 mg/m3	Total dust.
Limestone (CAS 1317-65-3)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Linseed oil (CAS 8001-26-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Туре	Value	Form
Quartz (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		2.4 millions of particle	Respirable.

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Barium sulphate (CAS 7727-43-7)	TWA	10 mg/m3	
Lead carbonate hydroxide (CAS 1319-46-6)	TWA	0.05 mg/m3	
Quartz (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

US NIOSH Pocket Guide to Chemical Hazards: Recommended exposure limit (REL)

Components	Туре	Value	Form
Barium sulphate (CAS 7727-43-7)	TWA	5 mg/m3	Respirable.
,		10 mg/m3	Total
Limestone (CAS 1317-65-3)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Linseed oil (CAS 8001-26-1)	TWA	5 mg/m3	Respirable.
,		10 mg/m3	Mist.
Quartz (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Lead carbonate hydroxide	300 µg/l	Lead	Blood	*
(CAS 1319-46-6)				

^{* -} For sampling details, please see the source document.

Appropriate engineering

Provide adequate ventilation.

controls

Individual protection measures, such as personal protective equipment

Eye/face protection Risk of contact: Wear approved safety glasses or goggles.

Skin protection

Hand protection Chemical resistant gloves required for prolonged or repeated contact. Suitable gloves can be

recommended by the glove supplier.

Other Wear protective clothing appropriate for the risk of exposure.

Respiratory protection If ventilation is not sufficient to effectively prevent buildup of aerosols or mists, appropriate

NIOSH/MSHA respiratory protection must be provided.

considerations

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Private clothes and working clothes should be kept

separately.

9. Physical and chemical properties

Semisolid. **Appearance** Physical state Solid. Form Semisolid. Color White Odor Oily.

Odor threshold Not available. Ha Not available. Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available. (%)

Flammability limit - upper

Not available.

(%)

Not available. Vapor pressure Vapor density Not available.

Relative density 26

Solubility(ies) Not available. Partition coefficient No data available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

10. Stability and reactivity

Reactivity Stable at normal conditions.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Will not occur.

Conditions to avoid Contact with incompatible materials. Incompatible materials Strong acids. Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Harmful if swallowed. Indestion

Inhalation Harmful if inhaled. However: Unlikely to be hazardous by inhalation because of the low vapor

pressure of the substance at ambient temperature.

Skin contact May cause skin irritation. May cause eye irritation. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics Symptoms include itching, burning, redness and tearing.

Information on toxicological effects

Serious eye damage/eye

irritation

May cause eye irritation.

No data available. Respiratory sensitization Skin sensitization No data available Germ cell mutagenicity No data available. Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Lead carbonate hydroxide (CAS 1319-46-6) 2A Probably carcinogenic to humans.

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

NTP Report on Carcinogens

Lead carbonate hydroxide (CAS 1319-46-6) Reasonably Anticipated to be a Human Carcinogen.

Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity May damage fertility. May damage the unborn child.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity repeated exposure

May cause damage to organs (Central Nervous System, Kidney, Blood) through prolonged or

repeated exposure.

Not classified Aspiration hazard

Chronic effects Lead is accumulated in the body and may cause damage to the brain and nervous system after

prolonged exposure. Repeated absorption may cause disorder of central nervous system, liver,

kidneys and blood.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Test Results Components **Species**

Barium sulphate (CAS 7727-43-7)

Aquatic

Crustacea EC50 Tubificid worm (Tubifex tubifex) 28.61 - 38.03 mg/l, 48 hours

Persistence and degradability No data available. Bioaccumulative potential No data available. Mobility in soil No data available.

Mobility in general The product contains substances which are insoluble in water and which sediment in water

systems.

D008: Waste Lead

No data available. Other adverse effects

13. Disposal considerations

Disposal instructions

Contract with a disposal operator licensed by the Law on Disposal and Cleaning. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities. Do not discharge into drains, water courses or onto the ground. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations. When your own wastewater treatment plant is not available, collect entire waste and then charge to a licensed industrial waste management professional with manifests for industrial waste.

Hazardous waste code

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging

Packing group

Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN3082

UN proper shipping name Transport hazard class(es) Subsidiary class(es)

Environmentally hazardous substances, liquid, n.o.s. (Lead carbonate hydroxide)

9 Ш

Williamsburg Flake White, Williamsburg Lead Oil Ground

SDS US

Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Lead carbonate hydroxide)

Transport hazard class(es) 9
Subsidiary class(es) - III
Packaging group Yes
Environmental hazards 9
Labels required 9L

ERG Code

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Lead carbonate hydroxide)

Transport hazard class(es) 9
Subsidiary class(es) Packaging group ||||
Environmental hazards

Marine pollutant Yes
Labels required 9
EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

This substance/mixture is not intended to be transported in bulk.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Lead carbonate hydroxide (CAS 1319-46-6)

Reproductive toxicity

Central nervous system

Kidney Blood Acute toxicity

CERCLA Hazardous Substance List (40 CFR 302.4)

Barium sulphate (CAS 7727-43-7) LISTED Lead carbonate hydroxide (CAS 1319-46-6) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - Yes

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

No

SARA 311/312 Hazardous Y

chemical

Yes

SARA 313 (TRI reporting)

 Chemical name
 CAS number
 % by wt.

 Lead carbonate hydroxide
 1319-46-6
 40 - 60

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Lead carbonate hydroxide (CAS 1319-46-6)

Williamsburg Flake White, Williamsburg Lead Oil Ground

SDS US

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug Administration (FDA) Not regulated.

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer and

birth defects or other reproductive harm.

US. Massachusetts RTK - Substance List

Barium sulphate (CAS 7727-43-7)

Lead carbonate hydroxide (CAS 1319-46-6)

Limestone (CAS 1317-65-3) Linseed oil (CAS 8001-26-1) Quartz (CAS 14808-60-7)

US. New Jersey Worker and Community Right-to-Know Act

Lead carbonate hydroxide (CAS 1319-46-6) 500 lbs

US. Pennsylvania RTK - Hazardous Substances

Barium sulphate (CAS 7727-43-7) Limestone (CAS 1317-65-3) Linseed oil (CAS 8001-26-1) Quartz (CAS 14808-60-7)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Lead carbonate hydroxide (CAS 1319-46-6)

Quartz (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Toxic Substances Control Act (TSCA) Inventory *A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 22-November-2013

Revision date Version # 01

United States & Puerto Rico

NFPA Ratings



Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

US. IARC Monographs on Occupational Exposures to Chemical Agents ACGIH Documentation of the Threshold Limit Values and Biological Exposure Indices

Disclaimer The information in the sheet was written based on the best knowledge and experience currently

available.

This SDS contains revisions in the following section(s):

1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.