SAFETY DATA SHEET

Issuing Date No data available

Revision Date 17 Nov-2015

Revision Number 2

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is ©2014 UL LLC. All rights reserved.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

UL

Product Name	Painters Rags (6477)		
Other means of identification			
Synonyms	None		
Recommended use of the chemi	cal and restrictions on use		
Recommended Use	Hand Rags		
Uses advised against	No information available		
Details of the supplier of the safety data sheet			
Supplier Name Supplier Address Supplier Phone Number Emergency telephone number	DCI Industries of Gainesville, Inc PO. BOX 358717 Gainesville, FL 32635 Phone: 800-22-0477 Chemtrec: 800-424-9300		

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation

Category 2A

Signal word

Warning

GHS Label elements, including precautionary statements


Emergency Overview

(UL)

Page 1/10

Painters Rags (6477)

Page 2 of 10



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Remove the contaminated clothing and wash.

Precautionary Statements - Response

Specific treatment (see supplemental first aid instructions on this label

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If irritation persists consult a doctor/physician.

Precautionary Statements - Storage

None

Precautionary Statements - Disposal None

Hazards not otherwise classified (HNOC)

Not applicable

<u>Unknown Toxicity</u>

4.13% of the mixture consists of ingredient(s) of unknown toxicity

Other information

No information available

Interactions with Other Chemicals

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Cocamidopropyl betaine	61789-40-0	5 - 10	*
*The exact percentage (concentration) of composition has been withheld as a trade secret			

4. FIRST AID MEASURES

First aid measures



Page 2/10

Painters Rags (6477)	Revision Date 17-Nov-2015			
General Advice	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.			
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and If irritation persists consult a doctor/physician.			
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.			
Inhalation	Remove to fresh air. If symptoms persist, call a physician.			
Ingestion	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.			
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.			
Most important symptoms and e	effects. both acute and delayed			
Most Important Symptoms and Effects	Burning sensation.			
Indication of any immediate medical attention and special treatment needed				
Iotes to Physician Treat symptomatically.				
5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable extinguishing media CAUTION: Use of water spray when t	fighting fire may be inefficient.			
Specific Hazards Arising from the Chemical No information available.				
Hazardous Combustion Products Carbon oxides.				
Explosion Data Sensitivity to Mechanical Impact	No.			
Sensitivity to Static Discharge	No.			
Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.				



Page 3/10

Revision Date 17-Nov-2015

Personal precautions, protectiv	e equipment and emergency procedures
Personal Precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental Precautions	
Environmental Precautions	Refer to protective measures listed in Sect ions 7 and 8. Prevent further leakage or spillage if safe to do so.
Methods and material for contai	nment and cleaning up
Methods for Containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
	7. HANDLING AND STORAGE
Precautions for safe handling	
Handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
Conditions for safe storage. inc	luding any incompatibilities
Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.
Incompatible Products	Strong oxidizing agents. Strong acids. Strong bases.
9 E)	(POSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm	IDLH: 3300 ppm 10% LEL TWA: 1000 ppm TWA: 1900 mg/m³
		(vacated) TWA: 1900 mg/m ³	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992)

Appropriate engineering controls



Page 4/10

Page 5 of 10

Revision Date 17-Nov-2015

Engineering Measures	Showers Eyewash stations Ventilation systems
Individual protection measures. suc	ch as personal protective equipment
Eye/Face Protection	Tight sealing safety goggles.
Skin and Body Protection	Wear protective gloves and protective clothing.
Respiratory Protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State Appearance Color	Hazy White tinge No information available	Odor Odor Threshold	Citrus No information available
<u>Propert</u> ¥ pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation	<u>Values</u> 7.0 No data available 85° 98°C / >210° F	Remarks/ Method None known None known None known None known	
Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit	No data available No data available No data available No data available	None known None known	
Lower frammability limit Vapor pressure Vapor density Specific Gravity Water Solubility	No data available No data available No data available 1.00 Soluble in water	None known None known None known None known	
Solubility in other solvents Partition coefficient: n-octanol/wat Autoignition temperature Decomposition temperature	No data available terNo data available No data available No data available	None known None known None known None known	
Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing Properties	No data available No data available No data available No data available	None known None known	
Other Information			
Softening Point VOC Content (%) Particle Size Particle Size Distribution	No data available No data available No data available		



Item Numbers: 05724-1002

Page 5/10

Revision Date 17-Nov-2015

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

None known based on information supplied.

Incompatible materials Strong oxidizing agents. Strong acids. Strong bases.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	Specific test data for the substance or mixture is not available. No irritation expected.
Eye Contact	Specific test data for the substance or mixture is not available. Expected to be an irritant based on the components. May cause Eye Irritation. May cause burns.
Skin Contact	Specific test data for the substance or mixture is not available. Not expected to be a skin irritant based on the components. Prolonged contact may cause redness and irritation.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause irritation to mucous membranes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	-	-	= 124.7 mg/L (Rat) 4 h
64-17-5			

Information on toxicological effects

Symptoms

Erythema (skin redness). May cause blindness. Burning.

Delaved and immediate effects as well as chronic effects from short and long-term exposure



Page 6/10

Invisible Care (661)				Revision Date 17-Nov-2015
Sensitization	No information available.			
Mutagenic Effects	No information	No information available.		
Carcinogenicity	The table belo	w indicates whether each	n agency has listed any ing	gredient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17- 5	A3	Group 1	Known	Х
X - Present Reproductive Toxicity	No informatio	No information available.		
STOT - single exposure	No information available.			
STOT - repeated exposure	No information available.			
Chronic Toxicity	carcinogen. E alcoholic beve	thanol has been shown to grage. Contains a known o	or suspected reproductive	nly when consumed as an
Target Organ Effects	Eyes.	Eyes.		
Aspiration Hazard	No information available.			
Numerical measures of toxic	ity Product Information	on		

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

Page 7/10

Revision Date 17-Nov-2015

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Ethyl alcohol		96h LC50: > 100 mg/L	EC50 = 34634 mg/L 30 min	48h LC50: 9268 - 14221
64-17-5		(Pimephales promelas) 96h	EC50 = 35470 mg/L 5 min	mg/L 48h EC50: = 2 mg/L
		LC50: 13400 - 15100 mg/L	_	24h EC50: = 10800 mg/L
		(Pimephales promelas) 96h		_
		LC50: 12.0 - 16.0 mL/L		
		(Oncorhynchus mykiss)		

Persistence and Degradability

No information available.

Bioaccumulation

Chemical Name	Log Pow	
Ethyl alcohol 64-17-	-0.32	
5		

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methodsThis material, as supplied, is not a hazardous waste according to Federal regulations (40
CFR 261). This material could become a hazardous waste if it is mixed with or otherwise
comes in contact with a hazardous waste, if chemical additions are made to this material, or
if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether
the altered material is a hazardous waste. Consult the appropriate state, regional, or local
regulations for additional requirements.Contaminated PackagingDispose of contents/containers in accordance with local regulations.

California Hazardous Waste Codes 561

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Ethyl alcohol 64-17-	Toxic
5	Ignitable

14. TRANSPORT INFORMATION

DOT Proper Shipping Name Hazard Class NOT REGULATED NON REGULATED N/A

Not regulated

TDG



Page 8/10

Page 8 of 10

Revision Date 17-Nov-2015

MEX	Not regulated			
ICAO	Not regulated			
<u>IATA</u> Proper Shipping Name Hazard Class	Not regulated NON REGULATED N/A			
IMDG/IMO Hazard Class	Not regulated N/A			
RID	Not regulated			
ADR	Not regulated			
ADN	Not regulated			
15. REGULATORY INFORMATION				
International Inventories				
TSCA	Complies			

DSL

All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contact the following Proposition 65 chemicals.



Revision Date 17-Nov-2015

U.S. State Right-to-Know Regulations

This product does not contain any substance regulated by the state right- to- know regulations.

Canada WHMIS Hazard Class D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 0	Instability 0	Physical and Chemical Hazards - Personal Protection X
HMIS	Health Hazards 1	Flammability 0	Physical Hazard 0	

Revision Date Revision Note 17-Nov-2015 No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Page 10/10